

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

- . . . by Diagnosis, United States, 1981
- . . . by Diagnosis, United States, North Central Region, 1981
- . . . by Diagnosis, United States, Northeastern Region, 1981
- . . . by Diagnosis, United States, Southern Region, 1981
- . . . by Diagnosis, United States, Western Region, 1981
- . . . by Diagnosis, Canada, 1981

- . . . by Operation, United States, 1981
- . . . by Operation, United States, North Central Region, 1981
- . . . by Operation, United States, Northeastern Region, 1981
- . . . by Operation, United States, Southern Region, 1981
- . . . by Operation, United States, Western Region, 1981
- . . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant



CONTENTS

Preface	iii
Discussion of the Data	1
Source of the Data.	1
Data Quality.	2
Coverage	3
Organization of Length of Stay Tables.	5
Definition of Multiple Diagnosis Patients	5
Definition of Operated Patients	6
Explanation of Statistics.	6
Defining the Extended Stay Case	7
Length of Stay Tables	15
Summary of All Patients.	16
Operation Groups 501-764.	17
Appendix: ICD-9-CM Codes for Selected Operation Groups	83
Index to Length of Stay Tables	87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, non-governmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals
Compared with All Short-Term Nonfederal Hospitals¹ in Canada
January-December 1981

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total ² (2)	Number in Books (3)	Percent in Books (4)	Canada Total ² (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	25	10.3	3,434	450	13.1
25-49	194	74	38.1	6,680	2,514	37.6
50-99	174	59	33.9	12,300	4,117	33.5
100-199	120	42	35.0	16,507	5,760	34.9
200-299	74	17	23.0	17,869	4,054	22.7
300-399	58	11	19.0	20,119	3,685	18.3
400-499	20	4	20.0	8,981	1,844	20.5
500 or more	37	10	27.0	25,481	6,698	26.3
Total	919	242	26.3	111,371	29,122	26.1
Province or Territory						
Alberta	125	113	90.4	11,653	10,459	89.8
British Columbia	111	53	47.7	12,355	6,683	54.1
Manitoba	78	—	—	5,150	—	—
New Brunswick	33	33	100	3,924	3,924	100
Newfoundland	35	8	22.9	2,588	1,718	66.4
Nova Scotia	48	16	33.3	4,833	3,146	65.1
Ontario	207	—	—	37,688	—	—
Prince Edward Island	9	—	—	644	—	—
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	16	12.1	6,260	2,557	40.8
Northwest Territories	3	2	66.6	151	101	66.9
Yukon	0	—	—	—	—	—
Total	919	242	26.3	111,371	29,122	26.1

¹Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

²*Canadian Hospital Directory, 1980*, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups*.¹ Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM*.

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)² Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

- 1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*³)
- 2) Codes V27.0-V27.9 (outcome of delivery)
- 3) E codes (external causes of injury and poisoning)

¹*ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

²Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

³*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{j=1}^N (X_j - \bar{X})^2 / (N - 1)$, where the X_j 's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1981* or *Length of Stay by Operation, Canada, 1981*.

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*¹) that contains the contemplated operation in one of the following ways:

- a. Usually the diagnosis can be found in *Concurrent Review Screening*,² developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.
- b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.
- c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM*.³ That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

¹*ICD-9-CM List B: Hospital Procedure Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

²*Concurrent Review Screening - Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

³*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

- a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP $\geq$ 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever $\geq 102^{\circ}$, chills			
2. Abscess formation			

- b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovessical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

- c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure

INDEX TO PROCEDURES

Procedure — continued

diagnostic NEC — continued

pleura 34.28
 posterior chamber, eye 14.19
 prostate 60.18
 pulmonary 33.29
 rectum 48.29
 renal 55.29
 respiratory 33.29
 retina 14.19
 retroperitoneum 59.29
 salivary gland or duct 26.19
 sclera 12.29
 scrotum 61.19
 seminal vesicle 60.19
 sigmoid 45.28
 sinus, nasal 22.19
 skin 86.19
 skull 01.19
 soft tissue 83.29
 spermatic cord 63.09
 sphincter of Oddi 51.19
 spine, spinal (canal) (cord) (meninges) (structure) 03.39
 spleen 41.39
 stomach 44.19
 subcutaneous tissue 86.19
 sympathetic nerve 05.19
 tarsus 09.19
 tendon NEC 83.29
 extraocular 15.09
 testicle 62.19
 thalamus 01.18
 thoracic duct 40.19
 thorax 34.28
 thymus 07.19
 thyroid gland 06.19
 tongue 25.09
 tonsils 28.19
 tooth 24.19
 trachea 31.49
 tunica vaginalis 61.19
 ureter 56.39
 urethra 58.29
 uterus and supporting structures 68.19
 uvula 27.29
 vagina 70.29
 vas deferens 63.09
 vesical 57.39
 vessel (blood) (any site) 38.29
 vitreous 14.19
 vulva 71.19
 fistulizing, sclera NEC 12.69
 miscellaneous (nonoperative) NEC 99.99
 respiratory (nonoperative) NEC 93.99
 surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) (*see also* Resection, rectum) 48.69
 abdominoperineal 48.5

Proctectomy (partial) — continued

complete (Miles) (Rankin) 48.5
 pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
 abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
 through stoma (artificial) 48.22
 transabdominal approach 48.21
Proctosigmoidectomy (*see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
 through stoma (artificial) 48.22
 transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
 atrial septal defect 35.42
 subcutaneous tunnel for esophageal anastomosis 42.86
 with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatotomy (complete) (partial) NEC 60.69
 loop 60.2
 perineal 60.62
 radical (any approach) 60.5
 retropubic (punch) (transcapsular) 60.4
 suprapubic (punch) (transvesical) 60.3
 transcapsular NEC 60.69
 retropubic 60.4
 transurethral 60.2
 transvesical punch (suprapubic) 60.3
Prostatozystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
 individual from his surroundings 99.84
 surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
 biofeedback 94.39
 exploratory verbal 94.37
 group 94.44
 for psychosexual dysfunctions 94.41
 play 94.36
 psychosexual dysfunctions 94.34
 supportive verbal 94.38
Ptylectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	25	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)										
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

242 Hospitals, Canada, 1981, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74443	4.1	20	1	1	3	5	8	11	22
20-34	113205	4.4	14	<1	1	4	5	7	9	18
35-49	37846	5.4	27	<1	1	4	7	11	14	25
50-64	31810	6.8	44	1	1	5	9	14	18	33
65+	28207	8.8	78	1	2	6	11	18	25	50
2. MULTIPLE DX										
0-19 YRS	49612	6.5	65	1	1	4	7	13	20	47
20-34	80576	6.5	46	1	2	5	7	11	16	39
35-49	41827	8.4	74	1	2	7	10	17	23	48
50-64	51221	10.9	120	1	2	8	14	23	32	67
65+	76235	14.2	191	2	3	10	18	32	49	99+
TOT. SINGLE DX	285511	5.1	29	1	1	4	6	10	14	28
" MULTIPLE DX	299471	9.5	113	1	2	6	11	21	30	71
TOTAL 0-19 YRS	124055	5.0	40	1	1	3	6	10	14	33
20-34	193781	5.2	29	1	1	4	6	9	12	28
35-49	79673	6.9	54	1	1	5	8	14	19	39
50-64	83031	9.3	94	1	2	7	12	19	27	56
65+	104442	12.7	166	2	3	9	16	29	42	99+
GRAND TOTAL	584982	7.3	77	1	1	5	8	15	23	53

242 Hospitals, Canada, 1981, by Operation

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.0	4	△	△	△	△	△	△	△
20-34	255	3.5	5	△	△	△	△	△	△	△
35-49	256	3.8	10	△	△	△	△	△	△	△
50-64	296	3.5	5	△	△	△	△	△	△	△
65+	152	3.8	5	△	△	△	△	△	△	△
2. MULTIPLE DX										
0-19 YRS	42	4.2	20	△	△	△	△	△	△	△
20-34	128	3.9	37	△	△	△	△	△	△	△
35-49	124	5.4	44	△	△	△	△	△	△	△
50-64	197	5.8	34	△	△	△	△	△	△	△
65+	144	6.7	78	△	△	△	△	△	△	△
TOT. SINGLE DX	1008	2.6	6	△	△	△	△	△	△	△
" MULTIPLE DX	638	5.4	47	△	△	△	△	△	△	△
TOTAL 0-19 YRS	91	3.5	12	△	△	△	△	△	△	△
20-34	383	3.0	17	△	△	△	△	△	△	△
35-49	380	3.6	23	△	△	△	△	△	△	△
50-64	493	3.8	18	△	△	△	△	△	△	△
65+	296	4.7	44	△	△	△	△	△	△	△
GRAND TOTAL	1643	3.7	23	△	△	△	△	△	△	△

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.5	28	△	△	△	△	△	△	△
20-34	9	4.7	17	△	△	△	△	△	△	△
35-49	10	9.6	29	△	△	△	△	△	△	△
50-64	4	14.8	505	△	△	△	△	△	△	△
65+	6	1.5		△	△	△	△	△	△	△
2. MULTIPLE DX										
0-19 YRS	2	19.5	25	△	△	△	△	△	△	△
20-34	9	14.4	487	△	△	△	△	△	△	△
35-49	8	6.0	38	△	△	△	△	△	△	△
50-64	17	13.2	63	△	△	△	△	△	△	△
65+	22	17.0	156	△	△	△	△	△	△	△
TOT. SINGLE DX	33	7.3	83	△	△	△	△	△	△	△
" MULTIPLE DX	65	14.5	166	△	△	△	△	△	△	△
TOTAL 0-19 YRS	6	12.2	54	△	△	△	△	△	△	△
20-34	18	9.6	263	△	△	△	△	△	△	△
35-49	15	8.4	40	△	△	△	△	△	△	△
50-64	21	13.5	127	△	△	△	△	△	△	△
65+	28	13.6	164	△	△	△	△	△	△	△
GRAND TOTAL	88	11.8	146	△	△	△	△	△	△	△

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	18	8.4	21	3	4	7	10	14	18	19
35-49	17	11.1	17	5	6	10	14	17	18	18
50-64	36	9.3	22	4	9	8	10	14	22	23
65+	30	14.1	87	5	6	11	20	24	25	50
2. MULTIPLE DX										
0-19 YRS	3	7.7		7	7	8	8	8	8	8
20-34	13	8.9	28	5	5	7	11	15	21	23
35-49	28	13.5	127	3	4	10	16	26	36	58
50-64	69	17.2	211	5	6	13	22	29	55	99
65+	129	18.6	196	6	7	14	25	41	60	99+
TOT. SINGLE DX	104	10.7	44	4	5	9	12	20	23	37
" MULTIPLE DX	242	17.0	187	5	6	13	22	35	55	99+
TOTAL 0-19 YRS	6	6.3	3	4	4	7	8	8	8	8
20-34	31	8.6	23	4	4	7	10	14	19	23
35-49	45	12.6	86	4	4	10	15	18	20	58
50-64	105	14.5	160	5	6	10	17	26	38	98
65+	199	17.7	178	6	7	13	23	38	55	99+
GRAND TOTAL	346	15.1	152	5	6	11	20	28	44	99+

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

242 Hospitals, Canada, 1981, by Operation

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	30	14.4	319	2	3	9	16	38	40	89	
20-34	50	14.8	71	5	6	13	18	29	32	39	
35-49	40	14.9	71	3	4	13	22	27	36	99+	
50-64	44	19.2	133	6	8	16	25	33	40	64	
65+	32	21.1	271	6	8	17	29	36	40	93	
2. MULTIPLE DX											
0-19 YRS	39	27.2	412	5	8	21	40	64	79	99+	
20-34	54	28.8	396	7	9	24	48	71	99+	99+	
35-49	48	26.0	410	5	7	20	36	71	79	99+	
50-64	80	31.6	427	7	9	27	44	77	96	99+	
65+	62	31.4	545	8	10	25	43	74	82	99+	
TOT. SINGLE DX	196	16.8	159	3	5	14	22	32	39	91	
" MULTIPLE DX	283	29.4	441	6	9	23	44	72	84	99+	
TOTAL											
0-19 YRS	69	21.6	407	3	3	15	28	53	77	98	
20-34	104	22.1	287	6	7	17	30	56	73	99+	
35-49	88	20.9	285	4	6	17	24	53	77	99+	
50-64	124	27.2	356	6	9	23	38	62	84	99+	
65+	94	27.9	472	8	9	21	32	68	80	99	
GRAND TOTAL	479	24.3	364	5	7	19	32	63	77	99+	

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	17	12.0	44	5	6	10	15	23	28	29	
20-34	14	12.4	34	4	6	11	16	20	25	27	
35-49	12	11.6	20	5	6	11	15	18	19	19	
50-64	14	12.6	99	4	5	12	13	18	39	45	
65+	12	18.3	267	4	5	11	26	48	53	54	
2. MULTIPLE DX											
0-19 YRS	24	17.0	121	5	7	14	27	48	99+	99+	
20-34	22	24.2	224	7	9	19	42	59	99+	99+	
35-49	22	25.6	296	3	6	24	36	54	56	57	
50-64	21	27.6	502	5	6	22	31	77	91	99+	
65+	22	26.6	278	11	12	23	43	99+	99+	99+	
TOT. SINGLE DX	69	13.2	88	4	5	11	14	24	30	52	
" MULTIPLE DX	111	24.0	284	6	7	20	37	68	99+	99+	
TOTAL											
0-19 YRS	41	15.0	94	5	6	13	23	31	67	99+	
20-34	36	19.6	182	6	8	16	28	49	81	99+	
35-49	34	20.6	242	5	6	15	29	50	55	57	
50-64	35	21.6	389	4	5	14	28	61	82	99+	
65+	34	23.7	283	6	8	18	41	92	99+	99+	
GRAND TOTAL	180	19.9	236	5	6	15	28	52	86	99+	

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	46	8.6	18	3	4	8	11	16	18	19	
20-34	23	7.3	27	1	2	6	9	13	18	26	
35-49	15	11.5	66	2	7	9	11	21	33	37	
50-64	8	8.9	20	3	4	8	10	16	18	18	
65+	3	9.3	9	6	6	10	11	12	12	12	
2. MULTIPLE DX											
0-19 YRS	33	16.5	246	5	6	11	18	40	61	66	
20-34	29	15.2	233	4	4	11	16	48	69	99+	
35-49	16	10.5	44	3	4	9	12	14	27	32	
50-64	15	15.1	109	7	8	11	22	41	83	99+	
65+	6	13.8	30	8	8	13	20	20	20	20	
TOT. SINGLE DX	95	8.8	29	2	4	8	11	15	18	32	
" MULTIPLE DX	99	14.2	176	4	5	10	16	35	57	99+	
TOTAL											
0-19 YRS	79	11.9	127	4	4	8	13	19	36	65	
20-34	52	11.7	155	2	4	8	13	27	50	99	
35-49	31	10.9	54	3	5	9	12	17	31	37	
50-64	23	13.0	85	4	7	9	17	33	59	99+	
65+	9	12.3	27	6	7	10	17	20	20	20	
GRAND TOTAL	194	11.9	112	3	4	9	13	21	38	86	

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	14	11.9	70	3	4	9	16	25	30	32	
20-34	5	11.8	51	3	3	11	15	23	23	23	
35-49	2	13.5	113	6	6	13	21	21	21	21	
50-64	1	33.0	33	33	33	33	33	33	33	33	
65+	3	16.0	133	3	3	20	24	25	25	25	
2. MULTIPLE DX											
0-19 YRS	37	21.1	281	7	7	16	29	58	67	99+	
20-34	12	15.9	89	6	6	15	19	29	38	39	
35-49	10	20.0	497	5	6	12	21	56	79	79	
50-64	10	30.9	634	5	10	23	31	73	93	93	
65+	9	38.0	590	9	9	41	65	85	99+	99+	
TOT. SINGLE DX	25	13.3	81	3	3	11	20	25	32	33	
" MULTIPLE DX	78	23.4	383	6	7	17	31	62	75	99+	
TOTAL											
0-19 YRS	51	18.6	239	4	6	13	24	41	64	99	
20-34	17	14.7	78	4	6	12	19	25	34	39	
35-49	12	18.9	424	5	6	12	21	47	74	79	
50-64	11	31.1	572	5	11	25	32	69	91	93	
65+	12	32.5	553	4	8	31	60	77	98	99+	
GRAND TOTAL	103	20.9	327	5	6	16	27	57	69	99+	

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	46	10.2	70	2	3	8	14	17	22	52	
20-34	14	14.1	169	2	3	8	15	37	38	38	
35-49	8	14.5	212	3	3	8	24	38	39	39	
50-64	6	24.5	423	4	4	20	41	54	56	56	
65+	4	12.8	95	6	6	12	19	21	21	21	
2. MULTIPLE DX											
0-19 YRS	117	13.5	143	3	4	10	17	32	46	99+	
20-34	23	23.0	609	1	3	14	35	71	93	99+	
35-49	7	20.6	147	6	6	26	27	37	39	39	
50-64	8	21.0	897	4	5	10	18	71	94	94	
65+	13	26.8	352	7	8	26	51	99+	99+	99+	
TOT. SINGLE DX	78	12.6	134	2	3	8	14	34	39	55	
" MULTIPLE DX	168	16.5	270	3	4	11	23	45	73	99+	
TOTAL											
0-19 YRS	163	12.6	124	3	4	9	15	31	45	99+	
20-34	37	19.7	453	2	3	11	30	62	82	99+	
35-49	15	17.3	179	3	4	12	27	39	39	39	
50-64	14	22.5	649	4	4	13	25	60	86	94	
65+	17	23.5	313	6	7	21	33	89	99+	99+	
GRAND TOTAL	246	15.3	230	3	4	10	18	38	59	99+	

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	2	21.0	392	7	7	21	35	35	35	35	
20-34	56	13.9	120	6	6	11	15	26	34	72	
35-49	93	12.0	26	6	6	12	14	18	21	31	
50-64	98	13.9	81	5	7	12	15	23	33	50	
65+	30	16.7	46	6	9	16	22	26	29	33	
2. MULTIPLE DX											
0-19 YRS	8	31.8	801	6	9	23	36	80	97	97	
20-34	45	18.4	116	7	9	15	25	38	45	99+	
35-49	95	17.4	103	6	8	15	22	30	39	56	
50-64	149	18.0	133	7	8	14	21	38	46	99	
65+	82	24.1	254	8	10	21	33	45	67	99+	
TOT. SINGLE DX	279	13.8	69	6	7	12	16	23	29	45	
" MULTIPLE DX	379	19.5	171	7	8	15	25	38	48	99+	
TOTAL											
0-19 YRS	10	29.7	688	6	6	23	35	69	97	97	
20-34	101	15.9	122	6	7	12	19	32	39	86	
35-49	188	14.7	73	6	7	13	17	26	30	47	
50-64	247	16.4	117	7	8	13	19	34	44	67	
65+	112	22.1	209	7	10	18	28	41	63	99+	
GRAND TOTAL	658	17.6	136	6	8	13	20	33	42	86	

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	13	16.9	204	3	3	15	24	34	52	54	
20-34	62	9.9	54	2	2	8	14	19	23	37	
35-49	63	7.5	27	2	2	6	10	14	17	27	
50-64	45	10.7	114	1	2	7	14	29	33	44	
65+	6	19.5	197	8	8	17	25	42	44	44	
2. MULTIPLE DX											
0-19 YRS	33	20.9	185	2	4	19	28	45	55	99+	
20-34	39	21.1	362	3	5	18	39	86	99+	99+	
35-49	30	16.9	254	2	3	12	22	36	64	99+	
50-64	51	20.0	233	2	3	17	31	42	60	99	
65+	26	29.7	400	4	8	25	40	64	69	71	
TOT. SINGLE DX	189	10.1	80	2	2	7	13	20	28	44	
" MULTIPLE DX	199	20.8	286	2	4	17	30	50	70	99+	
TOTAL											
0-19 YRS	46	19.8	190	3	4	18	27	45	56	99+	
20-34	101	14.2	200	3	3	11	19	40	73	99+	
35-49	113	11.7	148	2	2	8	14	27	33	88	
50-64	96	18.6	197	2	2	11	22	35	45	83	
65+	32	27.8	371	5	7	24	39	62	68	71	
GRAND TOTAL	388	15.6	214	2	3	11	21	39	57	99+	

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	13	2.5	2	<1	<1	2	3	5	5	5	
20-34	53	4.7	21	<1	<1	3	6	10	14	26	
35-49	54	4.8	19	1	1	3	6	11	13	24	
50-64	69	4.2	8	1	1	4	6	8	10	13	
65+	56	5.6	23	<1	1	4	8	13	17	20	
2. MULTIPLE DX											
0-19 YRS	12	7.2	60	1	2	5	7	20	27	38	
20-34	33	6.3	39	1	1	4	7	15	23	27	
35-49	42	7.9	98	1	2	4	9	18	34	50	
50-64	65	6.7	43	1	2	5	7	17	24	33	
65+	44	10.6	251	1	2	5	13	32	37	92	
TOT. SINGLE DX	245	4.7	17	<1	1	3	6	10	13	20	
" MULTIPLE DX	196	7.8	103	1	2	5	8	17	28	46	
TOTAL											
0-19 YRS	25	4.8	34	<1	1	3	5	7	20	38	
20-34	86	5.3	38	<1	1	4	7	12	15	27	
35-49	96	6.2	56	1	1	4	7	12	18	43	
50-64	134	5.4	27	1	1	4	6	11	16	26	
65+	100	7.8	129	<1	1	4	9	16	25	66	
GRAND TOTAL	441	6.1	57	1	1	4	7	13	18	35	

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.4	3	2	3	5	6	8	9	9
20-34	221	4.9	3	3	3	5	5	6	7	14
35-49	282	5.3	5	3	3	5	6	7	9	13
50-64	204	5.2	3	3	3	5	6	7	8	13
65+	82	7.4	32	4	4	6	8	11	17	39
2. MULTIPLE DX										
0-19 YRS	10	5.5	3	4	4	5	7	8	9	9
20-34	76	6.3	19	3	4	5	6	9	14	29
35-49	125	6.5	18	3	4	5	7	12	14	25
50-64	178	8.0	64	4	4	6	8	14	19	27
65+	107	10.7	92	4	5	7	12	26	34	75
TOT. SINGLE DX	820	5.4	8	3	3	5	6	7	9	15
" MULTIPLE DX	496	7.9	53	3	4	6	8	14	21	40
TOTAL 0-19 YRS	41	5.4	3	3	4	5	6	8	9	9
20-34	297	5.2	8	3	3	5	6	7	9	20
35-49	407	5.7	10	3	3	5	6	8	11	21
50-64	382	6.5	34	3	4	5	7	9	14	25
65+	189	9.2	69	4	4	6	9	18	26	53
GRAND TOTAL	1316	6.3	26	3	4	5	7	9	13	28

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.5	5	2	2	3	4	6	7	16
20-34	55	4.2	8	2	2	3	5	6	9	18
35-49	33	5.0	20	1	2	3	5	11	17	20
50-64	23	5.2	5	1	2	5	6	8	10	10
65+	13	8.4	36	4	4	7	9	14	25	27
2. MULTIPLE DX										
0-19 YRS	8	5.6	26	1	1	4	9	14	15	15
20-34	16	6.3	14	2	2	5	8	13	14	14
35-49	30	12.2	233	3	4	6	14	24	36	82
50-64	42	10.3	46	4	5	8	13	24	29	99+
65+	40	14.4	102	2	4	11	22	29	33	35
TOT. SINGLE DX	212	4.4	12	2	2	3	5	7	10	19
" MULTIPLE DX	136	11.2	105	2	3	7	14	26	32	84
TOTAL 0-19 YRS	96	3.6	7	2	2	3	4	6	9	17
20-34	71	4.7	11	2	2	4	5	9	14	17
35-49	63	8.4	133	2	3	5	8	18	24	76
50-64	65	8.5	38	2	3	7	11	16	25	89
65+	53	12.9	92	3	4	9	20	28	32	35
GRAND TOTAL	348	7.0	59	2	2	5	7	15	24	35

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	12.1	35	5	7	10	13	22	27	27
35-49	4	15.8	27	12	12	14	19	23	23	23
50-64	9	21.9	407	3	6	14	23	55	72	72
65+	2	15.5	41	11	11	15	20	20	20	20
2. MULTIPLE DX										
0-19 YRS	6	19.5	232	3	4	13	38	39	39	39
20-34	13	21.7	108	10	11	19	27	37	43	45
35-49	24	22.2	102	9	11	21	33	37	56	99+
50-64	13	27.0	214	11	13	22	38	52	55	56
65+	9	17.2	129	6	6	10	27	34	34	34
TOT. SINGLE DX	27	16.2	163	5	8	12	19	26	36	72
" MULTIPLE DX	65	22.1	140	8	9	20	33	39	46	93
TOTAL 0-19 YRS	7	18.6	200	3	4	13	32	39	39	39
20-34	24	17.3	96	7	9	14	23	32	38	45
35-49	28	21.3	95	9	11	20	31	36	45	99+
50-64	22	24.9	284	8	12	20	30	52	62	72
65+	11	16.9	108	6	7	11	24	33	34	34
GRAND TOTAL	92	20.4	153	7	9	17	27	37	45	88

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	1.7	1	<1	<1	1	2	3	5	6
20-34	25	2.4	13	<1	<1	<1	1	8	11	16
35-49	30	1.8	2	<1	<1	1	2	3	4	8
50-64	40	2.9	6	<1	<1	2	3	6	9	12
65+	44	4.0	14	<1	<1	3	5	9	12	19
2. MULTIPLE DX										
0-19 YRS	8	2.4	5	<1	<1	1	3	6	7	7
20-34	8	3.0	5	<1	<1	2	4	7	8	8
35-49	23	11.2	174	<1	<1	4	14	36	41	46
50-64	30	6.1	30	<1	<1	4	9	16	16	18
65+	46	10.5	126	<1	<1	6	14	30	36	46
TOT. SINGLE DX	212	2.5	7	<1	<1	2	3	5	8	15
" MULTIPLE DX	115	8.4	101	<1	<1	4	11	21	34	46
TOTAL 0-19 YRS	81	1.7	2	<1	<1	1	2	3	5	7
20-34	33	2.5	11	<1	<1	<1	2	8	10	16
35-49	53	5.8	97	<1	<1	2	4	16	34	46
50-64	70	4.3	19	<1	<1	2	5	11	16	18
65+	90	7.3	82	<1	<1	4	9	17	30	44
GRAND TOTAL	327	4.6	48	<1	<1	2	4	11	16	39

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.0	4	<1	1	2	4	6	8	9
20-34	32	3.5	3	1	1	3	4	6	7	9
35-49	22	3.0	3	1	1	3	3	6	7	8
50-64	39	4.7	7	2	3	4	5	10	11	12
65+	44	4.1	5	2	2	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	5	4.4	11	2	2	4	6	10	10	10
20-34	16	6.6	64	1	2	4	5	16	28	33
35-49	11	6.8	18	1	2	8	11	12	13	13
50-64	29	6.2	57	1	2	4	7	12	15	41
65+	51	6.0	16	2	2	5	7	13	14	17
TOT. SINGLE DX	158	3.8	5	1	2	3	5	7	9	12
" MULTIPLE DX	112	6.2	33	2	2	4	8	13	14	36
TOTAL 0-19 YRS	26	3.3	6	1	1	2	4	7	9	10
20-34	48	4.5	25	1	2	3	5	8	12	33
35-49	23	4.3	11	1	1	3	6	10	11	13
50-64	68	5.3	29	2	2	4	6	11	12	36
65+	95	5.1	12	2	2	4	6	10	14	17
GRAND TOTAL	270	4.8	18	1	2	3	5	10	13	17

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	2.9	6	<1	1	2	4	5	7	17
20-34	54	2.6	4	<1	<1	2	3	6	7	11
35-49	61	2.8	4	<1	<1	2	4	5	7	12
50-64	99	2.7	4	<1	<1	2	3	5	6	13
65+	139	3.3	8	1	1	4	6	8	8	18
2. MULTIPLE DX										
0-19 YRS	131	4.0	37	<1	<1	2	4	8	17	61
20-34	146	4.2	22	<1	<1	3	5	9	12	22
35-49	85	5.0	40	<1	1	3	6	11	16	37
50-64	96	5.9	43	<1	1	3	7	14	20	36
65+	140	7.3	-129	1	2	4	8	16	31	99+
TOT. SINGLE DX	450	2.9	6	<1	1	2	4	5	7	14
" MULTIPLE DX	598	5.3	58	<1	1	3	6	12	18	47
TOTAL 0-19 YRS	228	3.5	25	<1	<1	2	4	6	10	30
20-34	200	3.8	18	<1	<1	2	5	8	11	20
35-49	146	4.1	26	<1	<1	3	4	9	12	29
50-64	195	4.3	26	<1	1	3	5	9	14	30
65+	279	5.3	73	1	1	3	5	12	17	85
GRAND TOTAL	1048	4.3	37	<1	1	3	5	9	14	37

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.4	17	<1	1	3	6	11	13	14
20-34	9	2.7	6	<1	<1	1	4	7	8	8
35-49	13	3.1	6	<1	<1	2	5	7	9	9
50-64	10	3.1	2	1	1	3	4	5	6	6
65+	13	4.2	26	<1	1	2	3	13	18	19
2. MULTIPLE DX										
0-19 YRS	9	3.1	8	<1	<1	2	3	8	10	10
20-34	8	6.3	6	3	3	6	8	10	10	10
35-49	6	13.2	233	3	3	8	10	41	44	44
50-64	5	13.0	83	3	3	13	19	26	26	26
65+	16	8.8	120	2	2	3	11	31	33	33
TOT. SINGLE DX	59	3.6	12	<1	<1	2	5	8	11	19
" MULTIPLE DX	44	8.2	92	1	2	4	9	22	32	44
TOTAL 0-19 YRS	23	3.9	14	<1	<1	2	6	10	12	14
20-34	17	4.4	9	<1	<1	4	7	9	10	10
35-49	19	6.3	92	<1	<1	3	7	10	29	44
50-64	15	6.4	49	1	1	3	6	17	24	26
65+	29	6.7	81	1	2	3	4	21	32	33
GRAND TOTAL	103	5.6	51	<1	1	3	6	12	20	38

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.2	3	5	5	7	9	9	9	9
20-34	28	6.0	3	2	3	6	7	8	9	9
35-49	10	5.8	5	1	2	6	8	8	8	8
50-64	17	7.7	12	3	5	7	9	12	16	17
65+	24	6.9	10	2	3	7	8	11	13	17
2. MULTIPLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	5	6.2	4	3	3	7	8	8	8	8
35-49	3	8.7	4	7	7	8	10	11	11	11
50-64	11	12.1	44	3	5	11	16	22	26	26
65+	23	6.4	18	2	3	5	8	13	16	18
TOT. SINGLE DX	84	6.6	8	2	3	6	8	9	11	17
" MULTIPLE DX	44	7.9	27	2	3	7	10	15	19	26
TOTAL 0-19 YRS	7	6.3	6	2	3	6	8	9	9	9
20-34	33	6.0	3	2	3	6	7	8	9	9
35-49	13	6.5	7	1	3	7	8	9	11	11
50-64	28	9.4	28	3	5	8	11	17	21	26
65+	47	6.7	14	2	3	6	8	12	15	18
GRAND TOTAL	128	7.1	14	2	3	7	8	11	15	21

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	4.8	13	<1	<1	4	7	8	9	20
20-34	68	2.9	5	<1	<1	2	4	5	6	14
35-49	76	2.7	6	<1	<1	2	3	4	7	16
50-64	66	2.5	2	<1	<1	2	3	4	6	10
65+	52	3.7	12	<1	<1	3	4	7	11	21
2. MULTIPLE DX										
0-19 YRS	27	7.9	22	<2	3	7	10	15	17	20
20-34	21	7.7	38	<1	1	7	11	18	20	21
35-49	10	6.0	6	2	2	6	8	9	9	9
50-64	31	6.5	40	1	2	4	8	14	18	32
65+	39	6.2	52	1	1	4	7	13	21	39
TOT. SINGLE DX	294	3.1	7	<1	<1	2	4	6	8	17
" MULTIPLE DX	128	6.9	37	1	2	5	9	13	18	34
TOTAL 0-19 YRS	59	6.2	19	<1	1	6	8	12	17	20
20-34	89	4.1	17	<1	<1	2	5	9	13	20
35-49	86	3.0	7	<1	<1	2	3	6	8	15
50-64	97	3.8	18	<1	<1	2	4	7	11	25
65+	91	4.8	31	<1	1	3	6	10	13	34
GRAND TOTAL	422	4.2	19	<1	<1	3	5	9	12	21

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.0	14	<1	<1	5	8	10	10	10
20-34	12	7.1	20	2	2	7	9	13	17	18
35-49	20	6.1	15	1	2	5	8	12	15	15
50-64	71	6.9	19	2	2	6	8	13	16	21
65+	117	7.2	23	2	2	6	10	14	15	26
2. MULTIPLE DX										
0-19 YRS	11	6.8	47	2	2	5	8	16	25	26
20-34	21	8.3	29	1	2	8	11	17	19	21
35-49	14	6.1	11	2	3	5	8	11	13	14
50-64	53	9.9	40	3	4	8	13	17	22	34
65+	125	9.2	41	3	3	8	11	16	20	41
TOT. SINGLE DX	226	7.0	21	2	2	6	9	13	15	22
" MULTIPLE DX	224	9.0	39	2	3	8	11	16	21	36
TOTAL 0-19 YRS	17	6.2	35	1	2	5	8	10	20	26
20-34	33	7.9	26	1	2	8	10	16	18	21
35-49	34	6.1	14	2	2	5	8	11	15	15
50-64	124	8.2	30	2	3	7	11	15	20	27
65+	242	8.3	34	2	3	7	11	14	18	29
GRAND TOTAL	450	8.0	31	2	2	7	10	15	18	27

524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	5.7	20	1	1	5	8	12	15	17
20-34	31	5.3	29	1	1	3	6	13	21	21
35-49	34	4.3	5	2	2	4	7	8	8	9
50-64	71	4.7	8	2	2	4	6	8	11	14
65+	81	5.2	12	2	2	5	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	21	10.3	61	2	2	7	16	22	26	28
20-34	32	8.5	47	2	2	6	12	16	22	34
35-49	20	8.9	26	1	3	7	12	17	19	19
50-64	52	8.3	38	2	2	7	12	16	21	30
65+	81	7.1	37	2	2	6	8	15	19	34
TOT. SINGLE DX	237	5.0	13	1	2	4	6	9	12	19
" MULTIPLE DX	206	8.1	41	2	2	6	11	17	21	32
TOTAL 0-19 YRS	41	8.0	46	1	1	6	12	18	22	28
20-34	63	6.9	40	1	2	5	8	16	21	32
35-49	54	6.0	18	2	2	5	7	12	16	19
50-64	123	6.2	24	2	2	5	7	13	16	24
65+	162	6.2	26	2	2	5	8	12	16	24
GRAND TOTAL	443	6.4	28	2	2	5	8	14	17	25

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	14	4.2	6	2	2	3	5	8	10	10	
20-34	18	4.7	3	2	2	5	6	7	8	8	
35-49	123	5.4	8	2	2	5	6	8	12	16	
50-64	727	5.5	8	2	2	5	6	9	12	15	
65+	2192	5.6	9	2	2	5	7	9	11	14	
2. MULTIPLE DX											
0-19 YRS	14	6.6	34	2	2	5	8	14	22	24	
20-34	11	5.7	12	2	2	4	7	12	13	13	
35-49	89	6.8	22	2	3	6	7	12	17	27	
50-64	569	6.2	21	2	2	5	7	12	15	24	
65+	2360	7.1	45	2	2	6	8	13	17	43	
TOT. SINGLE DX	3074	5.6	9	2	2	5	7	9	12	15	
" MULTIPLE DX	3043	6.9	40	2	2	6	8	13	17	38	
TOTAL 0-19 YRS	28	5.4	21	2	2	4	7	10	14	24	
20-34	29	5.1	7	2	2	5	6	8	11	13	
35-49	212	6.0	14	2	3	5	7	10	13	24	
50-64	1296	5.8	14	2	2	5	7	10	13	20	
65+	4552	6.4	29	2	2	5	7	11	14	31	
GRAND TOTAL	6117	6.2	25	2	2	5	7	11	14	27	

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	41	4.2	9	1	1	3	5	9	11	13	
20-34	30	4.1	5	2	2	4	5	7	9	12	
35-49	50	4.4	4	2	2	4	5	7	10	11	
50-64	78	4.6	3	2	3	4	5	6	8	13	
65+	174	4.6	5	2	3	4	5	7	9	15	
2. MULTIPLE DX											
0-19 YRS	19	7.5	21	1	2	7	10	12	17	21	
20-34	27	6.0	9	2	3	5	9	10	11	14	
35-49	28	5.4	11	2	2	4	7	11	13	15	
50-64	97	4.6	8	2	2	4	5	7	9	19	
65+	312	5.3	28	3	3	4	6	9	12	33	
TOT. SINGLE DX	373	4.5	5	2	2	4	5	7	9	13	
" MULTIPLE DX	483	5.3	23	2	3	4	6	9	12	23	
TOTAL 0-19 YRS	60	5.2	15	1	2	4	7	11	12	20	
20-34	57	5.0	8	2	2	4	6	10	10	14	
35-49	78	4.8	7	2	2	4	6	8	11	14	
50-64	175	4.6	6	2	3	4	5	7	8	14	
65+	486	5.1	21	2	3	4	6	8	11	21	
GRAND TOTAL	856	4.9	15	2	3	4	6	8	11	17	

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1	
20-34											
35-49	3	2.7	4	1	1	2	4	5	5	5	
50-64	32	3.9	3	1	2	4	5	6	8	8	
65+	77	5.4	8	2	2	5	6	9	11	15	
2. MULTIPLE DX											
0-19 YRS											
20-34	1	1.0		1	1	1	1	1	1	1	
35-49	1	5.0		5	5	5	5	5	5	5	
50-64	21	3.5	3	1	1	3	5	6	7	7	
65+	74	6.1	22	2	3	5	6	12	16	25	
TOT. SINGLE DX	114	4.8	7	1	2	4	6	8	10	14	
" MULTIPLE DX	97	5.4	19	1	2	4	6	10	14	24	
TOTAL 0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1	
20-34	1	1.0		1	1	1	1	1	1	1	
35-49	4	3.3	4	1	1	3	5	5	5	5	
50-64	53	3.8	3	1	2	4	5	6	7	8	
65+	151	5.7	15	2	2	5	6	10	13	23	
GRAND TOTAL	211	5.1	13	1	2	4	6	9	12	22	

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	21	5.9	7	2	3	5	8	9	11	14	
20-34	64	7.0	13	2	3	6	9	12	15	16	
35-49	55	6.1	7	2	3	6	8	10	11	11	
50-64	114	6.3	11	2	2	6	8	11	12	16	
65+	100	7.4	22	2	2	6	11	13	15	23	
2. MULTIPLE DX											
0-19 YRS	13	16.1	659	4	4	8	11	44	88	98	
20-34	42	8.0	29	2	3	6	10	16	20	24	
35-49	45	8.5	29	3	4	7	10	14	21	28	
50-64	117	7.5	23	2	3	7	9	13	16	29	
65+	142	8.8	28	3	4	7	11	16	20	27	
TOT. SINGLE DX	354	6.7	14	2	2	6	9	11	14	18	
" MULTIPLE DX	359	8.5	50	2	3	7	10	15	19	28	
TOTAL 0-19 YRS	34	9.8	270	3	3	6	9	14	28	98	
20-34	106	7.3	20	2	3	6	9	13	16	22	
35-49	100	7.2	18	2	3	7	9	11	13	26	
50-64	231	6.9	18	2	2	6	9	11	14	19	
65+	242	8.2	26	2	3	7	11	15	18	26	
GRAND TOTAL	713	7.6	33	2	3	6	9	13	16	25	

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.8	5	<1	<1	2	5	6	7	7
20-34	22	4.2	7	1	2	3	7	8	9	11
35-49	14	4.8	5	2	3	4	7	8	9	10
50-64	16	6.1	11	2	3	5	8	11	14	15
65+	21	5.9	20	1	2	5	6	11	16	22
2. MULTIPLE DX										
0-19 YRS	15	6.0	11	<1	2	5	9	11	12	12
20-34	42	9.6	58	2	3	7	12	19	25	38
35-49	38	6.8	21	2	2	6	9	11	12	28
50-64	56	7.5	24	2	3	6	9	15	22	95
65+	59	6.5	22	2	3	6	8	12	18	23
TOT. SINGLE DX	88	4.8	11	<1	1	4	6	8	11	19
" MULTIPLE DX	210	7.4	30	2	2	6	9	14	19	34
TOTAL										
0-19 YRS	30	4.4	11	<1	<1	4	6	9	11	12
20-34	64	7.8	47	2	2	6	9	16	19	37
35-49	52	6.3	18	2	2	6	8	10	11	28
50-64	72	7.2	22	2	3	6	9	14	19	83
65+	80	6.3	22	2	2	6	7	11	18	23
GRAND TOTAL	298	6.6	26	2	2	6	8	12	18	30

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1062	1.8		<1	1	2	2	2	3	4
20-34	223	2.2		1	2	2	2	3	3	5
35-49	75	2.1		1	2	2	2	3	3	5
50-64	26	2.5		1	2	2	3	3	4	5
65+	15	2.7	2	1	2	2	3	3	7	8
2. MULTIPLE DX										
0-19 YRS	169	2.5	17	1	1	2	2	3	4	13
20-34	50	2.6	3	1	1	2	3	4	5	12
35-49	32	3.0	16	1	1	2	3	4	5	25
50-64	23	4.4	32	2	2	3	3	9	18	28
65+	16	3.9	2	2	2	3	5	7	7	7
TOT. SINGLE DX	1401	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	290	2.8	15	1	1	2	3	4	6	21
TOTAL										
0-19 YRS	1231	1.9	3	<1	1	2	2	3	3	5
20-34	273	2.3	1	1	1	2	2	3	4	8
35-49	107	2.4	5	1	1	2	3	3	3	14
50-64	49	3.4	16	2	2	3	3	4	8	28
65+	31	3.3	3	2	2	3	4	6	7	8
GRAND TOTAL	1691	2.1	3	1	1	2	2	3	3	7

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.8	6	1	1	2	2	7	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	50.0		50	50	50	50	50	50	50
50-64										
65+										
TOT. SINGLE DX	8	2.6	5	1	1	2	2	6	8	8
" MULTIPLE DX	3	18.0	769	<1	<1	3	38	50	50	50
TOTAL										
0-19 YRS	7	2.6	6	<1	<1	2	2	7	8	8
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	50.0		50	50	50	50	50	50	50
50-64										
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	11	6.8	209	<1	1	2	3	25	48	50

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	5.6	38	1	1	3	6	11	19	32
20-34	34	5.0	13	1	2	4	6	8	12	20
35-49	26	4.7	11	<1	1	4	6	11	13	13
50-64	27	6.1	13	2	2	5	9	12	13	14
65+	26	5.8	21	1	1	5	7	10	17	20
2. MULTIPLE DX										
0-19 YRS	24	6.0	21	1	2	4	8	11	18	19
20-34	37	7.5	96	2	2	6	7	13	20	48
35-49	32	8.6	71	2	2	6	11	18	23	43
50-64	37	7.8	33	2	2	7	10	16	19	28
65+	44	13.9	150	2	3	10	16	33	44	52
TOT. SINGLE DX	151	5.4	20	1	2	4	7	11	13	23
" MULTIPLE DX	174	9.2	80	2	2	6	11	19	27	48
TOTAL										
0-19 YRS	62	5.7	31	1	2	4	7	11	18	31
20-34	71	6.3	37	1	2	5	7	9	18	40
35-49	58	6.8	48	1	2	5	9	14	19	41
50-64	64	7.1	25	2	2	6	9	14	16	27
65+	70	10.9	117	1	2	7	13	23	36	51
GRAND TOTAL	325	7.4	56	1	2	5	9	14	20	43

533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.1	1	1	1	2	2	4	4	4
20-34	95	3.2	2	1	1	3	3	4	6	10
35-49	108	3.3	1	1	1	3	3	4	6	8
50-64	87	3.2	1	1	1	3	3	4	6	8
65+	23	3.1		1	1	3	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	7	2.3	1	1	1	2	2	4	4	4
20-34	34	3.0	1	1	1	3	3	4	6	8
35-49	49	3.3	10	1	1	3	3	4	7	24
50-64	49	3.3	1	1	1	3	3	4	6	8
65+	10	8.0	190	1	1	3	3	27	47	47
TOT. SINGLE DX " MULTIPLE DX	324	3.2	2	2	2	3	3	4	6	8
149	3.5	18	2	2	2	3	3	4	7	24
TOTAL 0-19 YRS	18	2.2	1	1	1	2	2	4	4	4
20-34	129	3.2	2	1	1	3	3	4	6	8
35-49	157	3.3	4	1	1	3	3	4	6	8
50-64	136	3.2	1	1	1	3	3	4	6	8
65+	33	4.6	59	1	1	3	3	4	7	47
GRAND TOTAL	473	3.3	7	2	2	3	3	4	6	8

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	2.3	3	△	△	2	2	4	6	12
20-34	68	2.7	6	△	△	2	3	6	7	16
35-49	21	2.8	5	△	△	2	3	7	9	10
50-64	22	3.5	11	△	△	2	4	9	12	12
65+	26	4.6	22	△	△	2	5	13	15	18
2. MULTIPLE DX										
0-19 YRS	129	5.0	21	△	△	4	6	10	13	48
20-34	42	4.2	52	△	△	2	3	8	16	43
35-49	27	7.0	68	△	△	4	6	20	27	35
50-64	22	6.1	83	△	△	3	6	18	29	40
65+	52	15.6	311	△	△	12	20	34	76	99+
TOT. SINGLE DX " MULTIPLE DX	428	2.6	6	△	△	2	3	5	7	14
272	7.2	107	1	△	△	4	6	18	26	92
TOTAL 0-19 YRS	420	3.1	11	△	△	2	4	6	9	18
20-34	110	3.3	24	△	△	2	3	6	9	31
35-49	48	5.2	48	△	△	4	6	10	21	35
50-64	44	4.8	48	△	△	3	6	12	18	40
65+	78	11.9	241	△	△	8	15	26	39	99
GRAND TOTAL	700	4.4	90	△	△	2	4	9	15	38

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	3.2	4	△	△	3	3	5	7	11
20-34	253	2.9	1	△	△	3	3	5	6	8
35-49	168	2.8	1	△	△	3	3	5	6	8
50-64	118	3.0	4	△	△	3	3	5	6	13
65+	28	2.6	1	△	△	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	218	4.0	10	△	△	3	5	8	10	19
20-34	274	3.3	3	△	△	3	4	7	8	18
35-49	199	3.6	6	△	△	3	4	7	8	12
50-64	135	4.0	20	△	△	3	4	8	8	20
65+	39	4.1	6	△	△	2	3	6	8	11
TOT. SINGLE DX " MULTIPLE DX	851	3.0	3	△	△	3	3	5	6	9
825	3.7	11	2	△	△	3	4	8	8	12
TOTAL 0-19 YRS	502	3.5	8	△	△	3	4	7	8	16
20-34	527	3.1	3	△	△	3	3	6	7	18
35-49	327	3.2	5	△	△	3	3	6	7	10
50-64	253	3.5	18	△	△	3	4	6	8	13
65+	67	3.5	9	△	△	2	3	4	6	11
GRAND TOTAL	1676	3.3	7	2	2	3	4	6	8	18

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	1115	1.5	1	△	△	1	2	2	2	8	
20-34	82	1.5	1	△	△	△	△	2	3	7	
35-49	50	1.9	0	△	△	△	△	4	5	16	
50-64	38	1.7	2	△	△	△	△	3	5	8	
65+	19	2.0	4	△	△	2	2	3	7	10	
2. MULTIPLE DX											
0-19 YRS	946	3.0	19	△	△	2	2	5	10	20	
20-34	79	5.5	42	△	△	6	6	20	20	21	
35-49	20	3.8	28	△	△	3	3	7	14	25	
50-64	20	3.9	19	△	△	5	5	10	18	18	
65+	21	10.4	115	△	△	9	20	28	30	32	
TOT. SINGLE DX	1304	1.5	2	△	△	1	2	2	3	8	
" MULTIPLE DX	1032	3.2	23	△	△	2	2	6	12	24	
TOTAL 0-19 YRS	2061	2.2	10	△	△	2	2	2	6	16	
20-34	107	2.4	13	△	△	△	△	5	9	21	
35-49	70	2.4	13	△	△	3	3	4	8	23	
50-64	58	2.5	8	△	△	2	2	5	7	18	
65+	40	5.4	79	△	△	2	7	24	29	32	
GRAND TOTAL	2336	2.3	12	△	△	2	2	3	7	18	

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	92	5.0	18	2	2	4	6	8	12	27	
20-34	75	4.0	4	2	2	3	5	6	8	13	
35-49	46	4.6	4	2	2	4	5	9	10	10	
50-64	30	5.3	0	2	2	5	6	9	10	11	
65+	16	7.4	108	2	2	4	7	11	35	45	
2. MULTIPLE DX											
0-19 YRS	87	7.1	54	2	3	4	8	14	23	42	
20-34	106	5.0	14	2	3	4	8	8	12	24	
35-49	38	5.9	38	2	2	4	8	10	19	36	
50-64	65	5.3	8	3	3	5	8	9	11	17	
65+	23	7.5	45	2	3	5	10	24	50	99+	
TOT. SINGLE DX	219	4.8	16	2	2	4	8	8	10	21	
" MULTIPLE DX	339	5.9	31	2	3	4	8	11	16	36	
TOTAL 0-19 YRS	129	6.3	43	2	2	4	7	12	19	37	
20-34	181	4.6	11	2	2	4	8	7	10	21	
35-49	104	5.3	24	2	2	4	8	9	11	33	
50-64	95	5.3	7	3	3	5	8	9	11	17	
65+	39	7.5	59	2	3	4	9	19	37	99+	
GRAND TOTAL	558	5.5	25	2	2	4	8	10	13	31	

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	77	2.0	3	<1	<1	1	2	4	6	11	
20-34	32	3.4	5	<1	1	3	4	7	10	10	
35-49	37	5.2	34	<1	1	3	6	9	18	32	
50-64	24	3.9	4	2	2	3	7	7	9	10	
65+	8	2.5	1	1	1	2	3	4	5	5	
2. MULTIPLE DX											
0-19 YRS	71	2.9	16	<1	<1	<1	2	8	12	21	
20-34	45	6.0	30	<1	1	3	6	12	15	33	
35-49	25	4.2	14	<1	1	3	8	8	12	17	
50-64	23	5.0	13	2	2	3	8	11	12	14	
65+	12	7.4	54	2	2	4	10	18	25	26	
TOT. SINGLE DX	178	3.2	12	<1	<1	2	4	6	9	18	
" MULTIPLE DX	176	4.4	23	<1	<1	3	6	11	14	25	
TOTAL 0-19 YRS	148	2.5	10	<1	<1	1	2	4	9	18	
20-34	77	4.9	21	<1	2	3	6	10	13	29	
35-49	62	4.8	26	<1	1	3	8	9	18	30	
50-64	47	4.4	9	2	2	3	8	9	11	14	
65+	20	5.5	38	1	1	3	5	10	21	26	
GRAND TOTAL	354	3.8	18	<1	<1	2	5	8	12	22	

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS 20-34 35-49 50-64 65+										
2. MULTIPLE DX 0-19 YRS 20-34 35-49 50-64 65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS 20-34 35-49 50-64 65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	3.1	1	2	2	3	4	5	5	7
20-34	488	2.8		2	2	3	3	4	4	6
35-49	213	2.9		2	2	3	3	4	4	6
50-64	100	2.9		2	2	3	3	4	4	6
65+	26	2.8		1	2	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	214	3.0	1	2	2	3	4	4	5	7
20-34	605	2.9		<1	1	3	3	4	5	8
35-49	260	4.0	72	<1	2	3	3	4	6	41
50-64	161	3.5	15	1	2	3	3	4	6	30
65+	37	4.9	22	2	2	3	5	12	16	24
TOT. SINGLE DX	1044	2.9	1	2	2	3	3	4	5	6
" MULTIPLE DX	1277	3.3	19	<1	2	3	3	4	5	14
TOTAL										
0-19 YRS	431	3.1	1	2	2	3	4	5	5	7
20-34	1093	2.8		<1	2	3	3	4	5	7
35-49	473	3.5	41	1	2	3	3	4	5	26
50-64	261	3.3	10	2	2	3	3	4	5	14
65+	63	4.0	15	2	2	3	4	6	14	23
GRAND TOTAL	2321	3.1	11	1	2	3	3	4	5	9

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	355	3.0	1	1	2	3	4	5	5	7
20-34	745	2.9	1	1	1	3	3	4	5	6
35-49	293	2.9	2	1	2	3	3	4	5	9
50-64	108	3.0	1	1	2	3	4	4	5	7
65+	20	4.7	48	1	1	4	4	5	19	34
2. MULTIPLE DX										
0-19 YRS	283	3.1	5	1	1	3	3	5	6	14
20-34	644	3.2	3	1	2	3	3	5	6	13
35-49	263	3.6	17	1	2	3	3	5	7	28
50-64	136	3.7	10	1	2	3	4	6	9	18
65+	62	6.9	89	2	2	4	7	16	32	95
TOT. SINGLE DX	1521	2.9	2	1	2	3	3	4	5	7
" MULTIPLE DX	1388	3.4	13	1	2	3	4	5	7	19
TOTAL										
0-19 YRS	638	3.0	3	1	1	3	3	5	5	10
20-34	1389	3.0	4	1	2	3	3	5	5	9
35-49	556	3.2	10	1	2	3	3	4	5	14
50-64	244	3.4	6	1	2	3	4	5	7	16
65+	82	6.4	80	1	2	4	5	14	29	56
GRAND TOTAL	2909	3.2	7	1	2	3	4	5	6	13

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	2.4	4	<1	<1	2	3	4	6	14
20-34	79	2.6	3	<1	<1	2	3	4	5	13
35-49	71	2.2	1	<1	<1	2	3	4	4	8
50-64	81	3.6	31	1	2	2	3	6	8	39
65+	91	4.1	16	1	1	3	4	9	15	22
2. MULTIPLE DX										
0-19 YRS	52	5.2	51	1	2	2	5	12	22	40
20-34	94	4.0	21	<1	2	3	4	7	12	30
35-49	96	3.9	9	1	3	3	4	8	11	17
50-64	145	3.9	14	1	3	3	4	7	11	23
65+	137	8.0	109	1	2	4	10	20	29	82
TOT. SINGLE DX	374	3.1	13	<1	1	2	3	5	8	16
" MULTIPLE DX	524	5.1	46	1	2	3	5	11	18	36
TOTAL										
0-19 YRS	104	3.8	30	<1	1	2	4	6	15	31
20-34	173	3.4	14	<1	1	3	4	5	8	26
35-49	167	3.2	7	<1	1	2	4	5	8	13
50-64	226	3.8	20	1	2	3	4	7	10	24
65+	228	6.5	76	1	2	3	7	16	23	55
GRAND TOTAL	898	4.3	33	<1	1	3	4	8	14	31

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	219	2.1	3	<1	<1	2	2	4	6	10
20-34	189	2.1	3	<1	<1	1	2	3	6	11
35-49	46	3.6	9	1	1	3	5	7	8	18
50-64	56	4.4	8	1	2	4	5	7	10	19
65+	46	3.8	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	101	3.9	11	<1	1	3	5	9	11	15
20-34	119	3.4	7	1	1	3	4	7	10	13
35-49	50	5.5	22	1	1	4	7	15	16	18
50-64	73	5.8	31	1	1	5	7	12	14	38
65+	114	7.5	39	1	2	5	9	17	21	27
TOT. SINGLE DX	556	2.6	6	<1	<1	2	3	5	7	13
" MULTIPLE DX	457	5.1	24	1	1	4	7	12	16	23
TOTAL										
0-19 YRS	320	2.6	7	<1	<1	2	3	6	9	12
20-34	308	2.6	5	<1	<1	2	3	6	7	12
35-49	96	4.6	17	1	1	3	6	10	16	18
50-64	129	5.2	22	1	1	4	6	9	14	24
65+	160	6.4	34	1	1	5	8	15	19	26
GRAND TOTAL	1013	3.7	16	<1	1	2	5	8	12	19

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.9	1	1	1	3	3	5	6	6
20-34	47	3.2	2	2	2	3	4	5	6	9
35-49	40	3.7	3	1	2	3	5	7	7	8
50-64	26	3.1	1	2	2	3	4	5	5	5
65+	17	3.8	6	1	2	3	4	6	10	12
2. MULTIPLE DX										
0-19 YRS	14	5.7	47	1	2	4	5	9	24	29
20-34	34	3.7	2	2	2	3	4	5	6	11
35-49	45	4.3	13	2	2	3	5	7	10	20
50-64	36	4.8	28	2	2	3	5	7	8	34
65+	10	5.0	6	3	3	4	5	9	12	12
TOT. SINGLE DX	146	3.4	3	2	2	3	4	5	6	9
" MULTIPLE DX	139	4.5	17	2	2	3	5	7	8	30
TOTAL 0-19 YRS	30	4.2	24		1	3	5	6	6	29
20-34	81	3.4	2	2	2	3	4	5	6	10
35-49	85	4.0	8	2	2	3	5	7	7	20
50-64	62	4.1	17	2	2	3	5	6	7	31
65+	27	4.2	7	2	2	4	5	6	12	12
GRAND TOTAL	285	3.9	10	2	2	3	5	6	7	20

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	941	1.3		<1	<1	1	1	2	2	4
20-34	1092	1.5	1	<1	<1	1	2	2	2	4
35-49	416	1.6	1	<1	<1	1	2	2	2	4
50-64	201	1.7		<1	<1	2	2	2	3	6
65+	118	2.7	15	<1	<1	2	2	4	8	27
2. MULTIPLE DX										
0-19 YRS	290	3.9	73	<1	<1	2	3	7	12	42
20-34	428	4.6	86	<1	<1	2	3	8	18	55
35-49	230	5.6	72	<1	1	2	4	16	25	45
50-64	278	4.3	36	<1	1	2	4	10	18	45
65+	260	7.2	145	1	1	2	7	21	35	99+
TOT. SINGLE DX	2768	1.5	2	<1	<1	1	2	2	2	5
" MULTIPLE DX	1486	5.0	84	<1	1	2	4	12	22	65
TOTAL 0-19 YRS	1231	1.9	19	<1	<1	1	2	2	4	12
20-34	1520	2.4	27	<1	<1	1	2	3	5	27
35-49	646	3.0	30	<1	<1	2	2	4	13	34
50-64	479	3.2	23	<1	<1	2	5	6	12	35
65+	378	5.8	109	<1	1	2	5	16	28	93
GRAND TOTAL	4254	2.7	33	<1	<1	1	2	4	8	32

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.0	2	<1	<1	1	2	3	6	9
20-34	72	2.9	10	<1	<1	2	4	5	7	22
35-49	70	3.2	9	<1	<1	2	4	5	9	20
50-64	54	3.3	6	<1	<1	3	4	7	8	15
65+	24	4.8	23	1	2	3	6	14	17	18
2. MULTIPLE DX										
0-19 YRS	63	3.9	18	<1	1	2	4	9	12	26
20-34	78	4.1	23	<1	1	3	5	7	12	32
35-49	82	4.2	16	1	2	3	4	8	13	23
50-64	64	5.9	40	1	2	3	6	15	20	31
65+	35	7.1	40	2	2	4	8	18	23	27
TOT. SINGLE DX	257	3.1	10	<1	1	2	4	6	9	18
" MULTIPLE DX	322	4.8	27	1	2	3	5	10	16	27
TOTAL 0-19 YRS	100	3.2	14	<1	<1	2	3	8	10	21
20-34	150	3.5	18	<1	<1	3	4	6	9	26
35-49	152	3.7	13	<1	<1	3	4	7	10	21
50-64	118	4.7	26	<1	1	4	8	11	16	27
65+	59	6.2	34	2	2	4	8	15	21	27
GRAND TOTAL	579	4.0	20	<1	<1	3	4	8	13	24

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	1.2		<1	<1	1	1	2	2	4
20-34	48	1.9	2	<1	<1	1	2	2	2	9
35-49	9	1.4		<1	<1	1	2	2	2	2
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	63	4.9	89	<1	1	1	3	17	30	49
20-34	27	6.0	185	<1	<1	1	4	11	32	69
35-49	8	3.0	6	<1	1	2	3	7	9	9
50-64	1	23.0	23	23	23	23	23	23	23	23
65+	4	22.0	1600	1	1	2	42	82	82	82
TOT. SINGLE DX	250	1.3	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	103	5.9	163	<1	1	2	3	17	30	75
TOTAL 0-19 YRS	253	2.1	25	<1	<1	1	1	2	4	31
20-34	75	3.4	71	<1	1	2	2	5	10	58
35-49	17	2.2	4	<1	<1	2	2	3	7	9
50-64	4	7.0	115	<1	<1	2	13	23	23	23
65+	4	22.0	1601	1	1	2	42	82	82	82
GRAND TOTAL	353	2.7	52	<1	<1	1	2	3	6	34

242 Hospitals, Canada, 1981, by Operation

549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	55	2.7	5	<1	<1	2	4	5	7	11	
20-34	24	3.3	4	<1	1	3	4	6	8	9	
35-49	36	3.5	3	1	1	4	5	6	7	9	
50-64	36	3.5	4	1	1	3	5	7	8	8	
65+	29	2.4	6	1	1	2	2	6	9	12	
2. MULTIPLE DX											
0-19 YRS	47	3.0	16	<1	<1	2	3	5	10	26	
20-34	36	3.3	5	1	1	2	4	8	8	11	
35-49	24	5.3	48	1	2	3	5	10	20	35	
50-64	38	2.9	3	1	1	2	4	6	7	8	
65+	32	7.3	182	1	1	2	7	43	51	99+	
TOT. SINGLE DX	180	3.0	5	<1	<1	2	4	6	8	11	
" MULTIPLE DX	177	4.1	48	1	1	2	4	8	12	50	
TOTAL 0-19 YRS	102	2.8	11	<1	<1	2	3	5	8	19	
20-34	60	3.3	5	1	1	3	4	7	8	11	
35-49	60	4.3	22	1	1	3	5	7	9	33	
50-64	74	3.2	4	1	1	2	5	6	7	8	
65+	61	5.0	104	1	1	2	3	11	44	94	
GRAND TOTAL	357	3.6	26	<1	1	2	4	7	9	41	

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	105	6.2	9	1	2	6	8	9	12	16	
20-34	5	5.2	3	2	2	6	6	7	7	7	
35-49	1	5.0		5	5	5	5	5	5	5	
50-64											
65+	1	12.0		12	12	12	12	12	12	12	
2. MULTIPLE DX											
0-19 YRS	70	8.6	42	2	3	7	9	17	19	36	
20-34	6	3.3	4	1	1	3	5	6	6	6	
35-49	2	7.5	5	6	6	7	9	9	9	9	
50-64											
65+	1	7.0		7	7	7	7	7	7	7	
TOT. SINGLE DX	112	6.2	9	1	2	6	8	9	12	16	
" MULTIPLE DX	79	8.1	40	2	3	6	8	17	19	35	
TOTAL 0-19 YRS	175	7.2	24	2	3	6	8	13	17	31	
20-34	11	4.2	4	1	1	5	6	7	7	7	
35-49	3	6.7	4	5	5	6	8	9	9	9	
50-64											
65+	2	9.5	13	7	7	9	12	12	12	12	
GRAND TOTAL	191	7.0	23	2	2	6	8	12	16	29	

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	59	3.4	4	<1	1	3	5	6	7	9	
20-34	112	3.8	3	<1	1	4	5	7	7	9	
35-49	99	5.0	12	1	2	4	6	9	10	21	
50-64	94	5.0	9	2	3	4	6	8	10	20	
65+	64	5.6	13	1	2	5	7	12	14	19	
2. MULTIPLE DX											
0-19 YRS	23	4.5	7	1	2	4	6	8	10	12	
20-34	46	4.1	4	1	2	4	5	8	8	11	
35-49	51	5.2	6	2	2	5	7	9	10	11	
50-64	75	6.5	18	2	3	5	8	15	16	19	
65+	82	8.0	49	2	3	6	10	14	26	37	
TOT. SINGLE DX	428	4.6	9	1	2	4	6	7	9	17	
" MULTIPLE DX	277	6.2	24	2	2	5	8	11	15	31	
TOTAL 0-19 YRS	82	3.7	5	1	1	3	5	7	8	11	
20-34	158	3.9	4	<1	1	4	5	7	8	9	
35-49	150	5.1	10	2	2	4	6	9	10	16	
50-64	169	5.7	14	2	3	5	7	10	15	19	
65+	146	7.0	35	2	2	5	8	13	16	33	
GRAND TOTAL	705	5.2	16	1	2	4	6	9	11	20	

552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	3.7	8	<1	<1	3	6	8	9	13
20-34	73	4.3	26	<1	1	2	5	8	12	29
35-49	48	4.8	13	<1	1	4	7	10	13	16
50-64	98	5.9	56	1	1	3	6	14	24	40
65+	129	5.7	34	<1	1	4	8	12	14	31
2. MULTIPLE DX										
0-19 YRS	182	6.4	79	<1	1	4	7	12	23	54
20-34	122	5.1	41	<1	1	3	6	11	16	38
35-49	58	8.1	110	1	1	4	8	21	37	44
50-64	90	8.0	104	1	1	5	8	16	29	55
65+	159	14.4	284	2	2	9	19	36	50	93
TOT. SINGLE DX	629	4.6	24	<1	1	3	6	9	13	28
" MULTIPLE DX	611	8.6	144	1	1	4	10	21	36	61
TOTAL 0-19 YRS	463	4.8	38	<1	1	3	6	8	12	38
20-34	195	4.8	35	<1	1	3	6	10	16	32
35-49	106	6.6	69	1	1	4	7	15	25	43
50-64	188	6.9	80	1	1	4	7	15	27	49
65+	288	10.5	191	1	2	5	13	25	41	88
GRAND TOTAL	1240	6.6	87	<1	1	4	7	14	24	51

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	3075	2.4	1	2	2	2	3	3	4	5	
20-34	1688	2.8	1	2	2	2	3	4	4	6	
35-49	164	2.9	1	2	2	2	3	4	5	8	
50-64	24	3.0	1	1	2	2	3	4	5	5	
65+	9	4.3	16	2	2	2	4	11	15	15	
2. MULTIPLE DX											
0-19 YRS	599	2.8	5	2	2	2	3	4	5	14	
20-34	303	3.6	15	2	2	2	4	5	7	14	
35-49	59	3.1	1	2	2	2	3	4	5	9	
50-64	12	3.8	2	2	2	2	4	6	8	8	
65+	3	3.3	1	2	2	2	4	4	4	4	
TOT. SINGLE DX	4960	2.6	1	2	2	2	3	4	4	6	
" MULTIPLE DX	976	3.1	8	2	2	2	3	4	6	14	
TOTAL 0-19 YRS	3674	2.5	2	2	2	2	3	3	4	7	
20-34	1991	2.9	3	2	2	2	3	4	5	8	
35-49	223	3.0	1	2	2	2	3	4	5	8	
50-64	36	3.3	2	2	2	2	4	5	5	8	
65+	12	4.1	12	2	2	2	4	8	14	15	
GRAND TOTAL	5936	2.7	3	2	2	2	3	4	4	7	

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	6137	2.1		1	2	2	2	3	3	4	
20-34	78	3.1	1	2	2	2	3	3	5	6	
35-49	1	1.0		1	1	1	1	1	1	1	
50-64	3	2.3		2	2	2	3	3	3	3	
65+	1	2.0		2	2	2	2	2	2	2	
2. MULTIPLE DX											
0-19 YRS	2735	2.4	4	2	2	2	2	3	4	11	
20-34	20	3.4	4	1	2	2	4	7	8	8	
35-49	6	3.2		2	2	2	3	4	4	4	
50-64	3	2.0	3	<1	<1	1	3	4	4	4	
65+	3	2.0		2	2	2	2	2	2	2	
TOT. SINGLE DX	6220	2.1	1	1	2	2	2	3	3	5	
" MULTIPLE DX	2767	2.4	4	2	2	2	2	3	4	11	
TOTAL 0-19 YRS	8872	2.2	2	2	2	2	2	3	3	6	
20-34	98	3.1	2	2	2	2	3	3	6	8	
35-49	7	2.9	1	1	1	3	4	4	4	4	
50-64	6	2.2	1	<1	<1	2	3	4	4	4	
65+	4	2.0		2	2	2	2	2	2	2	
GRAND TOTAL	8987	2.2	2	2	2	2	2	3	3	6	

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	640	1.8	2	<1	1	2	2	2	2	3	
20-34	4	2.8		2	2	2	4	3	3	3	
35-49	1	3.0		3	3	3	3	3	3	3	
50-64											
65+	1	2.0		2	2	2	2	2	2	2	
2. MULTIPLE DX											
0-19 YRS	862	2.1	3	<1	1	2	2	2	3	13	
20-34	6	2.7		2	2	3	3	4	4	4	
35-49	1	1.0		1	1	1	1	1	1	1	
50-64											
65+											
TOT. SINGLE DX	646	1.8	1	<1	1	2	2	2	2	3	
" MULTIPLE DX	869	2.1	3	<1	1	2	2	2	3	13	
TOTAL 0-19 YRS	1502	2.0	2	<1	1	2	2	2	2	9	
20-34	10	2.7	1	2	2	2	3	4	3	3	
35-49	2	2.0	2	1	1	2	3	3	3	3	
50-64											
65+	1	2.0		2	2	2	2	2	2	2	
GRAND TOTAL	1515	2.0	2	<1	1	2	2	2	3	9	

556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.1; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	3.2	7	1	1	2	4	5	8	16
20-34	149	3.3	11	1	1	2	4	5	6	26
35-49	49	3.8	16	<1	1	2	4	9	11	22
50-64	31	4.5	19	1	1	3	6	9	14	22
65+	23	6.5	42	1	2	4	8	14	21	30
2. MULTIPLE DX										
0-19 YRS	41	4.3	11	<1	2	3	5	9	12	15
20-34	37	3.9	15	<1	1	2	4	10	13	18
35-49	24	6.9	45	<1	1	3	12	16	22	23
50-64	37	7.4	73	<1	1	4	11	15	23	45
65+	40	15.0	439	2	2	7	17	38	68	97
TOT. SINGLE DX	373	3.6	14	1	1	3	4	5	10	23
" MULTIPLE DX	179	7.6	140	<1	1	4	8	15	25	70
TOTAL 0-19 YRS	162	3.5	9	1	1	3	4	6	9	15
20-34	186	3.4	12	1	1	3	4	9	13	23
35-49	73	4.8	27	<1	1	3	6	13	16	23
50-64	68	6.1	50	1	1	4	6	14	17	42
65+	63	11.9	308	2	2	5	12	30	48	94
GRAND TOTAL	552	4.9	58	1	1	3	5	10	15	28

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	1.6	2	<1	<1	1	2	2	4	12
20-34	37	2.8	3	<1	1	3	3	6	7	9
35-49	23	3.9	6	<1	1	4	6	8	9	9
50-64	31	3.1	3	<1	1	3	4	6	7	8
65+	38	2.9	4	<1	1	2	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	118	5.3	39	1	1	4	6	9	12	42
20-34	23	5.1	44	<1	1	3	4	10	19	33
35-49	28	5.4	42	1	1	4	6	9	17	35
50-64	48	5.2	14	2	2	4	7	9	12	21
65+	91	6.9	44	1	2	5	9	14	18	40
TOT. SINGLE DX	199	2.6	4	<1	<1	2	3	5	7	9
" MULTIPLE DX	308	5.8	38	1	1	4	6	11	15	34
TOTAL 0-19 YRS	188	3.9	29	<1	<1	3	5	6	9	28
20-34	60	3.7	20	<1	1	3	4	6	9	31
35-49	51	4.7	27	1	1	4	6	8	10	35
50-64	79	4.4	11	1	1	4	6	8	10	20
65+	129	5.7	36	1	1	4	7	12	15	32
GRAND TOTAL	907	4.8	27	<1	1	3	5	9	12	30

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	1.9		<1	<1	2	2	3	3	3
20-34	52	2.2	1	<1	<1	2	2	4	5	6
35-49	80	2.5	15	<1	<1	2	2	3	4	28
50-64	119	2.6	4	<1	<1	2	2	4	7	13
65+	79	2.7	3	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-19 YRS	8	2.9	4	<1	<1	2	4	6	7	7
20-34	23	2.9	6	<1	<1	2	3	4	8	13
35-49	51	3.0	7	<1	<1	2	3	6	8	16
50-64	118	5.7	94	<1	<1	2	3	14	20	36
65+	85	7.4	159	1	1	2	6	20	35	65
TOT. SINGLE DX	361	2.5	6	<1	1	2	2	4	5	13
" MULTIPLE DX	285	5.4	90	<1	1	2	4	12	20	57
TOTAL 0-19 YRS	39	2.1	1	<1	<1	2	2	3	4	7
20-34	75	2.4	3	<1	<1	2	3	4	8	11
35-49	131	2.7	12	<1	<1	2	3	4	7	20
50-64	237	4.1	82	<1	<1	2	3	8	14	45
65+	164	5.2	87	1	1	2	4	10	21	58
GRAND TOTAL	646	3.8	45	<1	1	2	3	6	12	43

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	25	3	3	5	10	10	10	10
20-34	4	2.8	2	2	2	2	4	5	5	5
35-49	5	6.6	35	2	2	3	12	14	14	14
50-64	8	23.1	659	2	2	13	34	67	72	72
65+	10	13.8	209	1	1	4	26	34	35	35
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	7	3.6	17	2	2	2	2	11	13	13
50-64	11	23.4	91	4	9	28	28	38	40	40
65+	9	22.2	325	2	3	15	35	49	49	49
TOT. SINGLE DX	29	13.1	293	2	2	5	15	35	55	72
" MULTIPLE DX	30	16.4	211	2	2	13	28	36	49	49
TOTAL 0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	6	3.0	4	1	1	2	6	6	6	6
35-49	12	4.8	25	2	2	2	7	13	14	14
50-64	19	23.3	307	2	3	21	28	48	64	72
65+	19	17.8	268	1	2	14	30	43	49	49
GRAND TOTAL	99	14.8	290	2	2	10	25	35	49	70

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	30.5	145	22	22	30	39	39	39	39
50-64	9	18.0	11	12	13	19	20	22	23	23
65+	13	25.5	68	12	17	24	30	37	43	44
2. MULTIPLE DX										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	4	22.5	19	19	19	21	23	29	29	29
50-64	16	29.0	128	16	17	28	31	39+	39+	39+
65+	15	33.7	292	17	17	26	41	58	74	80
TOT. SINGLE DX	24	25.1	64	12	14	21	26	35	40	44
" MULTIPLE DX	36	30.0	189	16	17	27	41	50	59+	59+
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	6	25.2	58	19	19	22	29	38	39	39
50-64	25	25.0	113	15	15	24	37	39+	39+	39+
65+	28	29.9	200	16	17	25	35	44	60	80
GRAND TOTAL	60	27.3	149	15	17	24	36	57	59+	59+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	1	6.0		6	6	6	6	6	6	6	
20-34											
35-49	1	34.0		34	34	67	99+	99+	99+	99+	
50-64	1	10.0		10	10	10	10	10	10	10	
65+											
2. MULTIPLE DX											
0-19 YRS	2	39.5	41	35	35	39	44	44	44	44	
20-34											
35-49	7	43.0	1097	6	6	46	66	88	93	93	
50-64	1	22.0		22	22	61	99+	99+	99+	99+	
65+											
TOT. SINGLE DX	3	16.7	229	6	6	22	67	99+	99+	99+	
" MULTIPLE DX	10	40.2	779	6	6	44	80	99+	99+	99+	
TOTAL 0-19 YRS	3	28.3	394	6	6	35	42	44	44	44	
20-34											
35-49	8	41.9	960	6	7	46	74	97	99+	99+	
50-64	2	16.0	72	10	10	22	80	99+	99+	99+	
65+											
GRAND TOTAL	13	34.8	729	6	6	39	80	99+	99+	99+	

562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	14	6.0	12	VARIANCE	1	6	9	10	12	12	
20-34	12	8.8	61		2	7	11	22	27	28	
35-49	8	7.0	101		1	3	7	25	31	31	
50-64	13	11.6	370		2	4	12	29	65	73	
65+	7	8.7	245		1	2	5	35	44	44	
2. MULTIPLE DX											
0-19 YRS	20	15.8	238	2	4	11	45	99+	99+	99+	
20-34	18	27.9	467	1	3	30	27	69	88	99+	
35-49	27	15.9	435	1	2	10	22	27	67	99	
50-64	29	23.1	360	1	4	16	40	67	98	99+	
65+	20	32.5	1008	2	3	34	69	93	99+	99+	
TOT. SINGLE DX	64	8.5	145	1	2	4	9	18	30	72	
" MULTIPLE DX	114	22.7	514	2	3	15	40	76	99+	99+	
TOTAL 0-19 YRS	34	11.8	166	1	2	9	20	85	99+	99+	
20-34	30	20.3	387	1	2	12	32	62	72	99+	
35-49	35	13.8	348	1	2	6	17	27	53	99	
50-64	42	19.6	383	2	2	14	34	64	81	99+	
65+	27	27.1	916	2	2	7	59	90	99+	99+	
GRAND TOTAL	148	18.1	439	1	2	10	39	66	99	99+	

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.8	38	1	1	3	8	14	14	14
20-34	22	6.0	18	<1	1	9	9	11	14	17
35-49	46	8.7	79			7	11	16	27	30
50-64	105	10.2	101			7	13	22	31	32
65+	132	12.2	150	2	3	9	15	25	37	69
2. MULTIPLE DX										
0-19 YRS	3	24.3	97	13	13	29	30	31	31	31
20-34	23	12.1	261	1	1	7	16	20	47	76
35-49	76	13.1	217			9	17	22	38	84
50-64	211	14.1	171			11	18	20	39	84
65+	289	19.0	233			15	25	38	50	77
TOT. SINGLE DX	309	10.5	115	1	2	7	13	22	31	85
" MULTIPLE DX	602	16.3	217	2	3	13	22	35	42	82
TOTAL 0-19 YRS	7	12.1	161	1	1	13	25	31	31	31
20-34	45	9.1	149			7	10	17	26	76
35-49	122	11.5	169			7	13	27	34	72
50-64	316	12.8	151			10	16	25	36	81
65+	421	16.9	217			13	23	38	45	78
GRAND TOTAL	911	14.3	190	2	2	10	19	31	40	78

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
TOT. SINGLE DX										
" MULTIPLE DX	2	19.5	9	18	18	19	21	21	21	21
TOTAL 0-19 YRS										
20-34	1	18.0		18	18	18	18	18	18	18
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
GRAND TOTAL	2	19.5	9	18	18	19	21	21	21	21

242 Hospitals, Canada, 1981, by Operation

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.9	63	<1	1	10	12	24	27	27
20-34	38	10.1	27	2	4	9	12	18	19	28
35-49	44	12.7	55	11	16	21	29	34		
50-64	87	13.5	68	13	19	24	27	40		
65+	75	14.6	84	1	2	13	19	28	31	41
2. MULTIPLE DX										
0-19 YRS	26	25.2	518	5	8	17	27	58	86	95
20-34	41	14.3	72	5	8	13	18	23	32	41
35-49	66	17.9	147	6	8	14	21	38	45	56
50-64	175	20.7	247	7	8	16	26	40	52	92
65+	174	22.1	240	4	7	19	28	44	58	77
TOT. SINGLE DX " MULTIPLE DX	291	13.1	66	2	9	12	18	29	29	37
	482	20.5	235	5	7	16	26	40	55	90
TOTAL										
0-19 YRS	33	22.2	453	5	7	14	26	43	80	95
20-34	79	12.3	55	4	5	11	16	22	27	40
35-49	110	15.8	116	5	6	13	19	31	41	55
50-64	262	18.3	199	3	7	15	22	33	44	90
65+	249	19.9	205	2	6	17	26	37	53	77
GRAND TOTAL	733	18.0	190	3	6	14	23	34	44	78

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	15.0	24	10	10	14	19	21	21	21
35-49	12	22.8	111	9	12	20	30	39	42	43
50-64	43	17.4	95	8	9	15	23	29	31	36
65+	32	20.4	116	10	11	17	24	32	47	57
2. MULTIPLE DX										
0-19 YRS	3	41.7	114	35	35	36	49	54	54	54
20-34	8	22.3	72	8	10	24	30	73	99+	99+
35-49	19	28.7	232	13	14	22	44	52	54	55
50-64	110	22.2	138	10	11	20	27	33	50	90
65+	120	26.3	247	12	13	22	30	47	65	99
TOT. SINGLE DX " MULTIPLE DX	92	18.9	85	9	10	17	23	30	36	54
	256	24.8	198	11	12	22	29	43	55	99+
TOTAL										
0-19 YRS	4	33.8	327	10	10	35	45	54	54	54
20-34	12	19.8	66	8	10	21	28	46	90	99+
35-49	27	26.0	181	12	14	22	32	50	53	55
50-64	153	20.9	119	9	11	18	26	31	40	82
65+	162	25.1	225	11	12	21	29	44	57	99
GRAND TOTAL	346	23.2	175	10	11	21	28	39	52	99

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	6.1	80	1	1	3	7	12	17	56
20-34	68	7.2	116	1	1	5	8	12	17	67
35-49	88	6.2	42	1	1	4	7	15	21	32
50-64	175	7.5	95	1	1	6	11	18	20	33
65+	181	10.3	111	1	1	8	14	22	31	61
2. MULTIPLE DX										
0-19 YRS	91	13.9	220	1	1	9	20	27	44	82
20-34	68	10.9	86	1	1	7	15	22	31	44
35-49	127	11.3	133	1	1	8	15	25	33	87
50-64	359	13.4	169	1	1	9	17	30	43	76
65+	402	15.4	174	1	1	12	20	33	46	67
TOT. SINGLE DX " MULTIPLE DX	597	7.9	83	1	1	8	10	17	23	58
	1047	13.8	168	1	1	10	18	30	42	71
TOTAL										
0-19 YRS	176	10.0	168	1	1	6	12	24	38	68
20-34	136	9.0	104	1	1	6	11	19	27	58
35-49	215	9.2	102	1	1	6	12	21	28	71
50-64	534	11.5	139	1	1	8	15	26	35	67
65+	563	13.8	181	1	1	10	18	30	43	64
GRAND TOTAL	1644	11.7	145	1	1	8	15	26	35	65

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7	1	1	1	2	4	4	4	4
20-34	2	8.5	8	1	1	8	10	10	10	10
35-49	1	10.0	10	1	1	10	10	10	10	10
50-64	2	6.0	50	1	1	6	11	11	11	11
65+	2	20.0	722	1	1	10	39	39	39	39
2. MULTIPLE DX										
0-19 YRS	5	15.8	183	1	1	10	28	33	33	33
20-34	4	8.3	11	1	1	7	10	13	13	13
35-49	4	16.3	151	1	1	15	26	31	31	31
50-64	11	32.9	861	1	1	28	50	63	68	68
65+	11	17.8	185	1	1	12	22	40	50	51
TOT. SINGLE DX " MULTIPLE DX	10	8.7	129	1	1	9	10	26	39	39
	35	21.0	419	1	1	13	29	31	75	85
TOTAL										
0-19 YRS	8	10.9	152	1	1	6	18	31	33	33
20-34	6	8.3	8	1	1	6	10	13	13	13
35-49	5	15.0	122	1	1	10	23	31	31	31
50-64	13	28.8	824	1	1	26	38	62	84	85
65+	13	18.2	215	1	1	12	24	41	49	51
GRAND TOTAL	49	18.3	377	1	1	11	27	39	62	65

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	5.5	21	2	2	4	7	9	15	25
20-34	134	6.0	17	2	2	5	7	11	15	21
35-49	49	7.4	26	3	3	6	9	17	18	24
50-64	28	9.2	25	3	3	9	13	15	18	23
65+	12	12.9	90	2	2	9	23	25	26	26
2. MULTIPLE DX										
0-19 YRS	55	17.2	288	2	3	10	35	55	99+	99+
20-34	95	9.6	50	3	3	8	13	16	23	40
35-49	76	11.7	132	3	4	8	14	21	27	71
50-64	125	14.8	229	3	4	9	17	32	49	81
65+	126	15.4	141	3	4	12	22	31	38	78
TOT. SINGLE DX	267	6.8	26	2	3	5	8	14	19	25
" MULTIPLE DX	477	13.7	167	3	4	9	16	31	48	96
TOTAL 0-19 YRS	99	12.0	203	2	2	6	15	43	59	99+
20-34	229	7.5	34	2	3	6	9	14	17	31
35-49	125	10.0	95	3	3	7	13	19	24	57
50-64	153	13.8	197	3	4	9	15	28	47	79
65+	138	15.2	137	3	4	12	22	31	38	75
GRAND TOTAL	744	11.2	127	2	3	7	13	24	35	79

570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	8.4	40	1	2	8	11	14	16	41
20-34	47	7.6	31	1	1	7	10	16	18	28
35-49	35	9.3	84	2	2	6	15	18	33	37
50-64	53	10.9	38	2	3	10	15	20	21	26
65+	25	11.2	94	2	2	8	13	24	33	42
2. MULTIPLE DX										
0-19 YRS	26	12.0	84	1	2	10	14	26	33	38
20-34	56	14.4	106	2	4	12	20	29	39	44
35-49	69	17.4	273	3	4	12	23	37	50	86
50-64	114	19.0	189	3	5	18	24	33	47	74
65+	112	19.5	247	3	4	15	29	42	57	85
TOT. SINGLE DX	208	9.3	53	1	2	8	13	18	22	39
" MULTIPLE DX	377	17.7	206	3	4	14	24	36	46	76
TOTAL 0-19 YRS	74	9.6	58	1	2	8	12	16	26	40
20-34	103	11.3	83	1	2	9	15	24	30	42
35-49	104	14.7	223	2	2	10	18	34	41	81
50-64	167	16.4	155	3	4	14	22	28	37	68
65+	137	18.0	229	2	4	13	25	41	52	80
GRAND TOTAL	585	14.7	167	2	3	11	20	31	41	72

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	11.9	56	8	9	10	11	14	20	58
20-34	21	11.5	19	7	8	11	12	18	23	24
35-49	35	12.4	8	9	9	12	14	17	18	20
50-64	33	12.5	6	10	10	12	13	15	16	23
65+	18	15.9	57	10	11	13	15	24	35	42
2. MULTIPLE DX										
0-19 YRS	41	21.1	348	9	10	14	24	44	64	93
20-34	33	16.4	98	7	10	13	17	30	41	48
35-49	64	14.9	33	10	10	13	18	20	24	45
50-64	131	18.6	91	10	11	16	21	32	39	60
65+	76	21.8	156	11	11	18	27	36	52	65
TOT. SINGLE DX	153	12.6	31	9	9	11	13	16	22	41
" MULTIPLE DX	345	18.7	130	10	11	15	21	33	41	66
TOTAL 0-19 YRS	87	16.2	213	9	9	11	15	26	46	90
20-34	54	14.5	72	7	9	12	15	23	38	48
35-49	99	14.0	26	9	10	13	16	20	21	37
50-64	164	17.4	80	10	11	14	20	28	35	56
65+	94	20.7	142	11	11	17	25	36	47	64
GRAND TOTAL	498	16.8	108	9	10	13	18	28	38	60

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	5	10.4	2	8	8	11	11	12	12	12
35-49	67	11.0	5	9	9	11	11	13	14	23
50-64	188	12.2	8	10	10	11	13	16	17	24
65+	45	13.4	25	10	10	13	13	16	20	42
2. MULTIPLE DX										
0-19 YRS	2	19.0	8	17	17	19	21	21	21	21
20-34	14	15.3	216	7	8	11	12	32	56	63
35-49	145	14.6	34	9	9	13	17	23	28	34
50-64	512	15.6	52	9	10	13	18	25	29	49
65+	190	18.5	88	10	11	15	21	33	41	51
TOT. SINGLE DX	306	12.2	12	9	10	11	13	15	18	25
" MULTIPLE DX	863	16.1	61	9	10	13	18	27	31	49
TOTAL 0-19 YRS	3	23.3	60	17	17	21	29	32	32	32
20-34	19	14.0	162	7	8	11	12	23	48	63
35-49	212	13.4	28	9	9	11	15	21	25	33
50-64	700	14.7	43	9	10	12	16	23	27	45
65+	235	17.5	80	10	11	14	20	30	40	50
GRAND TOTAL	1169	15.1	51	9	10	13	17	24	30	48

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	2.4	1	<1	2	2	3	3	4	9
20-34	80	3.7	10	<1	1	3	3	9	11	16
35-49	309	3.9	26	<1	1	3	3	9	15	18
50-64	518	3.0	14	<1	1	2	3	5	10	19
65+	126	3.8	32	<1	1	2	3	9	15	32
2. MULTIPLE DX										
0-19 YRS	163	5.8	78	2	2	2	5	14	27	61
20-34	110	5.2	38	1	1	3	4	12	16	33
35-49	594	6.1	48	<1	1	3	9	16	20	30
50-64	1371	5.8	43	<1	1	3	8	14	18	31
65+	471	7.9	97	1	1	3	11	21	27	47
TOT. SINGLE DX	1202	3.3	18	<1	1	2	3	6	11	19
" MULTIPLE DX	2709	6.2	56	<1	1	3	8	16	21	36
TOTAL 0-19 YRS	332	4.1	42	2	2	2	3	7	14	40
20-34	190	4.6	27	<1	1	3	4	11	14	26
35-49	903	5.4	42	<1	1	3	6	14	18	28
50-64	1889	5.1	37	<1	1	3	5	13	17	30
65+	597	7.0	86	1	1	3	9	20	26	44
GRAND TOTAL	3911	5.3	46	<1	1	3	5	14	19	32

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.5	38	5	5	8	13	21	22	22
20-34	8	6.1	19	1	1	5	8	13	15	15
35-49	17	13.5	67	4	6	10	16	29	32	32
50-64	72	8.3	42	2	2	6	12	17	20	32
65+	314	6.5	26	2	2	5	8	13	18	28
2. MULTIPLE DX										
0-19 YRS	9	16.3	149	3	3	14	23	35	41	41
20-34	13	9.0	43	2	2	10	12	16	23	25
35-49	57	11.8	43	3	4	11	16	22	27	94
50-64	236	14.0	86	3	4	12	18	26	30	52
65+	911	13.7	125	3	4	11	17	27	35	67
TOT. SINGLE DX	417	7.1	33	2	2	5	9	15	19	29
" MULTIPLE DX	1226	13.7	113	3	4	11	17	27	33	63
TOTAL 0-19 YRS	15	14.0	108	3	3	11	21	25	37	41
20-34	21	7.9	35	1	2	7	11	14	19	25
35-49	74	12.2	49	3	5	11	16	22	30	83
50-64	308	12.7	82	2	3	11	17	24	29	50
65+	1225	11.9	110	2	3	9	16	24	32	62
GRAND TOTAL	1643	12.0	101	2	3	9	16	24	32	58

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	9.8		9	9	10	10	10	10	10
20-34	6	15.7	80	7	7	13	16	31	33	33
35-49	8	12.9	35	2	4	13	17	20	20	20
50-64	8	10.3	14	4	4	11	12	14	15	15
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	5	24.6	1487	2	2	12	33	93	93	93
20-34	13	20.1	512	7	8	11	15	61	79	83
35-49	16	19.8	266	2	3	13	28	45	54	58
50-64	44	16.6	200	3	4	12	21	31	40	82
65+	21	22.2	324	8	9	18	26	40	68	85
TOT. SINGLE DX	28	11.9	34	4	5	11	14	18	21	33
" MULTIPLE DX	99	19.2	325	3	5	13	23	40	57	89
TOTAL 0-19 YRS	10	17.2	722	2	2	10	12	53	93	93
20-34	19	18.7	368	7	8	12	16	46	70	83
35-49	24	17.5	196	2	3	13	20	41	49	58
50-64	52	15.6	176	3	4	11	19	29	38	81
65+	22	21.5	321	7	8	16	25	37	66	85
GRAND TOTAL	127	17.6	269	3	5	12	20	33	54	87

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	4.9	33	<1	<1	2	7	13	16	30
20-34	48	3.6	15	<1	<1	2	4	10	12	18
35-49	46	3.0	13	<1	<1	2	2	5	13	18
50-64	92	3.7	16	<1	<1	2	4	10	12	20
65+	66	5.7	53	<1	<1	3	7	14	21	38
2. MULTIPLE DX										
0-19 YRS	67	8.0	61	1	1	6	10	16	25	43
20-34	36	9.4	107	1	2	5	13	23	32	46
35-49	68	11.3	115	1	1	9	16	30	34	90
50-64	128	13.2	165	1	2	10	18	30	41	61
65+	248	15.4	179	2	2	12	22	37	47	99+
TOT. SINGLE DX	325	4.2	28	<1	<1	2	5	12	15	25
" MULTIPLE DX	547	13.1	155	1	2	10	18	31	41	75
TOTAL 0-19 YRS	140	6.4	49	<1	1	4	9	15	19	33
20-34	84	6.1	63	<1	<1	3	8	15	23	43
35-49	114	7.9	91	<1	<1	4	12	21	31	67
50-64	220	9.2	125	<1	1	4	13	23	34	55
65+	314	13.4	169	1	2	10	19	34	41	99+
GRAND TOTAL	872	9.8	126	<1	1	6	13	25	36	62

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	4.8	10	2	3	4	5	8	11	18
20-34	475	4.6	24	2	2	4	5	7	8	15
35-49	747	4.7	5	2	3	4	6	7	9	13
50-64	586	5.5	13	2	3	5	7	9	11	20
65+	133	7.7	93	2	2	5	8	13	22	61
2. MULTIPLE DX										
0-19 YRS	5	3.8	3	2	2	4	5	6	6	6
20-34	110	5.0	5	2	3	5	6	8	8	14
35-49	242	6.7	29	2	3	5	8	11	15	35
50-64	328	7.7	42	3	3	6	9	13	18	35
65+	127	11.0	161	2	3	7	12	19	37	76
TOT. SINGLE DX	1969	5.1	19	2	3	4	6	8	10	20
" MULTIPLE DX	812	7.5	55	2	3	6	8	12	18	40
TOTAL 0-19 YRS	33	4.6	9	2	2	4	5	7	10	18
20-34	585	4.7	21	2	2	4	5	7	8	15
35-49	989	5.2	12	2	3	4	6	8	10	22
50-64	914	6.3	25	2	3	5	8	10	14	25
65+	260	9.3	129	2	3	6	10	17	24	72
GRAND TOTAL	2781	5.8	31	2	3	5	7	9	12	24

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	14.0	139	4	4	11	23	27	27	27
20-34	13	11.8	8	9	9	11	14	16	18	18
35-49	53	13.4	38	4	8	13	15	20	22	43
50-64	194	14.0	30	7	8	13	16	21	25	33
65+	142	15.5	63	8	9	13	18	24	28	48
2. MULTIPLE DX										
0-19 YRS	9	9.6	26	4	4	8	14	18	18	18
20-34	25	16.2	225	2	4	11	21	31	43	72
35-49	122	17.1	138	5	7	14	20	30	38	86
50-64	516	17.4	110	8	9	14	21	28	36	73
65+	577	20.8	200	8	10	17	25	41	60	99+
TOT. SINGLE DX	405	14.4	44	7	9	13	16	22	26	44
" MULTIPLE DX	1249	18.9	159	8	9	15	22	33	46	99+
TOTAL 0-19 YRS	12	10.7	50	4	4	9	15	21	26	27
20-34	38	14.7	154	3	4	10	17	30	32	72
35-49	175	16.0	110	5	7	14	19	26	36	78
50-64	710	16.5	91	8	9	14	19	26	33	62
65+	719	19.7	177	8	9	16	23	38	53	99+
GRAND TOTAL	1654	17.8	135	8	9	15	21	30	43	94

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX	1	12.0		12	12	12	12	12	12	12
" MULTIPLE DX										
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	1	12.0		12	12	12	12	12	12	12

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	15.3	551	1	1	5	29	50	50	50
2. MULTIPLE DX										
0-19 YRS	12	8.6	84	1	1	5	12	22	31	32
20-34	60	8.2	175	1	2	5	8	13	17	90
35-49	68	9.1	145	1	2	6	10	20	36	96
50-64	85	8.8	59	1	1	7	12	19	26	34
65+	67	10.0	121	1	2	6	12	28	38	92
TOT. SINGLE DX	9	8.3	251	<1	<1	2	6	34	50	50
" MULTIPLE DX	292	9.0	117	1	2	6	11	19	32	88
TOTAL 0-19 YRS	12	8.6	84	1	1	5	12	22	31	32
20-34	61	8.1	173	1	2	5	8	13	16	89
35-49	71	8.9	141	<1	1	5	10	19	36	96
50-64	86	8.7	59	1	1	6	12	19	26	34
65+	71	10.3	140	1	2	6	12	30	44	90
GRAND TOTAL	301	9.0	121	1	2	6	11	19	32	87

242 Hospitals, Canada, 1981, by Operation

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	8.4	27	1	2	8	11	15	17	25
20-34	62	7.2	48	1	1	4	11	17	22	29
35-49	71	8.3	46	1	1	6	12	18	22	30
50-64	201	11.6	79	2	3	10	15	19	25	47
65+	231	12.9	62	3	4	12	16	22	28	42
2. MULTIPLE DX										
0-19 YRS	332	23.0	461	3	5	15	34	68	97	99+
20-34	159	12.2	210	1	2	8	16	31	61	99+
35-49	229	15.1	207	2	3	12	19	32	57	99+
50-64	785	16.7	196	2	5	13	20	35	53	99+
65+	917	17.4	147	5	6	15	22	34	48	99+
TOT. SINGLE DX	646	10.9	65	1	2	10	15	19	25	38
" MULTIPLE DX	2422	17.4	222	2	5	14	22	38	60	99+
TOTAL 0-19 YRS	413	20.1	410	2	4	13	29	61	91	99+
20-34	221	10.8	170	1	1	7	15	25	43	99+
35-49	300	13.4	177	1	2	11	17	29	45	99+
50-64	986	15.7	176	2	4	13	18	33	48	99+
65+	1148	16.5	134	4	6	14	21	31	42	99+
GRAND TOTAL	3068	16.0	196	2	4	13	20	34	53	99+

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	3.9	18	<1	1	2	4	8	12	25
20-34	158	4.1	20	<1	<1	2	5	9	13	26
35-49	94	6.0	49	<1	1	3	6	17	22	34
50-64	100	7.1	69	<1	1	4	9	16	20	48
65+	80	9.1	84	1	2	6	12	25	30	37
2. MULTIPLE DX										
0-19 YRS	72	6.7	39	1	2	5	8	15	19	37
20-34	72	8.5	71	<1	1	5	12	20	29	34
35-49	93	10.8	124	1	2	7	15	26	32	57
50-64	203	11.9	147	1	2	9	16	26	32	76
65+	230	15.2	189	2	2	12	21	33	45	69
TOT. SINGLE DX	595	5.5	45	<1	1	3	6	13	20	32
" MULTIPLE DX	670	12.0	146	1	2	8	16	28	34	66
TOTAL 0-19 YRS	235	4.7	26	<1	1	3	6	10	16	25
20-34	230	5.4	41	<1	<1	3	7	14	19	32
35-49	187	8.4	92	<1	1	4	10	22	28	42
50-64	303	10.3	126	1	2	7	13	23	29	69
65+	310	13.6	169	2	2	9	19	31	41	67
GRAND TOTAL	1265	8.9	109	<1	1	5	11	22	30	50

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	4.9	19	<1	<1	3	6	12	14	14
20-34	12	6.0	13	1	2	5	7	11	14	15
35-49	15	7.1	18	2	2	6	11	13	14	15
50-64	12	12.0	149	2	3	7	14	31	43	45
65+	10	9.9	29	3	4	8	16	17	18	18
2. MULTIPLE DX										
0-19 YRS	4	8.5	16	3	3	9	11	12	12	12
20-34	26	11.7	32	3	4	11	16	21	21	22
35-49	33	13.1	68	3	5	11	18	22	29	41
50-64	50	16.3	176	4	5	11	21	34	53	58
65+	62	14.9	109	4	5	12	20	30	35	52
TOT. SINGLE DX	59	8.0	50	1	2	6	11	15	17	43
" MULTIPLE DX	175	14.3	109	3	5	11	18	27	36	54
TOTAL 0-19 YRS	14	5.9	20	<1	1	4	11	12	14	14
20-34	38	9.9	33	2	3	9	14	18	21	22
35-49	48	11.2	60	2	3	10	15	21	23	41
50-64	62	15.4	172	3	4	10	18	32	48	58
65+	72	14.2	101	3	5	12	18	28	32	51
GRAND TOTAL	234	12.7	101	2	4	10	16	24	31	53

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
TOT. SINGLE DX	1	15.0		15	15	15	15	15	15	15
" MULTIPLE DX	2	14.5	145	6	6	14	23	23	23	23
TOTAL 0-19 YRS										
20-34	2	19.0	32	15	15	19	23	23	23	23
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
GRAND TOTAL	3	14.7	72	6	6	15	21	23	23	23

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64										
65+										
TOT. SINGLE DX " MULTIPLE DX	1	37.0		37	37	37	37	37	37	37
TOTAL 0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	1	37.0		37	37	37	37	37	37	37

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	10.1	91	1	2	7	11	23	30	49
20-34	102	11.1	98	2	3	8	13	25	33	50
35-49	76	12.6	180	2	3	9	14	25	40	73
50-64	103	13.4	131	3	3	10	17	30	35	59
65+	157	15.4	148	4	6	11	18	32	43	58
2. MULTIPLE DX										
0-19 YRS	142	13.7	141	3	5	10	16	24	44	59
20-34	182	17.2	189	5	5	12	25	36	51	99+
35-49	178	17.6	248	3	5	13	22	38	60	99+
50-64	378	17.9	183	4	5	15	23	34	46	83
65+	837	20.8	241	5	7	16	28	45	58	99+
TOT. SINGLE DX " MULTIPLE DX	573	12.6	131	2	3	9	15	27	37	59
	1717	18.9	220	5	6	15	25	39	54	99+
TOTAL 0-19 YRS	277	11.9	120	2	3	8	14	24	35	59
20-34	284	15.0	165	3	5	10	20	33	43	90
35-49	254	16.1	232	3	4	11	19	36	52	99+
50-64	481	17.0	176	4	5	14	22	33	42	78
65+	994	20.0	230	5	7	16	26	43	55	99+
GRAND TOTAL	2290	17.3	205	3	5	13	22	36	50	99

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	15.9	319	1	1	7	31	44	46	46
20-34	3	8.7	9	6	6	8	11	12	12	12
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	7.0	25	2	2	7	11	12	12	12
65+	3	9.0	12	7	7	7	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	12	16.2	293	1	2	9	19	50	51	51
20-34	29	22.8	468	2	4	15	29	50	70	96
35-49	18	20.2	282	4	5	16	34	48	54	57
50-64	11	25.9	504	7	8	17	31	62	81	83
65+	24	18.0	199	4	5	14	24	49	68	99+
TOT. SINGLE DX " MULTIPLE DX	20	10.5	146	1	2	7	12	31	42	46
	94	20.6	340	3	5	15	29	49	58	98
TOTAL 0-19 YRS	20	16.1	287	1	1	8	22	48	50	51
20-34	32	21.5	441	2	4	13	28	50	67	96
35-49	21	17.7	278	2	3	10	24	47	53	57
50-64	14	21.9	457	3	6	15	29	51	76	83
65+	27	17.0	185	4	5	13	23	45	62	99+
GRAND TOTAL	114	18.8	319	2	3	13	26	49	56	97

588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	5.3	12	<1	1	4	8	11	12	13
20-34	29	5.2	18	1	1	3	9	12	14	15
35-49	27	8.5	35	1	2	7	13	17	19	22
50-64	63	8.5	114	<1	<1	4	10	25	31	55
65+	73	8.8	91	1	1	5	11	23	31	44
2. MULTIPLE DX										
0-19 YRS	19	14.0	278	1	1	4	23	36	52	62
20-34	36	14.6	219	<1	2	11	20	29	52	62
35-49	80	12.0	104	1	2	9	19	28	33	84
50-64	146	13.4	216	2	2	9	17	30	43	97
65+	267	14.2	240	1	2	9	19	33	53	96
TOT. SINGLE DX " MULTIPLE DX	211	7.9	75	<1	1	5	10	19	28	42
	548	13.7	214	1	2	9	19	31	46	97
TOTAL 0-19 YRS	38	9.6	161	1	1	4	11	26	36	62
20-34	65	10.4	151	1	1	6	15	23	32	61
35-49	107	11.1	89	1	2	8	17	26	31	71
50-64	209	11.9	190	<1	2	8	15	28	38	85
65+	340	13.1	213	1	2	8	17	31	45	84
GRAND TOTAL	759	12.1	182	1	2	8	16	29	40	82

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	6.7	17	3	3	6	7	12	15	19
20-34	5	6.2	5	4	4	5	8	10	10	10
35-49	2	15.0	50	10	10	15	20	20	20	20
50-64	3	9.0	1	8	8	9	10	10	10	10
65+	3	47.0	691	28	28	36	67	77	77	77
2. MULTIPLE DX										
0-19 YRS	57	10.2	55	4	5	8	12	17	25	42
20-34	3	26.7	1164	5	5	9	52	66	66	66
35-49	4	33.0	470	11	11	29	48	62	62	62
50-64	4	12.8	69	5	5	11	19	23	23	23
65+	10	30.6	600	8	9	18	46	68	85	85
TOT. SINGLE DX	153	7.7	57	3	3	6	8	13	17	36
" MULTIPLE DX	78	14.8	232	4	5	9	16	36	49	80
TOTAL 0-19 YRS	197	7.7	30	3	4	6	9	14	17	36
20-34	8	13.9	448	4	4	6	9	49	66	66
35-49	6	27.0	378	10	10	22	35	59	62	62
50-64	7	11.1	39	5	5	9	14	22	23	23
65+	13	34.4	617	8	10	28	47	79	84	85
GRAND TOTAL	231	10.1	127	3	4	7	10	17	34	68

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	25.5	440	8	8	19	38	56	56	56
20-34	1	6.0		6	6	53	99+	99+	99+	99+
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	39.0	1250	14	14	39	64	64	64	64
65+	3	34.7	340	19	19	42	77	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	2	18.0	50	13	13	18	23	23	23	23
20-34	3	24.3	856	5	5	10	46	58	58	58
35-49	5	30.6	1393	1	1	20	44	95	95	95
50-64	14	27.9	462	5	8	23	47	76	94	99+
65+	11	28.9	435	8	9	28	60	99+	99+	99+
TOT. SINGLE DX	11	27.1	453	6	7	19	58	99+	99+	99+
" MULTIPLE DX	35	27.7	529	4	8	22	50	89	99+	99+
TOTAL 0-19 YRS	6	23.0	289	8	8	19	23	53	56	56
20-34	4	19.8	655	5	5	10	68	99+	99+	99+
35-49	6	26.8	1200	1	2	15	27	88	95	95
50-64	16	29.3	499	5	8	23	51	74	92	99+
65+	14	30.1	393	8	9	30	60	99+	99+	99+
GRAND TOTAL	46	27.6	500	5	8	22	55	97	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	25.0		25	25	25	25	25	25	25
20-34	23	8.7	133	<1	2	4	8	23	42	45
35-49	39	9.2	98	<1	1	6	9	19	38	43
50-64	92	9.0	65	1	2	7	11	16	21	47
65+	98	8.8	47	<1	1	8	12	19	23	29
2. MULTIPLE DX										
0-19 YRS	10	20.2	595	2	2	10	19	64	73	73
20-34	83	11.2	94	2	3	9	13	24	29	53
35-49	146	12.2	122	2	4	9	14	22	34	58
50-64	282	13.0	123	2	4	10	16	28	38	73
65+	552	15.9	198	2	4	12	20	32	44	93
TOT. SINGLE DX	254	9.1	70	<1	1	7	11	19	25	43
" MULTIPLE DX	1073	14.3	167	2	4	11	17	30	41	81
TOTAL 0-19 YRS	12	21.0	490	2	3	14	25	61	71	73
20-34	106	10.6	103	1	3	8	13	24	31	52
35-49	185	11.5	119	2	3	8	13	22	36	56
50-64	374	12.0	112	1	3	9	14	25	36	58
65+	650	14.9	182	2	4	11	18	30	41	92
GRAND TOTAL	1327	13.3	153	2	3	10	16	28	39	78

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	10.4	9	7	7	10	13	14	14	14
20-34	42	13.2	55	7	8	10	15	23	31	40
35-49	70	12.8	50	8	8	12	15	19	21	36
50-64	69	15.1	50	8	9	13	18	24	28	46
65+	55	16.7	53	9	10	15	20	27	34	41
2. MULTIPLE DX										
0-19 YRS	1	39.0		39	39	39	39	39	39	39
20-34	43	14.4	59	8	9	13	16	24	38	99+
35-49	99	14.3	44	8	8	12	17	24	30	71
50-64	192	19.9	136	8	9	17	25	33	47	69
65+	199	24.2	223	10	12	20	28	45	59	99+
TOT. SINGLE DX	241	14.4	46	8	8	12	17	22	28	41
" MULTIPLE DX	534	20.1	160	8	9	16	25	35	49	99+
TOTAL										
0-19 YRS	6	15.2	144	7	7	11	14	36	39	39
20-34	85	13.8	57	7	8	11	16	24	34	82
35-49	169	13.7	37	8	8	12	16	22	28	41
50-64	261	18.6	118	8	9	16	23	31	43	63
65+	254	22.6	196	10	11	18	27	41	57	99
GRAND TOTAL	775	18.3	132	8	9	15	22	32	43	88

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	6	19.8	53	12	12	18	24	31	32	32
50-64	5	28.4	243	16	16	18	42	50	50	50
65+	7	27.7	289	17	17	20	31	58	64	64
2. MULTIPLE DX										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	18.0	98	11	11	18	25	25	25	25
35-49	12	23.9	136	10	11	22	27	44	47	48
50-64	26	29.1	278	13	13	26	32	57	85	99+
65+	47	29.8	361	14	15	24	31	63	78	85
TOT. SINGLE DX	18	25.3	190	13	15	19	32	47	58	64
" MULTIPLE DX	88	28.4	297	12	13	24	31	57	77	94
TOTAL										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	2	18.0	98	11	11	18	25	25	25	25
35-49	18	22.6	108	10	11	21	24	40	46	48
50-64	31	29.0	264	13	14	25	36	57	79	99+
65+	54	29.6	347	14	15	23	31	63	77	85
GRAND TOTAL	106	27.9	278	12	14	24	31	56	76	91

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	8.3	4	6	6	8	10	11	12	12
20-34	90	10.3	19	6	7	9	11	15	19	29
35-49	94	10.8	11	7	8	10	12	16	18	22
50-64	61	12.1	26	7	7	10	14	21	23	28
65+	15	17.5	61	7	9	17	21	27	34	36
2. MULTIPLE DX										
0-19 YRS	6	13.2	26	7	7	13	17	20	20	20
20-34	65	11.5	48	6	7	9	13	17	21	51
35-49	117	12.8	86	7	7	11	14	19	24	99
50-64	127	16.2	119	8	8	13	19	26	35	74
65+	47	18.8	113	9	9	16	21	38	57	99+
TOT. SINGLE DX	269	11.2	23	6	7	10	13	17	22	29
" MULTIPLE DX	362	14.5	99	7	8	12	17	24	32	95
TOTAL										
0-19 YRS	15	10.3	18	6	6	9	12	17	19	20
20-34	155	10.8	32	6	7	9	12	16	21	29
35-49	211	11.9	54	7	8	10	13	17	21	56
50-64	188	14.9	93	7	8	12	17	24	29	64
65+	62	18.5	100	9	9	16	21	36	53	99+
GRAND TOTAL	631	13.1	69	7	7	10	15	21	28	58

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	8.5	4	6	6	8	10	12	13	13
20-34	169	9.3	19	6	6	8	10	13	16	30
35-49	166	9.6	21	6	7	9	10	12	15	25
50-64	75	11.8	59	6	7	10	14	18	25	54
65+	54	14.8	59	7	8	11	19	27	32	36
2. MULTIPLE DX										
0-19 YRS	18	17.7	246	7	9	13	16	42	61	67
20-34	135	12.6	145	6	7	10	12	19	29	97
35-49	194	14.1	91	6	7	11	16	25	38	52
50-64	229	18.0	199	7	8	13	21	40	55	76
65+	181	21.7	256	8	9	16	29	48	66	99+
TOT. SINGLE DX	480	10.4	33	6	7	9	11	15	22	35
" MULTIPLE DX	757	16.9	187	7	7	12	18	35	50	87
TOTAL										
0-19 YRS	34	13.4	150	6	7	10	13	17	45	67
20-34	304	10.8	77	6	7	9	11	15	21	40
35-49	360	12.0	64	6	7	9	13	19	26	50
50-64	304	16.4	171	7	7	12	18	33	51	68
65+	235	20.1	219	8	9	15	26	41	55	99+
GRAND TOTAL	1237	14.4	137	6	7	10	15	27	40	74

242 Hospitals, Canada, 1981, by Operation

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	9.3	77	2	2	7	12	19	29	46
20-34	109	8.9	51	2	3	7	11	18	21	39
35-49	64	7.7	14	3	3	7	10	13	14	17
50-64	106	8.3	104	<1	1	6	11	16	20	51
65+	80	10.9	101	1	2	8	14	21	31	50
2. MULTIPLE DX										
0-19 YRS	87	12.3	95	2	2	10	16	26	34	43
20-34	166	11.3	57	2	4	9	15	20	26	35
35-49	128	13.6	132	2	3	10	18	30	37	59
50-64	204	14.1	155	1	3	11	19	30	41	84
65+	314	13.9	133	2	2	11	19	31	38	71
TOT. SINGLE DX	429	9.0	73	1	2	7	12	18	22	49
" MULTIPLE DX	899	13.3	121	2	3	10	17	28	36	65
TOTAL 0-19 YRS	157	10.9	89	2	2	8	14	22	31	44
20-34	275	10.3	56	2	3	8	14	18	25	35
35-49	192	11.8	101	2	3	9	14	25	32	53
50-64	310	12.1	145	1	2	9	16	25	33	78
65+	394	13.3	128	1	2	10	18	30	37	62
GRAND TOTAL	1328	11.9	110	1	2	9	16	25	33	58

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	12.5	44	6	7	12	14	20	29	31
20-34	65	18.2	154	7	9	15	19	38	46	63
35-49	74	13.6	42	8	8	12	14	21	27	45
50-64	159	16.4	68	9	10	14	17	26	34	58
65+	204	18.3	78	10	11	15	20	30	38	52
2. MULTIPLE DX										
0-19 YRS	34	17.6	141	7	8	14	21	34	59	99+
20-34	104	21.1	234	9	10	16	24	42	59	84
35-49	166	19.3	121	9	9	16	23	30	43	57
50-64	396	20.0	120	10	10	16	23	35	43	69
65+	843	24.2	204	11	12	21	30	46	64	99+
TOT. SINGLE DX	514	16.9	82	9	10	14	19	28	36	55
" MULTIPLE DX	1543	22.2	180	10	11	18	27	41	55	99+
TOTAL 0-19 YRS	46	16.3	120	7	7	14	20	31	49	99+
20-34	169	20.0	205	9	9	15	23	40	50	79
35-49	240	17.5	104	8	9	15	20	29	37	55
50-64	555	18.9	108	9	10	15	22	32	41	66
65+	1047	23.1	186	11	12	19	28	43	60	99+
GRAND TOTAL	2057	20.9	160	9	11	17	25	38	51	99+

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	10.2	12	7	7	10	12	16	16	16
20-34	13	18.2	429	5	6	14	19	34	75	85
35-49	15	19.4	122	8	9	15	29	37	39	40
50-64	16	12.1	19	8	8	11	14	18	22	24
65+	16	17.1	69	7	7	16	23	30	31	32
2. MULTIPLE DX										
0-19 YRS	21	18.8	381	5	7	16	26	98	99+	99+
20-34	64	22.1	223	7	9	15	30	48	56	65
35-49	50	22.9	160	8	9	21	31	47	53	99+
50-64	72	25.4	331	9	10	19	39	75	99+	99+
65+	104	24.6	238	10	12	21	35	66	99+	99+
TOT. SINGLE DX	65	16.1	139	7	8	13	18	29	35	78
" MULTIPLE DX	311	23.6	254	9	10	19	32	55	99+	99+
TOTAL 0-19 YRS	26	17.1	319	5	7	13	22	77	99+	99+
20-34	77	21.5	255	7	8	14	29	46	56	80
35-49	65	22.1	152	8	9	21	30	44	51	99+
50-64	88	23.0	301	9	9	18	33	61	96	99+
65+	120	23.6	222	9	11	20	32	61	99+	99+
GRAND TOTAL	376	22.3	242	8	9	18	30	52	84	99+

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	12.0	16	7	7	13	15	17	17	17
20-34	5	16.6	95	3	3	16	24	29	29	29
35-49	11	12.3	31	5	6	11	16	20	24	24
50-64	13	15.5	75	9	9	12	20	25	37	40
65+	12	19.0	105	7	8	15	24	38	39	39
2. MULTIPLE DX										
0-19 YRS	9	17.1	55	7	7	17	25	26	26	26
20-34	13	17.4	211	2	4	13	22	36	54	58
35-49	13	18.4	177	7	8	14	26	56	90	99+
50-64	52	21.0	120	9	10	17	25	39	44	53
65+	48	30.9	424	10	14	27	45	86	99+	99+
TOT. SINGLE DX	46	15.4	70	6	7	13	18	26	37	40
" MULTIPLE DX	135	23.7	264	8	9	19	32	50	80	99+
TOTAL 0-19 YRS	14	15.3	45	7	7	14	19	26	26	26
20-34	18	17.2	172	2	4	14	22	30	47	58
35-49	24	15.6	116	6	7	13	19	39	63	99+
50-64	65	19.9	115	9	9	17	22	39	41	52
65+	60	28.5	381	9	13	24	38	78	99+	99+
GRAND TOTAL	181	21.6	227	7	9	17	28	45	68	99+

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	8.2	13	4	4	7	11	13	14	20
20-34	66	11.7	41	5	7	11	14	18	21	43
35-49	42	12.2	47	5	6	11	14	22	24	40
50-64	47	11.5	13	6	8	11	14	16	18	22
65+	62	13.7	31	6	7	12	19	21	23	28
2. MULTIPLE DX										
0-19 YRS	62	14.6	147	4	5	10	18	33	41	62
20-34	98	15.4	106	6	7	13	17	33	40	79
35-49	88	15.2	132	6	8	13	17	26	36	99+
50-64	164	15.5	110	6	7	12	17	28	40	72
65+	209	19.5	185	8	9	15	25	39	52	99+
TOT. SINGLE DX	264	11.6	33	5	6	11	14	19	22	34
" MULTIPLE DX	621	16.7	145	6	7	13	19	32	42	99
TOTAL										
0-19 YRS	109	11.8	99	4	4	9	14	20	37	52
20-34	164	13.9	83	6	7	12	15	25	35	56
35-49	130	14.2	106	5	7	12	16	23	32	99
50-64	211	14.6	92	6	7	12	16	25	35	66
65+	271	18.2	156	7	8	14	21	34	46	99+
GRAND TOTAL	885	15.2	117	6	7	12	17	28	39	78

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	28.3	182	15	15	28	38	42	42	42
20-34	2	10.5	5	9	9	10	12	12	12	12
35-49	5	14.2	10	10	10	15	16	18	18	18
50-64	15	19.9	116	7	8	18	23	40	44	46
65+	18	21.0	79	6	9	19	29	34	35	35
2. MULTIPLE DX										
0-19 YRS	5	31.8	886	9	9	14	57	75	75	75
20-34	16	29.9	180	9	10	31	39	46	52	54
35-49	16	22.3	108	8	9	21	26	34	46	51
50-64	58	25.1	312	10	11	18	28	50	68	89
65+	99	29.1	347	11	13	23	41	65	92	99+
TOT. SINGLE DX	43	19.9	94	7	9	18	26	34	41	46
" MULTIPLE DX	194	27.5	316	10	11	22	35	55	76	99+
TOTAL										
0-19 YRS	8	30.5	562	9	9	21	46	68	75	75
20-34	18	27.8	199	9	9	28	39	45	51	54
35-49	21	20.4	96	9	10	19	24	32	42	51
50-64	73	24.0	274	10	10	18	27	47	62	87
65+	117	27.9	314	10	13	23	35	61	84	99+
GRAND TOTAL	237	26.1	284	9	11	21	33	51	71	99+

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3732	4.7	5	2	3	4	5	7	9	14
20-34	2146	4.7	5	2	3	4	5	7	9	14
35-49	491	5.7	9	3	3	5	7	9	11	17
50-64	231	6.9	13	3	3	6	9	12	14	19
65+	80	9.0	18	4	4	8	11	15	17	23
2. MULTIPLE DX										
0-19 YRS	915	7.4	29	3	3	5	9	15	18	29
20-34	704	7.5	34	3	3	6	8	13	17	30
35-49	227	8.8	29	3	4	8	11	16	18	30
50-64	156	10.2	25	4	5	9	13	17	20	26
65+	124	14.6	110	5	6	11	18	27	37	74
TOT. SINGLE DX	6680	4.9	7	2	3	4	6	8	10	15
" MULTIPLE DX	2126	8.2	39	3	3	6	10	15	19	31
TOTAL										
0-19 YRS	4647	5.2	11	2	3	4	6	9	12	19
20-34	2850	5.4	14	2	3	4	6	9	11	20
35-49	718	6.7	18	3	3	6	8	12	15	23
50-64	387	8.2	21	3	4	7	10	15	17	24
65+	204	12.4	82	4	5	10	14	22	29	64
GRAND TOTAL	8806	5.7	16	3	3	5	6	10	13	21

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.5	7	2	2	4	5	8	10	18
20-34	29	5.1	7	3	3	4	6	8	9	17
35-49	6	5.7	10	2	2	5	8	10	10	10
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	19	5.9	21	3	3	5	6	8	17	24
20-34	13	6.2	5	1	3	6	8	9	11	11
35-49	6	6.8	9	3	3	6	8	12	12	12
50-64	2	12.5	61	7	7	12	18	18	18	18
65+	1	62.0		62	62	62	62	62	62	62
TOT. SINGLE DX	93	4.8	8	2	3	4	6	8	10	18
" MULTIPLE DX	41	7.9	91	3	3	6	7	11	21	62
TOTAL										
0-19 YRS	75	4.9	11	2	3	4	6	8	10	22
20-34	42	5.5	7	2	3	5	6	8	9	17
35-49	12	6.3	9	2	3	6	8	11	12	12
50-64	3	10.3	44	6	6	7	15	18	18	18
65+	2	32.5	1741	3	3	32	62	62	62	62
GRAND TOTAL	134	5.7	35	2	3	5	6	8	11	30

242 Hospitals, Canada, 1981, by Operation

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	8.6	19	3	4	8	11	15	18	19
20-34	12	11.5	24	5	5	11	13	18	22	23
35-49	4	6.0	12	3	3	6	9	10	10	10
50-64	4	16.8	73	9	9	16	24	26	26	26
65+	3	15.7	9	13	13	15	18	19	19	19
2. MULTIPLE DX										
0-19 YRS	9	11.2	42	3	5	8	14	22	24	24
20-34	7	17.0	159	8	8	12	19	39	44	44
35-49	5	14.8	29	10	10	14	17	24	24	24
50-64	7	20.9	62	10	10	21	28	30	30	30
65+	4	22.3	285	9	9	16	32	47	47	47
TOT. SINGLE DX	44	10.4	31	3	4	9	13	19	22	26
" MULTIPLE DX	32	16.5	103	7	8	13	21	29	43	47
TOTAL										
0-19 YRS	30	9.4	26	3	4	8	12	18	19	24
20-34	19	13.5	75	5	6	12	15	22	35	44
35-49	9	10.9	41	3	3	10	14	20	24	24
50-64	11	19.4	64	9	9	21	25	29	30	30
65+	7	19.4	158	9	10	16	18	41	47	47
GRAND TOTAL	76	13.0	69	3	5	11	16	24	28	46

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	6.3	43	<1	<1	5	8	13	21	31
20-34	109	7.0	32	1	2	5	10	15	18	31
35-49	63	6.4	32	1	1	5	9	12	14	35
50-64	78	6.2	20	1	2	5	8	11	18	21
65+	127	7.2	39	1	2	6	9	14	16	34
2. MULTIPLE DX										
0-19 YRS	30	10.9	66	2	2	9	15	25	26	30
20-34	98	10.6	89	2	3	8	14	20	25	53
35-49	70	9.9	75	1	2	7	14	23	24	38
50-64	143	12.9	162	2	3	10	16	27	33	80
65+	263	13.0	126	2	3	10	16	26	40	87
TOT. SINGLE DX	429	6.7	34	1	2	5	9	13	17	31
" MULTIPLE DX	604	12.1	121	2	3	9	16	24	34	64
TOTAL										
0-19 YRS	82	8.0	56	<1	1	6	9	20	26	31
20-34	207	8.7	62	2	2	7	11	18	21	37
35-49	133	8.2	58	1	1	6	11	19	24	37
50-64	221	10.5	122	2	2	8	13	20	31	67
65+	390	11.1	106	2	2	8	14	23	34	56
GRAND TOTAL	1033	9.9	92	1	2	7	13	21	29	46

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	35	3.8	5	<1	<1	3	5	7	9	10
35-49	9	5.6	32	1	1	4	6	15	20	20
50-64	8	4.5	8	1	1	4	7	9	9	9
65+	4	9.8	86	2	2	7	16	23	23	23
2. MULTIPLE DX										
0-19 YRS	4	5.3	5	2	2	6	7	7	7	7
20-34	5	6.0	6	3	3	7	8	9	9	9
35-49	9	9.8	13	2	2	5	10	56	99+	99+
50-64	10	19.9	501	2	2	7	40	55	60	60
65+	6	20.0	362	4	4	15	28	50	53	53
TOT. SINGLE DX	59	4.5	16	<1	1	3	5	9	10	23
" MULTIPLE DX	34	12.4	248	2	2	6	12	51	58	99+
TOTAL										
0-19 YRS	7	4.3	5	<1	<1	5	6	7	7	7
20-34	40	4.1	6	<1	1	3	6	8	9	10
35-49	18	5.7	21	1	2	4	7	17	64	99+
50-64	18	13.1	331	1	2	5	9	48	56	60
65+	10	15.9	258	2	3	8	23	40	53	53
GRAND TOTAL	93	7.4	113	<1	2	4	7	20	38	82

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	23.5	246	6	6	22	34	44	44	44
20-34	13	17.8	85	8	10	16	20	33	39	41
35-49	30	16.3	27	7	10	16	20	22	23	27
50-64	76	18.3	67	9	10	17	22	26	30	57
65+	70	20.7	94	10	11	18	25	37	45	91
2. MULTIPLE DX										
0-19 YRS	21	33.7	535	9	13	27	47	78	80	81
20-34	24	26.3	183	9	10	22	32	47	52	62
35-49	48	21.5	198	10	11	18	23	38	44	90
50-64	203	23.5	172	11	12	20	28	38	51	74
65+	311	26.0	170	12	13	23	33	46	62	99+
TOT. SINGLE DX	193	18.9	77	9	11	17	23	28	40	60
" MULTIPLE DX	607	25.1	190	11	12	22	31	43	56	94
TOTAL										
0-19 YRS	25	32.1	491	6	12	24	45	78	79	81
20-34	37	23.3	163	9	10	21	29	42	48	62
35-49	78	19.5	138	9	11	17	22	35	41	78
50-64	279	22.1	149	10	11	19	26	36	42	73
65+	381	25.0	161	11	13	22	32	43	56	99+
GRAND TOTAL	800	23.6	169	10	12	20	29	41	51	89

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	6.2	11	2	3	5	9	11	12	16
20-34	133	5.6	22	<1	2	5	7	9	11	32
35-49	147	7.1	44	2	2	5	8	13	18	34
50-64	120	7.0	26	<1	1	7	9	14	17	24
65+	118	8.1	42	1	2	7	11	18	21	55
2. MULTIPLE DX										
0-19 YRS	19	8.0	52	1	2	6	11	16	25	31
20-34	155	8.1	44	1	2	6	10	17	21	39
35-49	226	9.0	71	1	3	6	11	17	26	45
50-64	314	11.2	76	1	3	8	15	23	28	44
65+	421	13.2	127	2	4	11	17	27	38	95
TOT. SINGLE DX	549	6.9	34	1	2	6	9	13	18	30
" MULTIPLE DX	1135	11.0	93	2	3	8	14	23	29	52
TOTAL 0-19 YRS	50	6.9	27	2	2	5	9	13	16	31
20-34	288	6.9	36	1	2	5	9	13	18	36
35-49	373	8.2	62	1	2	6	10	15	22	42
50-64	434	10.0	66	1	2	8	13	21	26	41
65+	539	12.1	113	2	3	9	16	24	33	94
GRAND TOTAL	1684	9.6	78	1	2	7	12	20	27	50

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	3.7	9	1	1	3	4	6	11	16
20-34	167	4.6	10	1	2	4	5	8	12	17
35-49	160	4.7	57	1	2	3	5	7	10	22
50-64	74	5.4	10	2	3	5	6	9	13	20
65+	27	4.9	9	2	2	4	6	8	11	17
2. MULTIPLE DX										
0-19 YRS	13	3.5	1	1	2	4	4	5	5	5
20-34	76	5.6	24	1	2	4	7	11	14	31
35-49	101	5.7	18	1	2	5	6	10	16	24
50-64	66	6.2	44	2	3	5	6	10	11	47
65+	29	10.6	132	1	2	6	16	31	36	46
TOT. SINGLE DX	458	4.7	27	1	2	4	5	8	11	17
" MULTIPLE DX	285	6.2	39	1	2	5	6	11	18	35
TOTAL 0-19 YRS	43	3.7	7	1	2	3	4	5	8	16
20-34	243	4.9	15	1	2	4	6	9	12	19
35-49	261	5.1	42	1	2	4	6	8	12	23
50-64	140	5.8	26	2	3	5	6	10	12	29
65+	56	7.9	80	1	2	5	7	18	31	45
GRAND TOTAL	743	5.3	32	1	2	4	6	9	13	27

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.7	7	<1	<1	3	5	7	9	13
20-34	186	3.4	8	<1	<1	3	4	6	7	18
35-49	101	3.5	5	<1	1	3	4	6	7	14
50-64	51	4.6	34	<1	1	3	5	7	11	42
65+	17	5.4	6	2	2	5	8	8	9	9
2. MULTIPLE DX										
0-19 YRS	17	9.1	86	<1	2	5	11	27	28	29
20-34	88	5.5	22	<1	2	4	6	11	13	28
35-49	86	4.7	10	<1	1	4	6	10	12	16
50-64	64	5.5	22	<1	2	5	6	10	15	29
65+	57	7.9	54	<1	3	6	10	18	25	96
TOT. SINGLE DX	397	3.7	11	<1	<1	3	5	6	8	16
" MULTIPLE DX	312	5.9	30	<1	2	5	7	11	16	31
TOTAL 0-19 YRS	59	5.3	35	<1	<1	3	6	10	20	29
20-34	274	4.1	14	<1	<1	3	5	7	10	23
35-49	187	4.0	8	<1	1	3	5	7	10	16
50-64	115	5.1	28	<1	1	4	6	9	13	35
65+	74	7.3	44	2	3	6	9	14	22	86
GRAND TOTAL	709	4.7	21	<1	1	4	6	8	12	28

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	4.5	1	2	2	5	5	6	7	7
20-34	456	5.2	4	3	3	5	6	8	8	10
35-49	652	5.5	5	3	3	5	7	8	9	13
50-64	362	5.7	5	3	3	5	7	8	9	13
65+	129	6.9	12	3	4	6	8	12	13	21
2. MULTIPLE DX										
0-19 YRS	12	4.8	5	<1	2	5	6	7	10	10
20-34	385	5.9	11	3	3	5	7	9	11	20
35-49	587	6.7	35	3	3	5	7	10	12	25
50-64	491	7.6	36	3	4	6	9	12	15	31
65+	227	10.3	100	3	4	8	11	19	26	57
TOT. SINGLE DX	1614	5.6	6	3	3	5	7	8	9	13
" MULTIPLE DX	1702	7.2	40	3	3	6	8	11	15	33
TOTAL 0-19 YRS	27	4.6	3	1	2	5	6	6	7	10
20-34	841	5.5	8	3	3	5	6	8	10	17
35-49	1239	6.1	20	3	3	5	7	9	11	19
50-64	853	6.8	24	3	4	6	8	10	13	23
65+	356	9.1	71	3	4	7	10	15	22	46
GRAND TOTAL	3316	6.4	24	3	3	5	7	10	12	22

242 Hospitals, Canada, 1981, by Operation

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	83	3.7	8	<1	1	3	5	8	10	13	
20-34	351	4.1	9	1	1	3	5	8	10	17	
35-49	218	4.0	7	1	1	3	5	7	9	15	
50-64	139	4.6	10	1	2	4	6	9	12	15	
65+	43	6.2	18	1	2	5	8	11	14	23	
2. MULTIPLE DX											
0-19 YRS	47	6.2	24	<1	1	4	9	14	17	20	
20-34	144	5.3	25	1	1	4	6	10	14	31	
35-49	158	5.9	25	1	2	5	7	10	14	28	
50-64	98	9.4	107	1	2	6	11	21	36	50	
65+	81	11.5	187	1	1	8	16	35	80	99+	
TOT. SINGLE DX	834	4.2	10	1	1	3	5	8	10	16	
" MULTIPLE DX	528	7.3	70	1	2	5	9	15	24	71	
TOTAL 0-19 YRS	130	4.6	16	<1	1	3	6	10	13	18	
20-34	495	4.5	15	1	1	4	5	9	11	18	
35-49	376	4.8	16	1	2	4	6	9	12	25	
50-64	237	6.6	56	1	2	4	8	13	19	45	
65+	124	9.6	134	1	1	7	12	23	56	99+	
GRAND TOTAL	1362	5.4	35	1	1	4	6	11	15	35	

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS											
20-34	2	13.5	1	13	13	13	14	14	14	14	
35-49	1	2.0		2	2	2	2	2	2	2	
50-64	1	2.0		2	2	2	2	2	2	2	
65+	2	5.0		5	5	5	5	5	5	5	
2. MULTIPLE DX											
0-19 YRS	1	4.0		4	4	4	4	4	4	4	
20-34	4	17.3	105	8	8	16	26	28	28	28	
35-49	9	12.8	154	1	2	9	17	33	39	39	
50-64	4	34.8	950	7	7	30	60	72	72	72	
65+	4	34.8	950	7	7	30	60	72	72	72	
TOT. SINGLE DX	8	7.8	29	2	2	5	13	14	14	14	
" MULTIPLE DX	18	18.2	351	2	3	11	25	45	62	72	
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4	
20-34	6	16.0	67	8	8	13	24	28	28	28	
35-49	10	11.7	149	1	1	7	15	32	39	39	
50-64	6	24.8	806	5	5	9	48	70	72	72	
65+	6	24.8	806	5	5	9	48	70	72	72	
GRAND TOTAL	23	15.9	295	2	3	9	22	41	56	72	

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	21	7.8	46	1	1	4	15	18	19	21	
20-34	82	5.3	52	1	1	2	6	13	22	37	
35-49	73	7.1	39	1	1	6	10	17	19	31	
50-64	77	9.4	131	1	1	6	12	21	27	67	
65+	44	13.8	178	1	2	11	18	25	39	63	
2. MULTIPLE DX											
0-19 YRS	25	18.2	266	2	5	14	21	46	53	73	
20-34	127	13.8	188	1	2	11	17	24	41	83	
35-49	161	13.5	196	1	2	10	18	29	39	73	
50-64	289	15.3	138	1	2	13	20	31	44	99	
65+	210	17.5	144	2	4	15	24	33	43	97	
TOT. SINGLE DX	297	8.3	95	1	1	5	12	19	24	57	
" MULTIPLE DX	812	15.4	165	2	2	13	20	30	44	62	
TOTAL 0-19 YRS	46	13.5	191	1	2	9	17	25	46	73	
20-34	209	10.4	152	1	1	7	15	23	30	67	
35-49	234	11.5	156	1	2	8	16	24	34	66	
50-64	366	14.1	143	1	2	12	19	29	40	60	
65+	254	16.8	152	2	2	14	23	31	43	99	
GRAND TOTAL	1109	13.5	156	1	2	11	18	28	38	61	

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	220	7.6	7	5	5	7	8	11	13	18	
20-34	1987	7.5	7	5	5	7	8	10	12	18	
35-49	1507	7.8	8	5	5	7	9	11	12	19	
50-64	1388	8.9	14	5	6	8	10	13	15	22	
65+	695	11.3	34	6	7	10	13	19	24	34	
2. MULTIPLE DX											
0-19 YRS	107	9.7	15	5	6	9	12	14	17	25	
20-34	1242	9.3	22	5	6	8	10	14	17	29	
35-49	1301	10.1	47	5	6	8	11	16	20	42	
50-64	1668	11.8	50	6	6	9	13	20	25	49	
65+	1643	16.6	115	7	8	14	20	29	39	72	
TOT. SINGLE DX	5797	8.4	14	5	5	8	9	12	15	24	
" MULTIPLE DX	5961	12.2	69	6	6	10	14	21	27	51	
TOTAL 0-19 YRS	327	8.3	11	5	5	7	10	12	14	20	
20-34	3229	8.2	14	5	5	7	9	12	15	23	
35-49	2808	8.9	28	5	6	8	10	13	16	28	
50-64	3056	10.5	36	6	6	9	11	17	22	35	
65+	2338	15.0	97	6	7	12	18	26	35	62	
GRAND TOTAL	11758	10.3	46	5	6	8	11	17	22	40	

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.7	16	2	2	7	10	11	11	11
20-34	26	12.1	45	4	5	11	15	21	24	34
35-49	27	10.1	30	3	4	9	13	18	22	24
50-64	45	17.8	155	6	8	14	20	29	43	68
65+	49	17.4	99	3	4	16	22	31	33	50
2. MULTIPLE DX										
0-19 YRS	2	42.0	1352	16	16	42	68	68	68	68
20-34	21	14.8	43	7	8	13	20	25	27	28
35-49	57	21.4	202	6	8	17	27	41	53	74
50-64	106	19.4	131	7	9	17	23	32	39	95
65+	206	22.8	152	8	11	21	28	40	50	99+
TOT. SINGLE DX	153	14.9	102	3	5	13	19	27	33	54
" MULTIPLE DX	392	21.4	157	7	9	19	26	38	45	96
TOTAL										
0-19 YRS	8	15.5	472	2	2	9	13	52	68	68
20-34	47	13.3	45	5	6	11	17	21	26	34
35-49	84	17.8	174	4	6	14	23	33	46	70
50-64	151	18.9	138	7	9	17	23	32	40	91
65+	255	21.8	147	5	9	20	27	39	44	99
GRAND TOTAL	545	19.6	150	5	8	17	25	34	43	89

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	17.5	115	7	7	16	26	31	31	31
20-34	31	8.5	31	1	3	8	11	17	19	25
35-49	29	11.6	64	4	4	9	14	23	25	38
50-64	29	13.6	95	1	2	12	18	29	34	37
65+	27	15.6	128	2	5	14	18	31	43	52
2. MULTIPLE DX										
0-19 YRS	4	13.5	7	11	11	13	15	17	17	17
20-34	38	17.4	233	3	6	12	22	41	48	71
35-49	62	24.1	351	1	6	18	38	57	63	96
50-64	90	18.0	225	1	1	16	23	38	59	92
65+	73	21.3	211	4	8	18	28	44	67	99+
TOT. SINGLE DX	120	12.4	84	2	3	10	16	24	32	44
" MULTIPLE DX	267	20.2	253	1	4	16	27	45	60	99+
TOTAL										
0-19 YRS	8	15.5	57	7	8	13	19	28	31	31
20-34	69	13.4	161	2	4	9	15	30	41	67
35-49	91	20.1	293	2	4	14	25	52	60	88
50-64	119	16.9	196	1	1	14	22	34	43	86
65+	100	19.8	194	3	7	16	26	36	53	99+
GRAND TOTAL	387	17.7	214	1	4	14	23	40	53	94

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	6.1	23	1	1	5	8	12	15	28
20-34	312	6.4	36	1	1	5	8	12	14	31
35-49	260	5.6	27	1	1	4	7	11	15	21
50-64	296	6.6	30	1	1	5	9	15	18	25
65+	404	8.0	46	1	2	6	10	15	21	41
2. MULTIPLE DX										
0-19 YRS	93	9.4	80	1	2	8	12	17	27	80
20-34	291	9.3	86	2	2	7	11	19	27	41
35-49	342	9.5	65	2	2	7	12	19	25	40
50-64	539	10.2	62	2	3	8	14	21	26	37
65+	1330	13.2	130	3	3	10	16	27	36	86
TOT. SINGLE DX	1403	6.7	36	1	1	5	9	14	17	33
" MULTIPLE DX	2595	11.5	104	2	3	9	14	23	30	68
TOTAL										
0-19 YRS	224	7.5	90	1	1	6	10	14	18	54
20-34	603	7.8	63	1	2	6	10	15	20	40
35-49	602	7.8	52	1	1	6	10	16	21	37
50-64	835	8.9	54	1	2	7	12	18	23	36
65+	1734	11.9	116	2	3	9	15	24	33	80
GRAND TOTAL	3998	9.8	85	1	2	7	12	20	27	54

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1388	2.8	8	1	1	2	3	5	6	9
20-34	1238	3.9	2	1	1	4	5	6	7	8
35-49	1125	4.4	3	1	1	4	5	7	8	10
50-64	1532	4.8	4	1	1	4	6	8	9	12
65+	1172	5.8	8	1	3	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	684	4.1	26	1	1	3	4	8	12	34
20-34	316	4.9	11	1	1	4	6	8	9	15
35-49	438	5.9	19	1	1	5	7	9	13	23
50-64	941	6.1	13	1	3	5	7	10	13	20
65+	1171	8.8	55	3	4	7	10	17	23	45
TOT. SINGLE DX	6455	4.3	7	1	2	4	5	7	8	11
" MULTIPLE DX	3550	6.5	33	2	2	5	8	11	16	36
TOTAL										
0-19 YRS	2072	3.2	15	1	1	2	4	5	8	19
20-34	1554	4.1	4	1	1	4	5	6	7	10
35-49	1563	4.8	9	1	1	4	6	7	9	16
50-64	2473	5.3	8	1	3	5	6	8	10	16
65+	2343	7.3	34	3	3	6	8	12	17	36
GRAND TOTAL	10005	5.1	17	1	2	4	6	8	10	21

242 Hospitals, Canada, 1981, by Operation

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	2.3	1	1	1	2	3	4	5	7
20-34	71	4.3	1	2	3	4	5	6	6	8
35-49	103	5.2	3	3	3	5	6	7	8	11
50-64	157	5.7	6	3	3	5	7	8	9	16
65+	104	6.6	7	3	4	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	168	3.5	27	1	1	2	4	6	10	46
20-34	13	5.2	5	2	3	5	7	9	9	9
35-49	47	6.2	10	3	3	6	8	9	10	20
50-64	127	7.9	34	3	4	7	9	13	20	36
65+	127	8.0	13	4	4	7	9	14	17	18
TOT. SINGLE DX	618	4.6	7	1	2	4	6	8	9	14
" MULTIPLE DX	482	6.1	27	1	2	5	8	11	15	34
TOTAL 0-19 YRS	351	2.9	14	1	1	2	3	5	6	20
20-34	84	4.5	2	2	3	4	5	6	7	9
35-49	150	5.5	6	3	3	5	6	8	9	17
50-64	284	6.7	20	3	3	6	8	10	13	29
65+	231	7.4	11	4	4	7	9	12	15	18
GRAND TOTAL	1100	5.3	16	1	2	5	7	9	12	20

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.1	1	2	2	4	5	6	7	7
20-34	49	4.6	2	3	3	4	5	7	8	8
35-49	74	4.2	2	1	2	4	5	6	7	8
50-64	76	5.1	3	2	3	5	7	8	9	10
65+	78	6.5	11	2	3	6	8	11	12	19
2. MULTIPLE DX										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	16	5.6	11	2	3	5	6	11	14	16
35-49	30	5.3	10	2	2	4	6	9	10	18
50-64	54	7.8	30	3	4	6	10	17	19	97
65+	101	11.4	92	3	4	9	13	23	31	78
TOT. SINGLE DX	294	5.1	6	2	3	5	6	8	10	13
" MULTIPLE DX	204	9.0	62	3	4	6	11	18	26	76
TOTAL 0-19 YRS	20	4.2	2	2	2	4	5	6	7	7
20-34	65	4.8	5	3	3	4	5	7	8	15
35-49	104	4.5	5	2	2	4	5	7	8	14
50-64	130	6.2	17	2	3	5	7	11	16	45
65+	179	9.3	63	3	3	7	11	17	24	57
GRAND TOTAL	498	6.7	33	2	3	5	7	12	17	37

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	2.2	1	<1	1	2	3	3	4	7
20-34	82	4.0	16	1	1	3	4	7	8	28
35-49	153	4.0	3	1	2	4	5	7	8	9
50-64	120	5.0	8	2	2	4	6	9	11	15
65+	63	6.2	14	2	3	5	8	10	15	19
2. MULTIPLE DX										
0-19 YRS	62	6.2	130	1	1	3	5	16	25	73
20-34	45	7.1	108	2	3	5	7	10	21	59
35-49	70	6.2	13	2	3	5	8	11	14	19
50-64	120	8.3	70	2	3	6	9	15	20	57
65+	92	11.8	199	2	3	9	13	20	41	97
TOT. SINGLE DX	630	3.8	8	1	1	3	5	7	9	14
" MULTIPLE DX	389	8.3	108	2	2	6	9	15	21	74
TOTAL 0-19 YRS	274	3.1	33	<1	1	2	3	4	6	28
20-34	127	5.1	51	1	2	3	6	8	10	50
35-49	223	4.7	8	2	2	4	6	8	10	15
50-64	240	6.6	42	2	2	5	8	11	15	30
65+	155	9.5	131	2	3	8	11	18	22	92
GRAND TOTAL	1019	5.5	51	1	2	4	6	10	14	38

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.7	2	<1	1	2	3	5	6	8
20-34	204	4.6	11	2	2	4	6	8	9	22
35-49	284	5.8	8	2	3	5	7	9	11	15
50-64	301	7.1	18	2	3	6	9	11	13	22
65+	188	8.1	17	3	4	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	14	5.6	17	2	2	5	6	14	15	15
20-34	97	6.7	20	3	3	5	8	11	16	28
35-49	163	8.7	30	3	4	7	10	16	21	32
50-64	307	10.1	60	3	4	8	12	18	23	49
65+	292	12.7	92	4	5	10	15	22	30	47
TOT. SINGLE DX	1061	6.1	15	2	2	5	8	10	13	18
" MULTIPLE DX	873	10.3	65	3	4	8	12	18	24	47
TOTAL 0-19 YRS	98	3.1	6	1	1	2	4	6	7	15
20-34	301	5.3	15	2	2	4	6	9	11	27
35-49	447	6.8	18	2	3	6	8	11	15	28
50-64	608	8.6	42	3	3	7	10	14	19	41
65+	480	10.9	68	3	4	9	13	18	25	41
GRAND TOTAL	1934	8.0	42	2	3	7	10	14	18	35

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	7	5.6	23	2	2	5	10	13	14	14	
20-34	10	8.6	30	<1	2	7	11	17	21	21	
35-49	25	8.4	8	4	6	8	9	13	14	15	
50-64	21	10.5	14	6	6	10	12	16	19	19	
65+	17	11.5	22	4	5	11	15	18	20	21	
2. MULTIPLE DX											
0-19 YRS	9	16.3	113	2	3	17	28	29	30	30	
20-34	26	10.3	31	5	6	9	11	18	22	31	
35-49	73	10.5	47	6	7	9	11	15	17	51	
50-64	89	12.1	23	7	7	11	14	19	23	26	
65+	60	16.1	115	7	8	13	18	26	34	73	
TOT. SINGLE DX	80	9.5	18	3	5	9	12	15	19	21	
" MULTIPLE DX	257	12.6	60	6	7	10	14	21	26	40	
TOTAL 0-19 YRS	16	12.1	95	2	2	9	18	28	29	30	
20-34	36	9.9	31	4	5	9	11	18	21	31	
35-49	98	10.0	39	6	6	8	11	14	16	45	
50-64	110	11.8	22	7	7	10	14	19	23	26	
65+	77	15.1	98	7	8	13	17	25	31	67	
GRAND TOTAL	337	11.8	52	5	6	10	14	19	25	37	

626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	87	5.7	46	1	1	3	7	11	14	42	
20-34	115	5.8	30	<1	1	4	7	12	17	30	
35-49	80	7.6	75	<1	1	6	10	16	18	54	
50-64	89	9.8	95	2	2	7	12	20	30	51	
65+	63	10.7	79	1	2	9	14	24	28	42	
2. MULTIPLE DX											
0-19 YRS	61	6.4	34	1	2	5	7	13	19	33	
20-34	122	10.8	139	2	2	7	15	24	40	99+	
35-49	130	12.8	222	1	2	8	14	30	41	84	
50-64	248	15.3	137	3	4	12	21	32	40	67	
65+	271	16.6	190	1	2	15	21	34	45	95	
TOT. SINGLE DX	434	7.7	65	1	2	5	9	17	25	44	
" MULTIPLE DX	832	14.0	169	2	2	11	19	31	40	89	
TOTAL 0-19 YRS	148	6.0	41	1	2	4	7	12	17	34	
20-34	237	8.4	93	1	2	5	10	19	29	90	
35-49	210	10.8	172	1	2	7	13	22	35	82	
50-64	337	13.8	132	2	3	10	19	30	38	56	
65+	334	15.5	175	1	2	13	20	32	43	90	
GRAND TOTAL	1266	11.9	142	1	2	8	16	27	36	67	

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	124	7.3	24	2	3	6	9	12	16	30	
20-34	265	7.2	20	2	4	6	8	13	16	22	
35-49	85	9.5	47	3	5	7	11	18	21	42	
50-64	68	12.0	64	4	5	11	14	22	26	50	
65+	45	18.5	223	6	7	14	24	42	48	76	
2. MULTIPLE DX											
0-19 YRS	96	9.9	70	3	4	7	11	22	28	44	
20-34	291	10.0	75	3	4	7	11	18	29	48	
35-49	134	13.5	109	4	5	10	17	29	35	63	
50-64	154	20.1	180	6	7	17	27	40	49	81	
65+	185	23.1	251	8	8	19	31	51	61	99+	
TOT. SINGLE DX	587	9.0	55	3	4	7	10	16	21	43	
" MULTIPLE DX	860	15.2	167	4	5	10	20	33	45	81	
TOTAL 0-19 YRS	220	8.4	46	2	3	6	10	15	22	37	
20-34	556	8.7	51	3	4	7	10	15	23	37	
35-49	219	12.0	89	4	5	9	14	25	33	55	
50-64	222	17.6	159	5	6	13	23	36	48	62	
65+	230	22.2	249	7	8	18	30	49	59	99+	
GRAND TOTAL	1447	12.7	131	3	4	9	15	28	37	62	

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	3.7	8	<1	1	3	5	7	10	15
20-34	1262	2.8	6	<1	1	2	3	6	8	13
35-49	207	2.4	4	<1	<1	2	2	4	7	13
50-64	27	4.5	20	<1	1	2	7	12	14	16
65+	5	3.0	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	173	4.5	14	1	1	3	6	9	12	20
20-34	1083	3.2	22	<1	1	2	3	6	9	20
35-49	221	3.9	19	<1	1	2	5	9	12	23
50-64	33	7.8	94	1	1	2	13	22	30	40
65+	16	10.3	250	2	2	4	11	28	53	63
TOT. SINGLE DX	1752	2.9	7	<1	1	2	3	6	8	13
" MULTIPLE DX	1526	3.6	26	<1	1	2	4	8	11	24
TOTAL 0-19 YRS	424	4.0	11	<1	1	3	6	8	10	19
20-34	2345	3.0	14	<1	1	2	3	6	9	16
35-49	428	3.2	13	<1	1	2	3	7	10	20
50-64	60	6.4	63	1	1	2	8	16	23	39
65+	21	8.5	198	2	2	3	7	20	45	63
GRAND TOTAL	3278	3.2	16	<1	1	2	3	7	9	18

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX 0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS	36	7.4	18	1	2	7	8	12	18	22
20-34	146	7.2	27	1	2	7	8	12	15	34
35-49	115	9.2	25	4	4	8	11	17	18	29
50-64	106	11.1	30	6	6	10	13	17	23	30
65+	74	13.9	102	6	6	12	16	22	27	70
2. MULTIPLE DX 0-19 YRS	58	13.6	157	2	4	9	17	27	53	97
20-34	228	9.6	137	1	2	7	10	19	39	87
35-49	176	15.6	224	3	5	10	19	32	48	94
50-64	191	16.5	142	5	6	14	21	31	40	93
65+	173	22.0	237	7	8	17	28	45	52	99
TOT. SINGLE DX " MULTIPLE DX	477	9.6	44	2	4	8	12	17	21	34
	826	15.3	197	2	5	11	20	34	47	97
TOTAL 0-19 YRS	94	11.2	113	2	3	8	14	23	32	84
20-34	374	8.7	95	1	2	7	9	15	25	75
35-49	291	13.1	155	3	4	9	15	24	38	82
50-64	297	14.6	109	5	6	12	18	28	37	75
65+	247	19.6	211	6	7	15	23	42	51	96
GRAND TOTAL	1303	13.2	149	2	4	9	16	27	40	82

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS	9	10.4	7	8	8	9	12	15	15	15
20-34	19	10.4	10	7	8	9	13	15	17	19
35-49	17	14.9	27	9	10	14	17	22	26	28
50-64	40	14.7	30	8	9	14	17	20	24	37
65+	30	16.6	22	10	11	16	20	22	25	31
2. MULTIPLE DX 0-19 YRS	30	15.5	189	7	7	12	18	32	76	99+
20-34	49	16.0	116	8	8	12	17	34	47	99+
35-49	57	21.4	143	9	9	19	27	34	39	78
50-64	97	20.7	117	9	10	18	25	41	47	75
65+	121	22.8	143	9	11	19	27	40	52	74
TOT. SINGLE DX " MULTIPLE DX	115	14.2	27	8	8	13	17	21	24	33
	354	20.4	142	8	9	17	26	39	46	98
TOTAL 0-19 YRS	39	14.3	151	7	7	11	15	25	59	99+
20-34	68	14.4	93	8	8	12	16	26	40	93
35-49	74	19.9	124	9	9	17	26	31	36	72
50-64	137	18.9	99	8	9	16	22	37	44	54
65+	151	21.5	125	10	11	18	26	38	45	63
GRAND TOTAL	469	18.9	121	8	9	16	23	35	44	80

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS	54	11.6	62	2	2	11	15	20	21	42
20-34	114	10.5	48	2	3	9	13	17	25	38
35-49	93	11.1	39	3	5	10	13	19	21	39
50-64	102	11.7	29	3	5	11	15	19	22	27
65+	35	11.1	77	2	2	10	14	21	23	49
2. MULTIPLE DX 0-19 YRS	77	16.1	142	4	6	15	19	26	47	93
20-34	181	14.3	111	3	4	11	17	27	35	58
35-49	170	17.3	152	4	7	14	21	27	46	76
50-64	223	17.5	131	3	6	14	22	34	41	55
65+	144	17.3	110	3	6	16	22	33	37	49
TOT. SINGLE DX " MULTIPLE DX	398	11.2	46	2	3	10	14	19	22	40
	795	16.6	130	3	6	14	21	32	41	63
TOTAL 0-19 YRS	131	14.2	114	2	4	13	17	24	38	80
20-34	295	12.8	90	2	4	10	16	24	31	47
35-49	263	15.1	121	3	6	12	18	25	42	62
50-64	325	15.7	107	3	6	13	19	30	37	52
65+	179	16.1	109	2	5	14	22	29	37	49
GRAND TOTAL	1193	14.8	108	3	5	12	18	26	37	56

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.6	31	2	3	10	16	17	18	18
20-34	95	10.5	16	4	6	10	13	16	18	23
35-49	129	11.1	26	5	7	10	12	16	18	32
50-64	122	11.5	34	4	6	11	14	17	19	34
65+	51	12.1	17	5	8	11	15	18	19	23
2. MULTIPLE DX										
0-19 YRS	6	10.5	20	6	6	9	11	18	19	19
20-34	39	13.8	80	7	8	11	15	21	28	58
35-49	75	13.8	59	5	7	12	17	22	28	45
50-64	114	15.0	50	5	9	14	18	24	31	35
65+	73	15.3	53	8	9	13	18	26	33	86
TOT. SINGLE DX	407	11.2	25	4	6	11	13	16	18	26
" MULTIPLE DX	307	14.6	57	6	8	13	17	24	31	45
TOTAL 0-19 YRS	16	10.6	26	3	4	10	15	18	19	19
20-34	134	11.4	37	5	6	11	13	18	20	33
35-49	204	12.1	40	5	7	11	14	18	22	45
50-64	236	13.2	45	5	7	12	16	21	26	34
65+	124	14.0	41	6	8	13	16	23	29	56
GRAND TOTAL	714	12.6	41	5	7	11	15	20	24	39

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	14.0	55	9	9	12	15	22	23	56
20-34	13	12.5	35	4	6	10	15	21	26	27
35-49	2	21.0	512	5	5	21	37	37	37	37
50-64	7	20.3	263	9	9	17	21	48	55	55
65+	5	30.2	294	6	6	30	41	53	53	53
2. MULTIPLE DX										
0-19 YRS	87	17.1	62	8	10	15	22	29	33	42
20-34	27	23.8	452	7	8	16	29	64	94	99+
35-49	12	33.3	678	12	15	21	44	77	92	94
50-64	20	33.9	369	13	15	32	39	57	81	93
65+	24	31.8	314	5	7	31	43	62	78	99+
TOT. SINGLE DX	93	15.3	96	8	9	12	17	25	36	58
" MULTIPLE DX	170	23.4	280	8	10	19	30	46	68	98
TOTAL 0-19 YRS	153	15.8	62	9	9	14	20	23	30	43
20-34	40	20.1	341	7	8	14	22	52	80	99+
35-49	14	31.6	634	6	11	21	37	72	89	94
50-64	27	30.4	368	9	10	28	37	53	73	93
65+	29	31.5	301	6	7	31	41	60	71	99+
GRAND TOTAL	263	20.5	230	8	9	15	24	40	56	94

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	7.8	34	<1	1	6	12	16	20	21
20-34	182	4.8	8	2	2	4	6	9	11	15
35-49	172	5.6	16	2	2	4	7	10	11	24
50-64	117	5.8	10	2	2	5	8	10	12	16
65+	47	5.7	12	2	2	5	7	11	14	16
2. MULTIPLE DX										
0-19 YRS	23	12.3	119	2	3	11	16	19	32	56
20-34	52	7.5	23	2	3	6	10	16	18	18
35-49	86	7.2	29	2	2	6	9	13	18	27
50-64	74	10.1	76	2	2	7	13	21	29	44
65+	55	10.1	51	2	3	9	15	18	22	37
TOT. SINGLE DX	545	5.5	13	2	2	5	7	10	12	19
" MULTIPLE DX	290	8.9	54	2	2	7	12	18	21	37
TOTAL 0-19 YRS	50	9.9	78	1	2	8	14	18	20	56
20-34	234	5.4	13	2	2	4	7	10	13	18
35-49	258	6.1	21	2	2	5	8	11	14	26
50-64	191	7.5	40	2	2	6	9	14	19	35
65+	102	8.1	38	2	2	6	10	16	18	33
GRAND TOTAL	835	6.7	30	2	2	5	8	13	17	28

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	466	3.1	10	<1	<1	2	4	8	10	16
20-34	456	4.0	18	<1	<1	2	5	9	12	24
35-49	414	4.2	27	<1	<1	2	5	10	13	23
50-64	644	4.1	29	<1	<1	2	5	9	12	26
65+	776	4.5	43	<1	<1	2	5	10	13	30
2. MULTIPLE DX										
0-19 YRS	507	4.7	34	<1	<1	3	7	11	15	33
20-34	472	5.8	47	<1	<1	3	8	14	19	31
35-49	580	7.4	85	<1	<1	5	9	18	26	49
50-64	1156	7.5	96	<1	<1	4	10	17	26	57
65+	2298	10.0	158	<1	1	6	13	26	39	99+
TOT. SINGLE DX	2756	4.0	28	<1	<1	2	5	9	12	24
" MULTIPLE DX	5013	8.2	116	<1	<1	4	10	21	31	81
TOTAL 0-19 YRS	973	4.0	24	<1	<1	2	5	9	12	23
20-34	928	4.9	34	<1	<1	3	7	11	15	27
35-49	994	6.1	64	<1	<1	3	8	14	22	42
50-64	1800	6.3	75	<1	<1	3	8	14	22	45
65+	3074	8.6	135	<1	1	4	11	22	35	99+
GRAND TOTAL	7769	6.7	89	<1	<1	3	8	16	24	62

242 Hospitals, Canada, 1981, by Operation

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.4	13	2	2	4	8	11	11	11
20-34	32	4.4	11	1	2	3	6	8	13	14
35-49	72	4.3	7	1	2	4	6	7	9	14
50-64	260	5.1	24	1	2	4	6	9	11	29
65+	481	6.0	34	1	2	4	7	11	15	32
2. MULTIPLE DX										
0-19 YRS	5	9.4	32	1	1	10	12	17	17	17
20-34	32	6.0	27	1	2	4	8	12	20	23
35-49	75	8.8	76	1	2	6	11	23	30	41
50-64	346	7.3	53	1	2	5	9	15	21	38
65+	913	9.8	96	2	2	7	12	22	31	72
TOT. SINGLE DX	850	5.5	28	1	2	4	7	10	13	31
" MULTIPLE DX	1371	9.0	84	2	2	6	11	20	27	56
TOTAL 0-19 YRS	10	7.4	25	1	1	8	10	14	17	17
20-34	64	5.2	20	1	2	4	7	11	14	23
35-49	147	6.6	47	1	2	5	7	13	23	38
50-64	606	6.4	42	1	2	5	7	12	18	37
65+	1394	8.5	78	2	2	6	10	19	26	55
GRAND TOTAL	2221	7.7	65	2	2	5	9	16	23	46

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.3	65	<1	1	8	12	15	26	35
20-34	37	10.0	56	1	2	10	14	17	26	33
35-49	48	8.1	41	1	1	7	11	17	19	33
50-64	84	9.5	88	1	2	6	13	22	33	43
65+	110	9.1	74	1	2	6	12	22	27	41
2. MULTIPLE DX										
0-19 YRS	33	17.7	379	3	3	12	18	40	74	75
20-34	56	17.4	316	3	4	10	23	37	65	79
35-49	60	12.0	94	2	2	10	19	23	30	47
50-64	144	15.8	193	2	3	12	23	34	40	56
65+	331	15.1	227	2	2	11	21	34	50	99+
TOT. SINGLE DX	298	9.1	70	1	2	7	12	20	27	40
" MULTIPLE DX	624	15.3	223	2	3	11	21	33	48	91
TOTAL 0-19 YRS	52	14.3	283	2	2	10	16	30	66	75
20-34	93	14.5	224	1	2	10	17	31	47	76
35-49	108	10.3	74	1	2	8	15	21	26	40
50-64	228	13.5	163	2	2	9	20	31	38	53
65+	441	13.6	196	2	2	9	19	31	44	93
GRAND TOTAL	922	13.3	182	2	2	9	18	31	40	79

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	2.2	7	<1	<1	1	3	5	8	15
20-34	3	1.7		1	1	2	2	2	2	2
35-49	4	2.8	3	<1	<1	2	4	5	5	5
50-64	6	2.5	2	<1	<1	2	3	5	5	5
65+	11	10.1	213	1	1	5	7	37	45	46
2. MULTIPLE DX										
0-19 YRS	38	3.7	26	<1	<1	2	4	8	17	25
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	8	4.1	34	<1	<1	1	4	14	18	18
50-64	14	6.9	35	<1	<1	4	12	16	18	19
65+	13	13.1	356	2	2	6	13	39	63	69
TOT. SINGLE DX	75	3.4	42	<1	<1	1	3	6	9	42
" MULTIPLE DX	76	5.9	92	<1	<1	3	6	16	22	59
TOTAL 0-19 YRS	89	2.8	15	<1	<1	1	3	6	10	23
20-34	6	2.0	1	1	1	2	2	4	4	4
35-49	12	3.7	23	<1	<1	2	4	10	17	18
50-64	20	5.6	29	<1	<1	3	7	15	17	19
65+	24	11.7	281	1	1	5	9	33	53	69
GRAND TOTAL	151	4.6	68	<1	<1	2	4	10	19	46

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	8.5	22	2	2	9	12	15	17	19
20-34	53	6.5	28	<1	<1	4	10	15	17	19
35-49	28	8.4	33	1	2	8	11	17	18	25
50-64	55	6.1	31	<1	1	4	10	14	15	25
65+	52	5.9	25	1	2	4	8	14	17	22
2. MULTIPLE DX										
0-19 YRS	80	9.0	38	1	2	9	12	18	19	28
20-34	36	10.5	81	<1	1	8	16	24	30	34
35-49	34	9.4	74	1	1	7	15	24	26	30
50-64	65	9.0	50	1	2	7	14	18	23	32
65+	83	10.0	69	2	3	6	15	21	27	38
TOT. SINGLE DX	324	7.3	27	1	2	6	11	15	17	22
" MULTIPLE DX	298	9.5	59	1	2	8	14	20	24	33
TOTAL 0-19 YRS	216	8.7	28	1	2	9	12	16	18	23
20-34	89	8.1	54	<1	<1	6	11	18	22	33
35-49	62	9.0	56	1	2	7	13	22	25	30
50-64	120	7.7	43	1	1	5	12	16	21	30
65+	135	8.5	56	1	2	5	13	19	22	35
GRAND TOTAL	622	8.4	43	1	2	7	12	17	21	30

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	2.8	7	<1	<1	2	4	6	8	16
20-34	79	3.8	23	<1	<1	2	5	8	13	29
35-49	45	3.3	10	<1	<1	2	4	8	10	16
50-64	74	3.7	23	<1	<1	2	4	10	14	26
65+	146	4.3	21	<1	<1	3	5	10	13	23
2. MULTIPLE DX										
0-19 YRS	122	4.2	27	<1	<1	3	5	9	10	31
20-34	67	5.2	33	<1	<1	4	7	11	16	30
35-49	80	9.2	173	<1	<1	5	11	21	35	67
50-64	142	7.1	102	<1	<1	4	8	17	29	45
65+	426	11.8	201	1	1	7	15	32	43	93
TOT. SINGLE DX	441	3.7	18	<1	<1	2	4	8	13	23
" MULTIPLE DX	837	9.1	152	<1	1	5	10	23	36	74
TOTAL										
0-19 YRS	219	3.6	19	<1	<1	2	4	8	9	22
20-34	146	4.4	28	<1	<1	2	7	9	14	30
35-49	125	7.1	122	<1	<1	3	8	16	23	64
50-64	216	5.9	78	<1	<1	3	7	13	23	41
65+	572	9.9	166	<1	1	5	12	25	38	76
GRAND TOTAL	1278	7.2	112	<1	<1	4	8	17	29	63

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	29	9.6	11	5	6	9	10	14	16	21
35-49	106	9.3	11	6	6	9	10	13	16	22
50-64	107	9.7	14	6	7	9	11	14	17	26
65+	39	11.5	15	7	7	10	14	16	17	26
2. MULTIPLE DX										
0-19 YRS										
20-34	35	10.1	10	6	7	9	12	15	16	16
35-49	142	10.7	33	6	6	9	12	18	20	30
50-64	148	14.7	78	7	7	12	17	25	29	52
65+	77	15.2	169	7	7	11	17	25	29	87
TOT. SINGLE DX	282	9.8	14	6	7	9	11	15	17	23
" MULTIPLE DX	402	13.0	78	6	7	10	16	21	26	53
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	64	9.8	11	6	7	9	11	15	16	20
35-49	248	10.1	25	6	6	9	11	17	20	23
50-64	255	12.6	58	6	7	10	15	21	26	42
65+	116	13.9	121	7	7	11	16	23	27	83
GRAND TOTAL	684	11.7	54	6	7	10	14	19	23	40

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.0	5	<1	1	3	3	6	9	10
20-34	24	6.6	22	2	2	5	8	12	17	22
35-49	20	6.7	11	2	2	7	10	11	12	13
50-64	34	7.2	20	2	2	6	11	13	15	20
65+	39	7.1	18	2	3	6	9	14	15	20
2. MULTIPLE DX										
0-19 YRS	6	6.7	46	2	2	4	7	19	20	20
20-34	12	12.9	36	3	6	13	19	20	21	21
35-49	16	11.5	60	1	2	9	18	20	26	28
50-64	24	10.4	66	2	3	7	15	20	26	37
65+	57	12.1	157	3	4	8	13	19	41	68
TOT. SINGLE DX	130	6.6	18	2	2	6	9	12	14	21
" MULTIPLE DX	115	11.5	106	2	3	8	16	20	25	62
TOTAL										
0-19 YRS	19	4.2	20	<1	1	3	4	9	15	20
20-34	36	8.7	35	2	3	7	12	19	21	22
35-49	36	8.8	38	2	2	8	11	19	20	28
50-64	58	8.6	41	2	2	7	11	17	20	36
65+	96	10.1	106	2	3	8	12	18	23	64
GRAND TOTAL	245	8.9	65	2	2	7	11	18	20	49

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	9.8	14	6	6	9	13	16	16	16
35-49	25	10.0	12	6	6	9	12	14	18	20
50-64	24	9.9	23	5	6	8	12	15	21	25
65+	13	13.2	64	7	7	9	16	25	32	34
2. MULTIPLE DX										
0-19 YRS										
20-34	7	12.9	67	6	6	9	21	25	25	25
35-49	29	10.1	33	6	6	8	10	17	19	34
50-64	39	11.7	37	6	7	10	14	21	26	32
65+	22	17.6	100	7	7	15	24	29	37	48
TOT. SINGLE DX	71	10.5	26	6	6	9	13	17	20	32
" MULTIPLE DX	97	12.6	59	6	6	9	16	24	28	41
TOTAL										
0-19 YRS										
20-34	16	11.1	37	6	6	9	14	23	25	25
35-49	54	10.1	23	6	6	9	10	17	18	33
50-64	63	11.0	32	6	7	9	13	18	25	31
65+	35	16.0	89	7	7	14	22	29	33	48
GRAND TOTAL	168	11.8	46	6	6	9	14	22	25	34

242 Hospitals, Canada, 1981, by Operation

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	4	6.0	8	2	2	7	8	8	8	8
50-64	6	4.5	13	<1	<1	3	6	10	11	11
65+	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	2.8	1	1	1	3	4	4	4	4
20-34	5	5.2	14	1	1	5	9	9	9	9
35-49	7	9.6	58	3	3	5	14	21	23	23
50-64	8	20.9	388	2	3	17	29	53	62	62
65+	9	11.0	88	3	3	8	14	27	31	31
TOT. SINGLE DX	18	4.9	11	<1	<1	5	7	10	12	12
" MULTIPLE DX	34	11.0	156	1	2	6	15	26	33	62
TOTAL 0-19 YRS	7	3.1	4	<1	<1	3	4	6	7	7
20-34	7	6.3	16	1	1	6	9	11	12	12
35-49	11	8.3	40	2	3	6	12	18	23	23
50-64	14	13.9	285	<1	2	6	18	36	56	62
65+	13	8.5	74	1	2	5	9	24	30	31
GRAND TOTAL	52	8.9	113	1	2	5	10	22	30	61

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	13.0	32	9	9	13	17	17	17	17
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	4	9.5	27	4	4	10	14	14	14	14
50-64	4	13.0	24	9	9	12	17	19	19	19
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	11	17.1	184	7	7	13	19	39	51	52
35-49	6	17.8	67	9	9	17	24	29	30	30
50-64	12	18.1	273	1	1	13	28	46	46	46
65+	4	21.8	328	5	5	20	37	42	42	42
TOT. SINGLE DX	13	11.9	29	4	6	9	15	20	22	22
" MULTIPLE DX	34	18.0	190	1	3	14	28	42	46	52
TOTAL 0-19 YRS	3	13.3	16	9	9	14	16	17	17	17
20-34	13	15.8	164	7	7	10	17	35	49	52
35-49	10	14.5	65	4	5	14	19	27	30	30
50-64	16	16.8	211	1	1	13	26	44	46	46
65+	5	21.8	246	5	5	22	34	42	42	42
GRAND TOTAL	47	16.3	151	1	4	14	21	32	46	52

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	10.5	24	4	4	11	15	16	16	16
20-34	5	11.6	16	8	8	10	14	18	18	18
35-49	24	7.4	10	3	4	7	9	10	13	19
50-64	691	8.0	11	4	5	7	9	12	14	19
65+	1284	9.4	22	5	5	8	11	14	17	29
2. MULTIPLE DX										
0-19 YRS	4	7.0	19	2	2	7	10	12	12	12
20-34	3	9.3		9	9	9	10	10	10	10
35-49	45	9.8	21	5	5	8	11	17	20	23
50-64	1021	11.2	65	5	5	9	13	19	25	49
65+	2941	13.8	101	5	6	11	16	24	34	67
TOT. SINGLE DX	2010	8.9	19	4	5	8	10	14	16	26
" MULTIPLE DX	4014	13.1	92	5	6	10	15	23	31	66
TOTAL 0-19 YRS	10	9.1	23	2	3	7	10	12	12	12
20-34	8	10.8	11	8	8	10	12	16	18	18
35-49	69	9.0	19	4	5	8	10	16	19	23
50-64	1712	9.9	46	4	5	8	11	16	21	39
65+	4225	12.4	81	5	6	10	14	22	29	58
GRAND TOTAL	6024	11.7	72	5	5	9	13	20	27	53

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	29.0		29	29	29	29	29	29	29
50-64	54	16.3	76	6	8	14	22	28	30	50
65+	145	15.3	60	8	8	14	17	25	28	44
2. MULTIPLE DX										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	2	30.5	13	28	28	30	33	33	33	33
50-64	100	16.6	65	7	9	14	20	27	32	47
65+	363	19.0	106	8	9	17	23	31	38	67
TOT. SINGLE DX	200	15.6	65	7	8	14	18	27	29	47
" MULTIPLE DX	469	18.5	99	8	9	16	22	31	37	64
TOTAL 0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	3	30.0	7	28	28	29	32	33	33	33
50-64	154	16.5	69	6	9	14	20	27	32	51
65+	508	18.0	96	8	9	16	21	29	37	63
GRAND TOTAL	669	17.6	90	8	9	15	21	29	35	57

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	18	3.6	6	<1	1	3	6	7	9	10
50-64	117	3.7	13	<1	1	3	4	8	11	21
65+	190	5.6	37	1	2	4	7	11	16	38
2. MULTIPLE DX										
0-19 YRS										
20-34	6	11.2	303	1	1	3	11	42	46	46
35-49	11	4.9	13	1	1	3	7	10	13	13
50-64	123	9.3	90	1	2	6	13	22	33	45
65+	331	9.6	76	2	2	6	13	22	28	44
TOT. SINGLE DX	328	4.8	27	1	1	3	6	9	13	30
" MULTIPLE DX	471	9.4	81	1	2	6	13	22	29	45
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	9.0	234	1	1	3	8	35	46	46
35-49	29	4.1	9	1	1	3	6	8	10	13
50-64	240	6.6	61	1	1	3	8	16	23	41
65+	521	8.1	66	1	2	5	10	19	27	43
GRAND TOTAL	799	7.5	64	1	2	4	9	18	25	43

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	3.1	3	<1	1	3	4	5	7	10
20-34	54	3.7	3	1	2	3	5	7	8	9
35-49	45	4.2	10	<1	1	3	6	9	11	13
50-64	46	4.6	9	2	2	4	5	8	11	18
65+	38	6.6	39	2	2	5	8	10	19	36
2. MULTIPLE DX										
0-19 YRS	50	4.8	30	<1	1	3	6	9	12	29
20-34	41	5.4	15	1	1	5	7	14	16	99+
35-49	23	9.6	205	2	2	5	8	20	41	69
50-64	42	7.5	18	2	3	6	10	14	15	18
65+	43	10.9	142	2	3	8	12	23	30	72
TOT. SINGLE DX	256	4.2	12	1	1	3	5	8	9	18
" MULTIPLE DX	199	7.4	73	1	2	5	9	14	21	70
TOTAL 0-19 YRS	123	3.6	15	<1	1	3	4	7	9	28
20-34	95	4.4	9	1	2	4	6	8	13	62
35-49	68	6.0	81	<1	1	4	7	12	17	61
50-64	88	6.0	16	2	2	5	8	13	14	18
65+	81	8.9	98	2	2	7	9	18	27	61
GRAND TOTAL	455	5.6	41	1	2	4	7	11	15	32

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	4.0	5	1	2	4	5	8	9	11
20-34	83	6.3	32	2	2	5	7	15	18	30
35-49	31	7.5	41	2	2	5	8	17	21	30
50-64	30	7.2	36	2	2	5	7	18	20	22
65+	49	8.5	32	3	3	7	12	17	19	28
2. MULTIPLE DX										
0-19 YRS	60	4.3	7	2	2	4	5	8	11	14
20-34	70	7.6	46	2	2	5	9	19	23	27
35-49	29	6.1	17	2	3	4	8	12	17	18
50-64	62	10.5	139	2	3	6	13	22	23	73
65+	143	13.9	174	3	3	10	19	31	43	76
TOT. SINGLE DX	256	6.4	29	2	2	5	8	15	18	28
" MULTIPLE DX	364	9.9	117	2	2	6	13	23	30	69
TOTAL 0-19 YRS	123	4.2	6	2	2	4	5	8	10	14
20-34	153	6.9	39	2	2	5	8	18	22	28
35-49	60	6.8	30	2	3	5	8	15	18	29
50-64	92	9.4	107	2	3	6	13	20	22	67
65+	192	12.5	143	3	3	9	17	28	37	73
GRAND TOTAL	620	8.5	83	2	2	5	10	19	25	52

242 Hospitals, Canada, 1981, by Operation

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	600	3.8	6	1	2	3	5	7	9	13
20-34	42	3.1	4	1	1	3	4	5	8	11
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	338	4.0	9	2	2	3	4	7	9	18
20-34	31	6.0	32	1	2	4	6	14	22	23
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64										
65+	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	649	3.8	6	1	2	3	5	7	8	13
" MULTIPLE DX	374	4.1	11	2	2	3	4	8	10	21
TOTAL 0-19 YRS	938	3.9	7	1	2	3	5	7	9	13
20-34	73	4.3	18	1	1	3	4	9	12	23
35-49	8	3.1	3	1	1	3	4	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	2	5.0	2	4	4	5	6	6	6	6
GRAND TOTAL	1023	3.9	8	1	2	3	5	7	9	14

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	3.4	7	<1	1	3	4	6	8	17
20-34	64	3.1	3	<1	1	3	4	6	7	9
35-49	17	3.6	12	<1	<1	2	4	11	11	11
50-64	7	2.6	1	<1	<1	3	4	4	4	4
65+	3	5.7	22	2	2	4	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	32	4.4	11	1	1	3	5	10	13	14
20-34	32	2.8	1	1	1	3	3	5	6	6
35-49	4	2.3	1	<1	<1	2	3	4	4	4
50-64	5	11.6	55	6	6	10	15	24	24	24
65+	4	13.8	201	3	3	13	50	99+	99+	99+
TOT. SINGLE DX	172	3.3	7	<1	1	3	4	6	8	11
" MULTIPLE DX	77	4.6	26	1	1	3	5	10	14	81
TOTAL 0-19 YRS	113	3.6	9	1	1	3	5	7	10	16
20-34	96	3.0	3	<1	1	3	4	5	6	9
35-49	21	3.3	10	<1	<1	2	3	10	11	11
50-64	12	6.3	42	<1	<1	4	8	16	23	24
65+	7	10.3	127	2	2	8	23	80	99+	99+
GRAND TOTAL	249	3.7	13	<1	1	3	4	6	10	24

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3	
20-34	240	1.2	3	<1	<1	<1	1	1	1	4	
35-49	78	1.3	1	<1	<1	<1	1	2	3	8	
50-64	7	3.3	31	<1	<1	<1	2	13	16	16	
65+											
2. MULTIPLE DX											
0-19 YRS	1	3.0		3	3	3	3	3	3	3	
20-34	39	3.1	16	<1	<1	1	2	11	14	15	
35-49	25	3.1	32	<1	<1	1	2	4	20	25	
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1	
65+	1	6.0		6	6	6	6	6	6	6	
TOT. SINGLE DX	327	1.3	4	<1	<1	<1	1	1	2	9	
" MULTIPLE DX	67	3.1	22	<1	<1	1	2	10	15	24	
TOTAL 0-19 YRS	3	2.7		2	2	3	3	3	3	3	
20-34	279	1.5	6	<1	<1	<1	1	1	2	14	
35-49	103	1.7	9	<1	<1	<1	1	2	4	21	
50-64	8	3.0	28	<1	<1	<1	1	12	16	16	
65+	1	6.0		6	6	6	6	6	6	6	
GRAND TOTAL	394	1.6	7	<1	<1	<1	1	2	3	16	

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	246	2.9	3	1	1	2	3	5	7	10
20-34	274	2.8	3	<1	1	3	4	4	5	9
35-49	187	3.1	2	<1	1	3	4	5	6	9
50-64	174	3.6	3	1	1	3	5	6	8	10
65+	69	4.6	4	2	2	4	6	7	8	13
2. MULTIPLE DX										
0-19 YRS	133	4.2	22	1	1	3	4	7	11	28
20-34	124	3.1	3	1	1	3	4	5	6	9
35-49	91	4.0	8	<1	1	3	5	7	10	16
50-64	135	5.6	19	1	2	4	7	10	15	26
65+	105	6.1	26	1	2	4	7	12	17	28
TOT. SINGLE DX	950	3.2	4	<1	1	3	4	5	7	10
" MULTIPLE DX	588	4.6	17	1	2	4	5	8	12	24
TOTAL 0-19 YRS	379	3.3	10	1	1	3	4	6	7	18
20-34	398	2.9	3	<1	1	3	4	5	6	9
35-49	278	3.4	5	<1	1	3	4	6	7	11
50-64	309	4.5	12	1	2	4	5	7	10	19
65+	174	5.5	18	2	2	4	7	10	14	25
GRAND TOTAL	1538	3.7	9	1	1	3	4	6	8	17

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	425	1.8	1	<1	<1	2	2	3	4	6
20-34	87	2.2	1	<1	<1	2	2	4	6	7
35-49	34	2.2	1	1	1	2	2	3	4	6
50-64	26	3.0	2	1	1	3	3	5	6	8
65+	22	2.4	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	127	3.5	10	<1	1	2	4	8	10	19
20-34	48	3.7	13	<1	<1	3	4	9	12	20
35-49	41	4.2	35	<1	1	2	4	8	18	32
50-64	33	5.2	34	1	1	2	6	13	21	24
65+	38	9.9	201	1	2	5	11	22	36	78
TOT. SINGLE DX	1081	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	448	4.3	37	<1	1	2	4	9	15	28
TOTAL 0-19 YRS	980	2.1	3	<1	<1	2	2	3	5	9
20-34	233	2.5	5	<1	<1	3	4	4	6	13
35-49	114	3.0	15	1	1	3	3	5	7	24
50-64	98	3.8	16	1	1	3	4	8	12	23
65+	104	6.9	99	1	2	3	7	18	24	56
GRAND TOTAL	1529	2.7	13	<1	<1	2	3	4	7	19

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	66	2.7	9	<1	<1	1	3	5	8	19
20-34	42	2.4	5	<1	<1	1	3	5	8	11
35-49	24	6.3	72	<1	<1	2	7	17	28	34
50-64	20	6.8	22	<1	1	6	10	14	15	16
65+	10	9.4	122	<1	<1	6	12	27	37	37
2. MULTIPLE DX										
0-19 YRS	34	4.3	14	<1	1	4	6	7	11	21
20-34	25	5.8	38	<1	1	3	8	13	17	29
35-49	32	10.6	41	<1	3	9	14	20	23	28
50-64	29	10.4	154	2	3	6	10	15	44	62
65+	33	7.5	23	<1	2	7	9	14	18	22
TOT. SINGLE DX	162	4.0	30	<1	<1	2	5	10	14	33
" MULTIPLE DX	153	7.7	57	1	1	6	9	15	21	43
TOTAL 0-19 YRS	100	3.2	12	<1	<1	2	4	6	9	20
20-34	67	3.7	20	<1	<1	2	4	9	12	26
35-49	56	8.8	58	<1	<1	7	13	19	25	34
50-64	49	8.9	102	1	2	6	10	15	18	62
65+	43	7.9	45	<1	1	7	10	16	20	37
GRAND TOTAL	315	5.8	47	<1	<1	4	7	13	17	35

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	5.8	6	3	3	6	7	9	11	13
20-34	395	5.7	3	3	4	6	7	8	9	12
35-49	91	6.8	9	3	4	6	8	9	14	20
50-64	9	8.8	11	5	5	8	12	14	15	15
65+	5	13.2	43	6	6	12	16	24	24	24
2. MULTIPLE DX										
0-19 YRS	71	6.9	13	3	4	6	8	10	14	25
20-34	552	6.4	7	3	4	6	8	9	11	17
35-49	146	7.3	11	4	5	7	8	10	11	18
50-64	26	14.0	77	6	7	11	16	25	37	43
65+	21	21.5	189	6	7	21	29	43	47	49
TOT. SINGLE DX	613	6.0	6	3	4	6	7	8	10	14
" MULTIPLE DX	816	7.3	22	3	4	6	8	10	14	30
TOTAL 0-19 YRS	184	6.2	9	3	3	6	7	10	12	16
20-34	947	6.1	6	3	4	6	7	9	10	15
35-49	237	7.1	11	4	4	7	8	10	12	18
50-64	35	12.6	65	5	6	11	15	22	32	43
65+	26	19.9	170	6	7	16	26	42	46	49
GRAND TOTAL	1429	6.7	16	3	4	6	8	10	12	22

242 Hospitals, Canada, 1981, by Operation

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	6.8	5	4	5	6	8	10	11	16
20-34	314	6.6	4	4	4	6	8	9	10	14
35-49	145	7.2	8	4	4	7	8	10	12	21
50-64	28	10.4	37	5	6	8	14	19	21	31
65+	7	9.1	8	6	6	10	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	47	7.4	7	4	4	7	9	11	12	17
20-34	521	7.3	8	4	5	7	8	11	14	20
35-49	255	8.1	17	4	5	7	9	11	14	26
50-64	47	16.8	384	5	6	9	18	33	67	95
65+	39	17.9	221	7	7	14	20	32	43	89
TOT. SINGLE DX	530	7.0	8	4	4	6	8	10	12	18
" MULTIPLE DX	909	8.5	47	4	5	7	9	13	18	35
TOTAL										
0-19 YRS	83	7.2	7	4	5	7	8	10	12	17
20-34	835	7.0	7	4	4	7	8	10	13	18
35-49	400	7.8	14	4	5	7	9	11	14	25
50-64	75	14.4	262	5	6	9	16	25	47	93
65+	46	16.5	198	6	7	12	20	28	39	89
GRAND TOTAL	1439	7.9	33	4	5	7	8	11	15	27

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	27	7.1	6	3	4	7	8	11	12	15
35-49	37	7.8	10	4	5	8	8	9	16	20
50-64	16	8.5	4	5	7	8	9	12	13	14
65+	12	9.8	9	6	6	9	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	2	8.0		8	8	8	8	8	8	8
20-34	79	8.6	23	4	5	8	10	12	17	33
35-49	134	9.4	29	5	6	8	10	16	20	34
50-64	71	12.9	99	5	6	9	15	23	36	56
65+	42	18.0	159	6	7	13	25	34	45	58
TOT. SINGLE DX	93	8.0	9	4	5	8	9	11	15	20
" MULTIPLE DX	328	11.1	69	5	6	8	12	20	30	47
TOTAL										
0-19 YRS	3	10.7	21	8	8	8	14	16	16	16
20-34	106	8.2	20	4	5	7	10	11	15	31
35-49	171	9.1	26	5	6	8	9	15	20	32
50-64	87	12.1	85	5	6	9	14	21	32	54
65+	54	16.2	138	6	7	12	19	32	40	58
GRAND TOTAL	421	10.4	57	5	6	8	11	19	26	43

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	5.0	13	1	1	4	6	12	13	14
20-34	72	4.2	7	1	1	4	5	7	9	14
35-49	19	3.9	7	<1	1	4	6	8	9	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	17	6.4	11	2	2	6	9	12	13	13
20-34	207	5.6	12	1	2	5	7	9	11	22
35-49	34	5.9	16	1	2	5	7	12	16	17
50-64	1	16.0		16	16	16	16	16	16	16
65+										
TOT. SINGLE DX	112	4.3	8	1	1	4	6	8	11	14
" MULTIPLE DX	259	5.8	13	1	2	6	7	9	13	21
TOTAL										
0-19 YRS	38	5.6	13	1	2	5	8	12	13	14
20-34	279	5.3	12	1	2	5	6	8	11	20
35-49	53	5.2	14	1	1	5	6	9	15	17
50-64	1	16.0		16	16	16	16	16	16	16
65+										
GRAND TOTAL	371	5.3	12	1	2	5	6	9	12	19

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	1431	1.5		<1	<1	1	2	2	2	4
35-49	449	1.5		<1	<1	1	2	2	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	10	2.5	2	1	1	2	3	5	6	6
20-34	608	2.3	8	<1	<1	2	2	5	6	10
35-49	278	2.2	9	<1	<1	2	2	4	9	20
50-64										
65+										
TOT. SINGLE DX	1885	1.5	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	896	2.3	9	<1	<1	2	2	4	6	12
TOTAL										
0-19 YRS	15	2.2	2	<1	<1	2	3	4	5	6
20-34	2039	1.7	3	<1	<1	1	2	2	4	7
35-49	727	1.8	4	<1	<1	2	2	2	3	7
50-64										
65+										
GRAND TOTAL	2781	1.7	3	<1	<1	1	2	2	4	7

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.2	3	<1	1	3	4	6	8	8
20-34	2535	3.0	1	1	2	3	4	5	5	7
35-49	769	3.0	2	1	2	3	4	5	5	7
50-64	3	4.7	14	2	2	3	7	9	9	9
65+										
2. MULTIPLE DX										
0-19 YRS	16	4.1	6	1	1	3	6	8	9	10
20-34	1563	4.1	5	2	2	4	5	7	8	12
35-49	515	3.8	4	2	2	3	4	6	8	12
50-64	6	6.0	5	4	4	5	7	10	10	10
65+										
TOT. SINGLE DX	3326	3.0	2	1	2	3	4	5	5	7
" MULTIPLE DX	2100	4.0	6	2	2	4	5	7	8	12
TOTAL 0-19 YRS	35	3.6	5	1	1	3	4	7	8	10
20-34	4098	3.4	4	1	2	3	4	5	7	10
35-49	1284	3.3	3	1	2	3	4	5	7	10
50-64	9	5.6	7	2	2	5	7	10	10	10
65+										
GRAND TOTAL	5426	3.4	4	1	2	3	4	5	7	10

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	6.0	8	2	4	5	7	8	12	18
20-34	782	5.2	4	2	3	5	6	8	9	11
35-49	94	5.0	5	2	2	5	7	8	9	10
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	40	6.5	10	3	4	6	7	10	14	19
20-34	713	6.1	9	2	3	6	7	9	11	16
35-49	99	7.1	44	3	3	6	7	11	14	41
50-64	4	11.3	57	6	6	9	16	22	22	22
65+	2	12.0	242	1	1	12	23	23	23	23
TOT. SINGLE DX	927	5.2	5	2	2	5	6	8	9	12
" MULTIPLE DX	858	6.2	14	2	3	6	7	9	11	18
TOTAL 0-19 YRS	88	6.2	9	3	4	6	7	8	13	19
20-34	1495	5.6	7	2	3	5	7	8	9	14
35-49	193	6.1	26	2	3	6	7	9	11	15
50-64	6	8.7	53	1	1	6	11	21	22	22
65+	3	11.7	121	1	1	11	20	23	23	23
GRAND TOTAL	1785	5.7	10	2	3	5	7	8	10	15

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.8	1	1	2	3	4	5	5	6
20-34	794	2.6	1	<1	1	2	3	4	5	7
35-49	217	2.8	2	<1	1	3	3	4	5	9
50-64	57	2.8	1	1	1	3	4	5	5	6
65+	16	3.8	2	2	3	3	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	11	3.0	1	<1	1	3	4	5	5	5
20-34	416	3.0	3	1	2	3	4	5	5	9
35-49	154	3.4	8	<1	1	3	4	5	8	17
50-64	53	3.5	13	1	2	3	4	5	6	27
65+	15	4.6	10	2	2	4	6	9	12	13
TOT. SINGLE DX	1108	2.7	2	1	1	2	3	4	5	7
" MULTIPLE DX	649	3.1	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	35	2.9	2	1	2	3	4	5	5	6
20-34	1210	2.8	2	1	1	2	3	5	5	8
35-49	371	3.0	5	<1	1	3	4	5	6	14
50-64	110	3.1	7	1	1	3	4	5	5	15
65+	31	4.2	6	2	2	3	4	8	9	13
GRAND TOTAL	1757	2.9	3	1	1	3	3	5	5	9

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.4	2	<1	<1	2	3	4	6	7
20-34	144	2.6	4	<1	<1	2	4	5	6	10
35-49	80	2.9	18	<1	<1	2	3	4	10	26
50-64	58	2.9	5	<1	<1	2	4	7	8	11
65+	36	4.8	16	1	1	3	7	11	13	18
2. MULTIPLE DX										
0-19 YRS	13	3.1	6	<1	<1	2	4	7	9	9
20-34	98	2.7	11	<1	<1	2	3	6	8	22
35-49	126	3.1	15	<1	<1	2	3	7	10	23
50-64	83	5.1	100	<1	<1	2	5	11	16	67
65+	73	11.2	148	2	2	7	14	32	38	93
TOT. SINGLE DX	334	2.9	10	<1	<1	2	4	6	9	17
" MULTIPLE DX	393	4.9	66	<1	<1	2	5	11	19	44
TOTAL 0-19 YRS	29	2.7	4	<1	<1	2	4	6	7	9
20-34	242	2.6	7	<1	<1	2	3	5	7	17
35-49	206	3.0	16	<1	<1	2	3	6	10	25
50-64	141	4.2	62	<1	<1	2	4	8	12	47
65+	109	9.1	113	1	2	6	11	23	35	81
GRAND TOTAL	727	4.0	41	<1	<1	2	4	9	14	35

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.0	4	1	1	2	3	6	8	8
20-34	260	3.7	11	1	2	3	4	6	8	14
35-49	15	2.8	1	1	2	3	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	9	8
20-34	90	5.2	35	2	2	3	5	8	14	38
35-49	8	6.9	17	2	2	6	10	13	13	13
50-64										
65+										
TOT. SINGLE DX	284	3.6	11	1	2	3	4	6	8	14
" MULTIPLE DX	100	5.3	34	2	2	4	6	9	14	36
TOTAL 0-19 YRS	11	3.4	6	1	1	2	4	8	8	8
20-34	350	4.1	18	1	2	3	4	7	9	21
35-49	23	4.2	10	1	2	3	5	8	13	13
50-64										
65+										
GRAND TOTAL	384	4.1	18	1	2	3	4	7	9	20

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.4	10	2	2	7	8	11	12	12
20-34	692	7.6	5	5	6	7	8	10	11	16
35-49	915	7.9	4	6	6	8	8	10	11	17
50-64	231	8.7	6	6	7	8	9	12	14	18
65+	67	11.7	52	7	7	9	12	20	30	41
2. MULTIPLE DX										
0-19 YRS	20	7.6	6	4	4	7	9	11	13	14
20-34	2628	8.2	9	5	6	7	9	11	13	19
35-49	4598	8.6	10	6	6	8	9	12	14	21
50-64	1124	9.9	22	6	7	9	10	14	18	31
65+	281	14.1	92	7	7	11	16	25	34	50
TOT. SINGLE DX	1912	8.0	7	5	6	8	9	10	12	18
" MULTIPLE DX	8651	8.8	16	6	6	8	9	12	15	25
TOTAL 0-19 YRS	27	7.3	7	3	4	7	9	11	13	14
20-34	3320	8.0	9	5	6	7	9	11	13	18
35-49	5513	8.5	10	6	6	8	9	11	14	21
50-64	1355	9.7	20	6	7	8	10	14	18	30
65+	348	13.7	85	7	7	10	15	24	34	49
GRAND TOTAL	10563	8.7	14	6	6	8	9	12	15	24

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	66	5.5	7	1	1	6	7	9	9	14
35-49	26	5.2	9	<1	1	5	7	10	10	11
50-64	14	2.1	1	<1	1	2	2	4	5	6
65+	4	2.5	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	77	6.4	10	1	2	7	8	11	13	14
35-49	21	10.9	194	<2	<2	8	10	21	47	65
50-64	19	9.9	48	<1	<1	3	7	17	23	27
65+	9	13.0	182	<1	1	5	28	33	33	33
TOT. SINGLE DX	112	4.9	9	1	1	5	7	9	9	12
" MULTIPLE DX	130	7.5	59	1	2	7	9	12	19	39
TOTAL 0-19 YRS	6	6.2	5	3	3	6	8	9	9	9
20-34	143	6.0	9	1	2	6	8	9	12	14
35-49	47	7.7	98	1	1	6	9	11	16	65
50-64	33	4.3	32	<1	1	2	5	10	18	27
65+	13	9.8	149	<1	1	4	13	32	33	33
GRAND TOTAL	242	6.3	37	1	1	6	8	10	13	32

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	358	7.0	2	5	5	7	8	9	10	12
35-49	316	7.6	3	5	6	7	8	10	12	15
50-64	140	9.1	9	6	6	8	10	12	15	20
65+	96	10.2	20	7	7	9	11	15	18	32
2. MULTIPLE DX										
0-19 YRS	5	7.6	10	5	5	7	9	13	13	13
20-34	812	7.8	9	5	5	7	8	11	14	21
35-49	1272	8.3	11	5	6	7	9	12	15	20
50-64	561	10.0	14	6	7	9	11	15	17	24
65+	371	12.1	48	7	7	10	14	20	25	44
TOT. SINGLE DX	912	7.8	7	5	5	7	8	11	12	18
" MULTIPLE DX	3021	8.9	18	5	6	8	10	14	17	25
TOTAL 0-19 YRS	7	6.6	10	3	3	6	7	12	13	13
20-34	1170	7.5	8	5	5	7	8	10	12	19
35-49	1588	8.2	10	5	6	7	9	12	14	20
50-64	701	9.8	14	6	7	9	11	15	17	23
65+	467	11.7	43	7	7	10	13	19	24	42
GRAND TOTAL	3933	8.7	16	5	6	8	10	13	16	24

673: Radical hysterectomy and pelvic exsiccation (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS											
20-34	6	12.2	23	8	8	11	15	19	20	20	
35-49	5	10.0	10	6	6	10	12	14	14	14	
50-64	3	26.3	200	10	10	34	35	35	35	35	
65+	3	31.3	120	25	25	25	39	44	44	44	
2. MULTIPLE DX											
0-19 YRS											
20-34	13	18.5	338	8	9	13	18	32	69	78	
35-49	8	16.1	67	7	8	14	21	29	30	30	
50-64	14	29.4	592	8	8	24	37	63	86	92	
65+	13	20.0	117	9	9	17	22	39	45	46	
TOT. SINGLE DX	17	17.4	129	7	8	13	25	35	41	44	
" MULTIPLE DX	48	21.7	317	8	9	16	26	43	62	92	
TOTAL 0-19 YRS											
20-34	19	16.5	241	8	8	13	17	21	52	78	
35-49	13	13.8	92	6	7	12	19	28	30	30	
50-64	17	28.9	508	8	9	26	35	58	81	92	
65+	16	22.1	131	9	10	18	26	43	45	46	
GRAND TOTAL	65	20.6	268	8	8	16	25	37	54	90	

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	103	1.8	1	<1	<1	1	2	3	5	7	
20-34	172	1.9	2	<1	<1	2	2	3	5	8	
35-49	13	1.9	1	<1	<1	2	2	4	5	5	
50-64											
65+											
2. MULTIPLE DX											
0-19 YRS	41	3.1	65	<1	<1	1	2	4	6	53	
20-34	167	3.2	15	<1	1	3	4	6	7	11	
35-49	41	3.1	8	<1	1	2	3	5	11	15	
50-64											
65+											
TOT. SINGLE DX	288	1.9	2	<1	<1	1	2	3	5	8	
" MULTIPLE DX	249	3.2	22	<1	1	2	3	5	7	15	
TOTAL 0-19 YRS	144	2.2	20	<1	<1	1	2	3	5	10	
20-34	339	2.6	9	<1	<1	2	3	5	6	11	
35-49	54	2.9	7	<1	1	2	3	4	8	15	
50-64											
65+											
GRAND TOTAL	537	2.8	12	<1	<1	2	3	4	6	12	

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	1035	2.1	3	<1	1	2	3	4	5	9	
20-34	7395	1.9	2	<1	<1	1	1	4	5	8	
35-49	2178	1.7	1	<1	<1	1	1	3	4	6	
50-64	888	1.9	4	<1	<1	2	2	3	3	12	
65+	203	2.9	8	<1	1	2	3	5	8	16	
2. MULTIPLE DX											
0-19 YRS	307	3.0	6	<1	<1	2	4	6	8	13	
20-34	2691	2.6	7	<1	<1	2	3	5	7	14	
35-49	1756	2.5	11	<1	<1	2	2	5	7	14	
50-64	1105	2.9	24	<1	<1	2	3	5	9	17	
65+	368	5.6	78	1	1	2	5	12	23	51	
TOT. SINGLE DX	11699	1.9	3	<1	<1	1	2	3	5	8	
" MULTIPLE DX	6227	2.8	16	<1	<1	2	3	5	8	17	
TOTAL 0-19 YRS	1342	2.3	4	<1	1	2	3	4	6	10	
20-34	10086	2.1	4	<1	<1	2	2	4	5	9	
35-49	3934	2.1	6	<1	<1	2	2	3	5	11	
50-64	1993	2.5	16	<1	<1	2	2	4	7	16	
65+	571	4.6	55	1	1	2	4	10	17	46	
GRAND TOTAL	17926	2.2	8	<1	<1	2	2	4	6	12	

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	800	1.2		<1	<1	<1	1	2	2	3	
20-34	1468	1.2		<1	<1	1	1	2	2	3	
35-49	76	1.4		<1	<1	1	2	2	2	4	
50-64											
65+											
2. MULTIPLE DX											
0-19 YRS	518	1.5		<1	<1	1	2	2	3	6	
20-34	1202	1.8	2	<1	<1	1	2	3	4	8	
35-49	226	2.3	5	<1	<1	2	3	4	4	11	
50-64											
65+											
TOT. SINGLE DX	2344	1.2		<1	<1	<1	1	2	2	3	
" MULTIPLE DX	1946	1.7	3	<1	<1	1	2	3	4	8	
TOTAL 0-19 YRS	1318	1.3		<1	<1	<1	1	2	2	4	
20-34	2670	1.4	1	<1	<1	1	2	2	3	6	
35-49	302	2.0	8	<1	<1	2	3	4	4	9	
50-64											
65+											
GRAND TOTAL	4290	1.4	1	<1	<1	<1	2	2	3	6	

242 Hospitals, Canada, 1981, by Operation

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	2.0	1	<1	<1	2	2	4	6	6
20-34	205	1.7	1	<1	1	1	2	3	4	5
35-49	7	2.6	8	<1	<1	1	4	7	8	8
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	16	3.1	2	<1	1	3	4	5	6	6
20-34	66	3.0	7	<1	<1	2	4	7	10	11
35-49	8	2.4	7	<1	<1	1	2	7	9	9
50-64										
65+										
TOT. SINGLE DX	258	1.8	1	<1	1	1	2	3	4	6
" MULTIPLE DX	90	3.0	6	<1	<1	2	4	6	9	11
TOTAL 0-19 YRS	61	2.3	2	<1	<1	2	3	5	6	6
20-34	271	2.0	3	<1	1	1	2	4	5	11
35-49	15	2.5	7	<1	<1	1	2	8	9	9
50-64										
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	348	2.1	3	<1	1	2	2	4	5	10

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	55	5.3	4	2	3	5	7	8	8	14
35-49	5	8.6	30	1	1	8	12	16	16	16
50-64	7	7.9	7	4	4	8	9	12	13	13
65+	6	8.0	1	6	6	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	8	5.4	2	3	3	5	6	8	8	8
20-34	141	5.8	3	3	4	6	7	8	9	12
35-49	19	7.3	6	3	5	7	8	10	13	14
50-64	9	9.1	19	5	5	8	11	17	17	17
65+	17	9.9	18	6	6	9	11	15	20	23
TOT. SINGLE DX	74	6.0	7	2	3	6	7	9	11	16
" MULTIPLE DX	194	6.5	7	3	4	6	7	9	11	17
TOTAL 0-19 YRS	9	5.6	3	3	3	5	7	8	8	8
20-34	196	5.7	4	3	4	6	7	8	8	13
35-49	24	7.5	11	2	4	7	9	12	15	16
50-64	16	8.6	14	4	5	8	9	16	17	17
65+	23	9.4	14	6	6	9	10	14	18	23
GRAND TOTAL	268	6.3	7	3	4	6	7	9	11	16

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.3	5	1	1	4	6	7	9	9
20-34	100	3.2	5	<1	<1	2	5	6	7	10
35-49	18	8.8	132	<1	1	6	9	12	37	53
50-64	11	6.0	15	1	1	6	8	11	15	15
65+	7	12.4	83	4	4	11	21	26	26	26
2. MULTIPLE DX										
0-19 YRS	9	6.1	28	1	1	5	8	15	16	16
20-34	88	5.3	41	<1	1	4	6	10	13	40
35-49	24	8.2	95	<1	1	6	11	15	25	49
50-64	28	7.4	52	2	3	6	8	12	17	41
65+	17	6.7	15	1	2	6	8	13	15	16
TOT. SINGLE DX	148	4.6	30	<1	1	4	6	8	11	27
" MULTIPLE DX	166	6.3	48	1	1	5	7	12	15	43
TOTAL 0-19 YRS	21	5.1	15	1	1	5	6	11	15	16
20-34	188	4.2	23	<1	1	3	6	8	10	30
35-49	42	8.5	109	<1	1	6	10	14	29	53
50-64	39	7.0	42	1	2	6	8	12	15	41
65+	24	8.4	39	2	3	6	11	17	25	26
GRAND TOTAL	314	5.5	40	<1	1	4	6	11	14	42

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	71	7.7	10	4	5	7	9	12	16	20
35-49	208	8.8	17	5	5	8	10	14	18	26
50-64	208	8.4	12	4	5	8	9	12	16	22
65+	156	8.5	8	5	6	8	9	13	15	17
2. MULTIPLE DX										
0-19 YRS										
20-34	133	9.1	17	4	5	8	11	14	16	24
35-49	475	9.9	23	5	6	8	11	16	20	27
50-64	538	10.5	34	5	6	9	12	16	21	36
65+	315	11.1	33	6	7	10	13	17	21	36
TOT. SINGLE DX	733	8.5	13	4	5	8	9	13	16	22
" MULTIPLE DX	1461	10.3	29	5	6	9	12	16	20	32
TOTAL 0-19 YRS										
20-34	204	8.6	16	4	5	7	10	14	16	21
35-49	683	9.6	22	5	5	8	11	15	19	27
50-64	836	9.7	28	5	6	8	11	15	19	29
65+	471	10.3	27	6	6	9	12	15	20	33
GRAND TOTAL	2194	9.7	25	5	6	8	11	15	19	28

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	8.6	142	<1	<1	3	11	30	34	34
20-34	75	5.3	13	1	1	5	7	11	13	16
35-49	24	5.8	21	1	2	5	8	11	15	21
50-64	24	6.9	15	1	3	7	9	11	15	19
65+	6	7.7	4	5	5	7	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	13	6.6	33	<1	<1	7	13	14	15	15
20-34	46	6.9	51	1	1	4	9	18	24	31
35-49	17	14.6	226	2	4	11	16	22	53	69
50-64	20	7.1	17	2	3	6	10	13	15	17
65+	18	12.4	46	4	6	10	18	24	25	25
TOT. SINGLE DX	136	5.9	21	1	1	5	8	11	13	23
" MULTIPLE DX	114	8.9	76	1	1	7	12	18	24	45
TOTAL										
0-19 YRS	20	7.3	67	<1	<1	4	13	15	24	34
20-34	121	5.9	28	1	1	5	8	13	17	27
35-49	41	9.4	123	1	2	8	11	19	22	69
50-64	44	7.0	16	2	3	6	9	12	15	19
65+	24	11.3	40	4	6	9	14	23	25	25
GRAND TOTAL	250	7.3	48	1	1	5	9	15	19	31

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	2.5	4	<1	<1	2	3	4	8	11
20-34	133	3.4	11	<1	<1	2	4	8	10	17
35-49	45	3.8	21	<1	<1	2	3	13	16	20
50-64	55	5.5	15	<1	2	5	8	11	13	16
65+	42	8.6	51	2	2	7	10	13	22	41
2. MULTIPLE DX										
0-19 YRS	39	3.8	31	1	1	3	9	15	18	21
20-34	102	6.0	37	<1	1	4	8	13	18	33
35-49	64	7.5	51	1	1	6	10	16	22	37
50-64	78	9.1	88	1	2	7	11	20	26	55
65+	76	8.9	55	2	2	8	10	19	31	83
TOT. SINGLE DX	319	4.4	21	<1	<1	3	6	10	13	19
" MULTIPLE DX	359	7.5	55	1	1	6	10	15	22	38
TOTAL										
0-19 YRS	83	4.1	20	<1	<1	2	4	11	15	20
20-34	235	4.5	24	<1	<1	3	6	11	14	22
35-49	109	6.0	42	<1	1	3	8	15	17	32
50-64	133	7.6	61	1	2	7	9	14	22	40
65+	118	8.8	53	2	2	8	10	17	30	59
GRAND TOTAL	678	6.1	42	<1	1	4	8	13	17	34

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	2.6	5	<1	<1	2	3	5	8	12
20-34	394	2.4	8	<1	<1	2	3	4	6	12
35-49	148	2.5	3	<1	<1	2	3	5	6	11
50-64	69	2.6	2	<1	1	2	3	5	5	8
65+	30	4.1	6	<1	1	4	5	8	9	11
2. MULTIPLE DX										
0-19 YRS	46	4.5	14	1	1	3	6	9	12	18
20-34	134	4.4	47	1	1	2	4	7	16	36
35-49	60	3.9	19	<1	1	3	4	8	13	24
50-64	55	6.6	59	1	2	4	8	12	20	49
65+	61	8.9	86	1	1	6	12	19	34	41
TOT. SINGLE DX	748	2.5	6	<1	<1	2	3	5	6	11
" MULTIPLE DX	356	5.5	49	1	1	3	6	12	19	40
TOTAL										
0-19 YRS	153	3.2	8	<1	<1	2	4	7	9	14
20-34	528	2.9	19	<1	<1	2	3	5	7	28
35-49	208	2.9	9	<1	<1	2	4	5	7	17
50-64	124	4.4	31	<1	1	3	5	8	12	29
65+	91	7.3	65	1	1	5	9	15	24	41
GRAND TOTAL	1104	3.5	22	<1	1	2	4	7	10	27

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	7	5.9	58	2	2	3	5	19	23	23
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	4	6.0	2	4	4	6	7	8	8	8
65+	8	14.9	173	2	2	12	19	37	42	42
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	16.0	32	12	12	16	20	20	20	20
35-49	11	24.3	362	8	8	21	36	80	97	99+
50-64	22	33.8	213	12	14	35	41	53	65	70
65+										
TOT. SINGLE DX	26	8.0	86	1	2	4	10	22	28	42
" MULTIPLE DX	36	29.1	282	8	9	30	39	59	71	99+
TOTAL										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	8	5.6	51	2	2	3	5	18	23	23
35-49	6	8.0	46	3	3	5	12	19	20	20
50-64	15	19.4	330	5	6	12	31	68	91	99+
65+	30	28.8	269	2	10	29	39	45	61	70
GRAND TOTAL	62	20.2	307	2	3	15	34	41	64	96

242 Hospitals, Canada, 1981, by Operation

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	5.3	36	1	1	4	6	10	21	26
20-34	41	4.2	5	1	2	4	6	7	8	13
35-49	5	5.4	6	3	3	4	8	8	8	8
50-64	7	3.7	3	2	2	4	5	6	6	6
65+	4	6.3	11	3	3	5	8	11	11	11
2. MULTIPLE DX										
0-19 YRS	8	3.9	5	1	1	3	5	7	8	8
20-34	26	5.0	7	2	2	4	6	8	12	13
35-49	8	6.8	40	1	1	4	11	17	19	19
50-64	6	5.1	19	1	1	3	7	12	14	14
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX	73	4.6	12	1	2	4	6	7	10	23
" MULTIPLE DX	51	5.3	15	1	2	4	7	12	13	19
TOTAL										
0-19 YRS	24	4.8	26	1	1	4	6	8	15	26
20-34	67	4.5	7	2	2	4	6	7	9	13
35-49	13	6.2	26	1	2	4	9	13	18	19
50-64	15	4.5	11	1	2	4	6	8	12	14
65+	5	7.6	18	3	3	6	11	13	13	13
GRAND TOTAL	124	4.9	13	1	2	4	6	8	12	21

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.5	20	<1	<1	1	4	11	16	16
20-34	43	5.6	285	<1	<1	1	2	7	32	92
35-49	13	1.4		<1	<1	1	2	3	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	12.3	247	<1	<1	6	19	39	41	41
20-34	32	3.8	20	<1	<1	2	5	9	16	18
35-49	12	7.2	66	<1	1	4	8	21	27	28
50-64	4	14.3	9	10	10	15	16	17	17	17
65+	10	10.4	158	2	3	6	9	29	45	45
TOT. SINGLE DX	72	4.4	175	<1	<1	1	3	6	13	86
" MULTIPLE DX	64	6.9	77	<1	<1	4	9	17	22	44
TOTAL										
0-19 YRS	17	6.6	109	<1	<1	2	8	18	33	41
20-34	75	4.9	171	<1	<1	1	3	9	16	86
35-49	25	4.2	39	<1	1	2	4	11	20	28
50-64	6	10.0	49	1	1	12	16	17	17	17
65+	13	8.9	129	1	2	6	8	20	40	45
GRAND TOTAL	136	5.6	130	<1	<1	2	5	14	18	70

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	555	5.4	19	3	3	5	6	8	9	16
20-34	3311	5.0	5	3	3	5	6	7	8	13
35-49	108	5.1	3	3	3	5	6	8	9	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	613	6.1	11	3	3	5	7	9	12	21
20-34	3916	5.9	12	3	4	5	6	9	11	21
35-49	177	6.8	28	3	4	6	7	11	14	51
50-64										
65+										
TOT. SINGLE DX	3974	5.1	7	3	3	5	6	7	8	13
" MULTIPLE DX	4706	6.0	13	3	4	5	6	9	11	21
TOTAL										
0-19 YRS	1168	5.8	15	3	3	5	6	8	11	20
20-34	7227	5.5	9	3	4	5	6	8	9	18
35-49	285	6.1	20	3	4	5	7	9	12	33
50-64										
65+										
GRAND TOTAL	8680	5.6	10	3	4	5	6	8	10	19

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.4		3	3	4	5	6	6	6
20-34	171	4.9	3	3	3	5	5	6	7	10
35-49	10	4.3	1	2	3	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	5.6	11	2	3	5	7	8	12	21
20-34	459	5.8	18	2	3	5	6	9	12	23
35-49	25	5.6	5	2	3	6	7	8	10	12
50-64										
65+										
TOT. SINGLE DX	198	4.8	3	3	3	5	5	6	7	10
" MULTIPLE DX	521	5.7	17	2	3	5	6	9	12	22
TOTAL										
0-19 YRS	54	5.2	8	3	3	5	6	7	10	21
20-34	630	5.5	14	2	3	5	6	8	10	22
35-49	35	5.2	4	2	3	5	6	7	9	12
50-64										
65+										
GRAND TOTAL	719	5.5	13	2	3	5	6	8	10	21

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	5.1	2	3	3	5	6	7	9	10
20-34	990	5.1	3	3	4	5	6	7	8	10
35-49	43	5.1	2	3	3	5	6	7	9	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	252	5.8	9	3	4	5	6	9	11	21
20-34	2267	5.8	9	3	4	5	6	8	9	18
35-49	122	6.3	7	4	4	6	7	9	11	20
50-64										
65+										
TOT. SINGLE DX	1183	5.1	3	3	4	5	6	7	8	10
" MULTIPLE DX	2641	5.8	9	3	4	5	6	8	10	19
TOTAL 0-19 YRS	402	5.5	7	3	4	5	6	8	10	18
20-34	3257	5.6	7	3	4	5	6	8	9	16
35-49	165	6.0	7	3	4	5	7	8	10	19
50-64										
65+										
GRAND TOTAL	3824	5.6	7	3	4	5	6	8	9	16

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4441	4.7	5	3	3	4	5	6	7	11
20-34	29314	4.5	3	3	3	4	5	6	7	10
35-49	958	4.7	7	2	3	4	5	7	8	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1333	5.7	12	2	3	5	6	8	11	22
20-34	11643	5.6	17	3	3	5	6	8	10	23
35-49	762	6.1	29	3	3	5	7	9	12	23
50-64										
65+										
TOT. SINGLE DX	34713	4.6	4	3	3	4	5	6	7	11
" MULTIPLE DX	13738	5.7	18	3	3	5	6	8	11	23
TOTAL 0-19 YRS	5774	5.0	7	2	3	5	6	7	8	16
20-34	40957	4.8	8	3	3	4	5	7	8	14
35-49	1720	5.3	18	2	3	5	6	8	10	17
50-64										
65+										
GRAND TOTAL	48451	4.9	8	3	3	4	5	7	8	15

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	369	7.5	6	5	5	7	8	10	12	18
20-34	3770	7.3	8	5	5	7	8	9	10	18
35-49	146	7.7	6	5	6	7	8	10	14	18
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	823	9.2	35	5	6	8	10	14	18	37
20-34	8177	8.6	32	5	6	7	9	12	16	36
35-49	701	9.7	49	5	6	8	10	14	21	38
50-64										
65+										
TOT. SINGLE DX	4285	7.3	9	5	5	7	8	9	11	18
" MULTIPLE DX	9701	8.7	34	5	6	7	9	12	17	36
TOTAL 0-19 YRS	1192	8.7	27	5	5	7	9	13	16	30
20-34	11947	8.2	25	5	6	7	8	11	14	31
35-49	847	9.3	43	5	6	8	9	14	18	38
50-64										
65+										
GRAND TOTAL	13986	8.3	26	5	6	7	8	11	15	31

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	7.6	2	6	6	7	8	10	11	11
20-34	145	7.9	26	5	5	7	8	9	11	38
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	19	8.6	13	4	5	8	11	15	16	17
20-34	180	10.8	97	5	6	8	10	16	36	57
35-49	18	11.2	35	7	7	9	12	18	26	31
50-64										
65+										
TOT. SINGLE DX	167	7.8	23	5	5	7	8	9	11	36
" MULTIPLE DX	217	10.6	85	5	6	8	10	16	34	57
TOTAL 0-19 YRS	39	8.1	8	5	6	7	9	12	15	17
20-34	325	9.5	67	5	6	7	8	13	22	51
35-49	20	10.8	33	6	7	8	12	17	24	31
50-64										
65+										
GRAND TOTAL	384	9.4	60	5	6	8	9	13	19	50

242 Hospitals, Canada, 1981, by Operation

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.7	3	4	4	7	8	9	9	9
20-34	22	5.2	2	2	3	5	6	8	8	9
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	57	5.6	6	3	3	5	6	9	10	17
35-49	13	4.9	6	1	2	5	7	8	10	11
50-64										
65+										
TOT. SINGLE DX	29	5.7	4	3	3	5	7	9	9	10
" MULTIPLE DX	74	5.5	6	3	3	5	6	9	11	16
TOTAL 0-19 YRS	10	6.1	3	4	4	6	7	8	9	9
20-34	79	5.5	6	3	3	5	6	9	10	15
35-49	14	5.3	8	1	2	5	7	10	11	11
50-64										
65+										
GRAND TOTAL	103	5.5	6	3	3	5	7	9	10	14

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	167	2.1	1	1	1	2	3	3	4	7
20-34	198	1.8		1	1	2	2	3	3	6
35-49	14	2.5	1	1	2	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	152	2.2	2	1	1	2	3	4	5	9
20-34	192	2.1	4	1	1	2	2	3	5	11
35-49	19	3.1	3	1	1	3	5	6	6	6
50-64										
65+										
TOT. SINGLE DX	379	1.9	1	1	1	2	2	3	4	6
" MULTIPLE DX	363	2.2	4	1	1	2	3	4	5	9
TOTAL 0-19 YRS	319	2.1	2	1	1	2	3	3	5	8
20-34	390	2.0	3	1	1	2	2	3	4	8
35-49	33	2.8	2	1	1	2	4	5	6	6
50-64										
65+										
GRAND TOTAL	742	2.1	2	1	1	2	2	3	5	8

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	4.0	16	<1	<1	3	6	7	11	20
20-34	216	3.3	24	<1	<1	1	4	8	10	20
35-49	25	2.6	7	<1	<1	2	3	6	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15	4.7	17	<1	1	3	5	14	14	14
20-34	91	5.8	47	<1	<1	4	7	14	20	35
35-49	7	2.9	2	<1	<1	3	3	5	6	6
50-64										
65+										
TOT. SINGLE DX	266	3.3	22	<1	<1	1	4	7	10	20
" MULTIPLE DX	113	5.5	41	<1	1	3	6	14	18	33
TOTAL 0-19 YRS	40	4.3	16	<1	<1	3	5	8	14	20
20-34	307	4.0	33	<1	<1	2	5	9	14	29
35-49	32	2.7	6	<1	<1	2	3	6	7	13
50-64										
65+										
GRAND TOTAL	379	3.9	29	<1	<1	2	5	9	14	27

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	405	3.4	5	<1	<1	3	5	6	7	12
20-34	2055	3.9	13	<1	<1	4	5	6	8	20
35-49	90	3.7	12	<1	<1	3	5	6	7	22
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	269	4.3	18	<1	1	4	5	7	9	29
20-34	1706	5.1	21	1	1	4	6	7	11	26
35-49	96	5.4	8	1	2	5	6	8	10	17
50-64										
65+										
TOT. SINGLE DX	2550	3.8	12	<1	<1	4	5	6	8	18
" MULTIPLE DX	2071	5.0	21	1	1	4	6	7	11	27
TOTAL 0-19 YRS	674	3.8	11	<1	<1	3	5	6	8	16
20-34	3761	4.4	17	<1	1	4	5	7	9	22
35-49	186	4.6	11	<1	1	4	6	7	10	19
50-64										
65+										
GRAND TOTAL	4621	4.3	16	<1	1	4	5	7	9	21

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	409	4.3	2	2	3	4	5	6	7	9	
20-34	5141	4.3	2	2	3	4	5	6	7	9	
35-49	238	4.5	3	2	3	4	5	6	8	10	
50-64											
65+											
2. MULTIPLE DX											
0-19 YRS	392	5.2	7	2	3	5	6	8	9	16	
20-34	4584	5.1	9	3	3	5	6	7	9	17	
35-49	294	5.5	8	3	3	5	6	8	9	20	
50-64											
65+											
TOT. SINGLE DX	1788	4.3	3	2	3	4	5	6	7	9	
" MULTIPLE DX	5270	5.2	10	3	3	5	6	7	9	17	
TOTAL											
0-19 YRS	801	4.7	5	2	3	4	5	7	8	14	
20-34	9725	4.7	6	3	3	4	5	6	7	13	
35-49	532	5.0	7	2	3	5	6	7	8	18	
50-64											
65+											
GRAND TOTAL	11058	4.7	6	3	3	4	5	6	8	14	

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	12	4.0	6	1	1	4	5	7	10	11	
20-34	25	4.9	11	1	2	4	6	10	13	16	
35-49	9	13.8	661	2	2	3	13	55	81	81	
50-64	14	6.4	24	<1	1	5	9	12	17	19	
65+	5	15.2	178	1	1	20	24	32	32	32	
2. MULTIPLE DX											
0-19 YRS	11	4.1	2	2	2	4	5	6	8	8	
20-34	15	4.5	3	2	2	4	6	7	8	9	
35-49	10	12.0	366	2	2	4	12	40	65	65	
50-64	19	17.3	446	2	2	11	22	72	90	99+	
65+	16	14.3	348	1	2	6	18	43	61	68	
TOT. SINGLE DX	65	7.1	119	1	2	4	7	15	20	74	
" MULTIPLE DX	71	11.1	267	2	2	5	11	30	65	96	
TOTAL											
0-19 YRS	23	4.0	5	1	2	4	5	6	9	11	
20-34	40	4.8	9	1	2	4	6	8	11	16	
35-49	19	12.8	478	2	2	4	13	48	74	81	
50-64	33	12.7	291	1	2	8	16	34	77	99+	
65+	21	14.5	297	1	2	6	21	37	55	68	
GRAND TOTAL	136	9.2	199	1	2	4	9	20	40	83	

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	189	4.4	1	3	3	4	5	6	7	9	
20-34	253	4.2	2	2	3	4	5	6	7	9	
35-49	53	4.2	3	1	2	4	5	6	7	10	
50-64	13	4.1	6	1	1	4	5	8	9	9	
65+	3	9.7	225	1	1	1	21	27	27	27	
2. MULTIPLE DX											
0-19 YRS	154	4.7	9	3	3	4	5	6	8	13	
20-34	128	4.6	3	3	3	4	6	6	7	12	
35-49	20	10.7	368	2	2	5	6	23	56	88	
50-64	7	7.9	25	2	2	6	11	15	16	14	
65+	3	18.3	254	5	5	14	30	36	36	36	
TOT. SINGLE DX	511	4.3	3	2	3	4	5	6	7	9	
" MULTIPLE DX	312	5.2	35	3	3	4	5	7	10	29	
TOTAL											
0-19 YRS	343	4.5	5	3	3	4	5	6	7	10	
20-34	381	4.4	3	2	3	4	5	6	7	9	
35-49	73	5.9	108	1	2	4	5	7	10	73	
50-64	20	5.4	15	1	1	4	7	11	14	16	
65+	6	14.0	214	1	1	9	27	35	36	36	
GRAND TOTAL	823	4.7	15	2	3	4	5	6	7	15	

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	88	3.2	4	1	1	3	4	6	7	11	
20-34	206	2.8	3	1	1	2	3	5	7	12	
35-49	22	3.2	5	1	1	2	4	7	8	10	
50-64	5	6.8	77	1	1	2	11	22	22	22	
65+	1	4.0		4	4	4	4	4	4	4	
2. MULTIPLE DX											
0-19 YRS	58	5.2	28	1	1	4	6	12	18	28	
20-34	136	4.7	19	1	2	3	6	8	13	25	
35-49	34	7.2	76	1	2	8	8	13	20	50	
50-64	14	7.9	151	1	1	3	7	24	41	46	
65+	4	15.5	75	8	8	13	21	28	28	28	
TOT. SINGLE DX	322	3.0	5	1	1	2	4	5	7	12	
" MULTIPLE DX	246	5.5	39	1	2	3	6	12	18	35	
TOTAL											
0-19 YRS	146	4.0	15	1	1	3	5	8	11	23	
20-34	342	3.5	11	1	1	2	4	7	9	15	
35-49	56	5.6	52	1	1	4	7	9	17	48	
50-64	19	7.6	127	1	1	3	7	22	35	46	
65+	5	13.2	63	4	4	13	17	28	28	28	
GRAND TOTAL	568	4.1	21	1	1	3	5	8	12	23	

242 Hospitals, Canada, 1981, by Operation

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	3.4	8	1	1	2	4	7	10	13
20-34	165	3.4	7	1	1	3	4	6	9	14
35-49	59	3.4	5	1	1	3	5	6	8	11
50-64	16	3.9	12	1	1	3	4	8	13	15
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
0-19 YRS	60	8.4	47	2	2	7	12	15	21	38
20-34	202	7.1	71	1	2	5	9	14	20	46
35-49	65	10.0	221	1	2	5	10	16	47	79
50-64	16	7.5	24	1	2	8	13	15	70	99+
65+	12	12.2	101	2	3	9	14	27	36	37
TOT. SINGLE DX	291	3.4	8	1	1	3	4	7	10	14
" MULTIPLE DX	355	8.0	95	1	2	5	10	15	23	76
TOTAL 0-19 YRS	109	6.1	36	1	1	4	8	13	15	32
20-34	367	8.4	46	1	1	4	6	11	15	27
35-49	124	6.9	129	1	1	4	7	12	16	78
50-64	32	5.7	21	1	1	4	9	15	15	99+
65+	14	11.4	92	2	3	9	15	24	34	37
GRAND TOTAL	646	6.0	61	1	1	4	7	12	16	46

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.6	3	△△△	△	5	6	7	7	7
20-34	12	3.2	7	△△△	△	△	4	8	9	9
35-49	4	4.8	39	△△△	△	△	8	14	14	14
50-64	3	8.3	9	△	△	7	10	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	3	7.0	19	△△	△	9	10	10	10	10
20-34	11	6.3	18	△	△	9	7	14	16	16
35-49	9	10.0	52	△	△	9	13	22	22	22
50-64	4	35.3	1388	△	△	35	67	69	69	69
65+	2	1.0		△	△	1	1	1	1	1
TOT. SINGLE DX	27	4.4	12	△	△	3	7	9	11	14
" MULTIPLE DX	25	11.3	310	△	△	6	10	22	67	69
TOTAL 0-19 YRS	11	6.3	8	△△△	△	9	7	9	10	10
20-34	23	4.7	15	△△△	△	9	7	10	13	16
35-49	9	7.7	49	△	△	6	11	19	22	22
50-64	7	23.7	903	△	△	7	52	68	69	69
65+	2	1.0		△	△	1	1	1	1	1
GRAND TOTAL	52	7.7	164	△	△	9	8	13	21	69

703: Incision and division of bones, except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	7.9	70	1	2	5	10	17	25	45
20-34	148	6.3	60	1	1	4	7	11	21	46
35-49	105	6.9	79	1	1	4	7	14	22	54
50-64	111	7.4	24	1	1	7	9	14	16	28
65+	60	11.9	85	2	3	10	15	26	34	41
2. MULTIPLE DX										
0-19 YRS	141	12.5	151	2	3	8	15	26	35	68
20-34	101	11.1	189	2	3	6	10	26	50	62
35-49	56	13.3	280	2	3	7	14	42	54	76
50-64	119	13.0	219	1	3	8	15	28	46	74
65+	90	17.2	303	3	5	12	21	33	48	93
TOT. SINGLE DX	629	7.7	65	1	2	5	9	16	23	44
" MULTIPLE DX	507	13.3	218	2	3	8	15	30	47	73
TOTAL 0-19 YRS	346	9.8	108	2	3	6	12	22	30	58
20-34	249	8.3	117	1	2	5	9	15	32	61
35-49	161	9.1	158	1	2	5	8	21	40	60
50-64	230	10.3	133	1	3	7	11	20	29	65
65+	150	15.1	222	3	4	11	17	30	39	91
GRAND TOTAL	1136	10.2	141	2	3	6	11	22	34	62

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	4.1	4	1	2	4	5	7	8	11
20-34	144	4.4	4	1	2	4	5	7	8	12
35-49	168	4.4	6	1	2	4	5	7	8	16
50-64	263	5.3	14	1	2	5	6	9	10	15
65+	85	5.6	12	1	2	5	7	11	13	16
2. MULTIPLE DX										
0-19 YRS	85	4.5	3	1	2	4	6	7	8	11
20-34	160	4.6	6	1	2	4	5	7	9	15
35-49	175	5.0	15	1	2	4	6	8	9	24
50-64	405	5.4	10	1	2	5	7	8	11	20
65+	206	7.8	49	1	2	6	9	14	19	41
TOT. SINGLE DX	778	4.8	10	1	2	4	6	8	10	15
" MULTIPLE DX	1031	5.6	19	1	2	5	7	9	12	22
TOTAL 0-19 YRS	203	4.3	4	1	2	4	5	7	8	11
20-34	304	4.5	6	1	2	4	5	7	9	13
35-49	343	4.7	11	1	2	4	5	7	9	17
50-64	688	5.4	12	1	2	5	6	8	10	19
65+	291	7.2	40	1	2	6	9	13	17	36
GRAND TOTAL	1809	5.3	15	1	2	4	6	9	11	20

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	517	5.1	51	1	2	3	5	8	15	40
20-34	572	4.8	23	1	2	4	5	8	12	29
35-49	336	6.1	60	1	2	4	6	11	16	43
50-64	248	5.5	28	1	1	4	7	10	14	34
65+	105	8.9	162	1	1	4	9	21	35	69
2. MULTIPLE DX										
0-19 YRS	180	11.9	254	1	2	6	13	30	52	89
20-34	318	10.5	202	1	2	5	10	30	49	85
35-49	241	9.3	152	1	2	5	10	25	38	99+
50-64	270	14.8	296	2	2	7	19	41	59	99+
65+	201	19.6	422	1	2	13	30	55	82	99+
TOT. SINGLE DX	1778	5.5	48	1	2	4	6	9	15	41
" MULTIPLE DX	1210	12.9	270	1	2	6	16	37	55	99+
TOTAL 0-19 YRS	697	6.8	112	1	2	4	6	14	25	68
20-34	890	6.8	95	1	2	4	6	12	27	59
35-49	577	7.5	101	1	2	4	7	15	29	65
50-64	518	10.3	190	1	2	5	11	27	42	94
65+	306	16.0	358	1	2	8	23	46	65	99+
GRAND TOTAL	2988	8.5	151	1	2	4	8	21	36	85

706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	6.5	32	2	2	5	8	12	17	31
20-34	199	5.8	39	2	2	4	6	12	17	37
35-49	70	7.4	27	2	3	6	10	13	17	28
50-64	59	10.4	47	2	2	9	15	22	24	27
65+	113	17.8	146	3	6	15	24	37	46	99+
2. MULTIPLE DX										
0-19 YRS	77	14.2	356	2	3	6	12	52	59	85
20-34	85	12.3	215	2	3	7	14	36	49	92
35-49	33	12.3	99	2	3	10	19	31	42	99+
50-64	65	19.0	419	4	5	11	23	40	75	96
65+	176	27.6	425	4	7	23	44	73	99+	99+
TOT. SINGLE DX	600	8.9	77	2	2	6	11	21	27	49
" MULTIPLE DX	436	19.8	390	3	4	13	28	55	78	99+
TOTAL 0-19 YRS	236	9.0	150	2	2	5	9	18	35	61
20-34	284	7.7	101	2	2	4	8	16	29	63
35-49	103	8.9	55	2	3	7	12	19	27	69
50-64	124	14.9	259	3	3	10	18	27	42	93
65+	289	23.8	338	4	7	18	34	59	93	99+
GRAND TOTAL	1036	13.5	238	2	2	8	17	36	54	99+

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	3.5	20	<1	1	2	4	6	8	26
20-34	398	3.5	25	<1	1	2	4	6	9	27
35-49	157	3.9	46	<1	1	3	4	5	10	46
50-64	122	4.2	13	1	2	3	4	8	13	20
65+	108	6.3	38	1	2	4	8	14	18	35
2. MULTIPLE DX										
0-19 YRS	149	7.7	123	1	2	3	7	20	32	49
20-34	142	9.3	156	1	2	5	11	23	29	82
35-49	42	11.5	290	1	2	4	14	25	50	88
50-64	80	9.4	154	1	2	5	9	34	51	99+
65+	102	17.2	394	2	3	11	22	57	72	99+
TOT. SINGLE DX	1064	3.9	28	<1	1	3	4	7	11	29
" MULTIPLE DX	515	10.6	215	1	2	5	13	26	43	90
TOTAL 0-19 YRS	428	4.9	60	<1	1	3	4	9	18	42
20-34	540	5.0	67	<1	1	3	5	10	19	41
35-49	199	5.5	107	<1	1	3	4	11	20	63
50-64	202	6.3	75	1	2	4	6	15	30	78
65+	210	11.6	240	1	2	6	13	29	57	96
GRAND TOTAL	1579	6.1	99	1	1	3	5	14	24	60

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	31.8	373	5	9	31	44	51	63	88
20-34	7	14.4	31	5	6	13	19	21	21	21
35-49	4	17.5	99	11	11	14	24	32	32	32
50-64	13	26.2	242	7	7	31	37	43	53	56
65+	43	22.9	281	3	7	20	28	45	52	89
2. MULTIPLE DX										
0-19 YRS	28	34.4	615	5	5	36	49	81	95	99+
20-34	14	29.9	837	6	7	22	68	99+	99+	99+
35-49	5	18.2	72	6	6	19	25	27	27	27
50-64	23	29.0	364	6	9	25	45	55	88	99+
65+	123	33.3	529	6	10	33	67	99+	99+	99+
TOT. SINGLE DX	92	24.9	292	5	7	21	33	47	55	89
" MULTIPLE DX	193	32.3	531	5	9	31	59	99+	99+	99+
TOTAL 0-19 YRS	53	33.2	494	5	6	32	45	66	88	99+
20-34	21	24.8	610	5	7	17	34	28	99+	99+
35-49	9	17.9	74	6	8	16	25	30	32	32
50-64	36	28.0	314	7	8	27	39	52	74	99+
65+	166	30.6	484	6	9	28	57	99+	99+	99+
GRAND TOTAL	285	29.9	465	5	8	28	48	95	99+	99+

242 Hospitals, Canada, 1981, by Operation

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	15.4	181	4	5	11	19	27	42	82
20-34	47	13.1	96	4	5	11	15	22	25	65
35-49	38	15.3	136	4	5	13	18	28	38	63
50-64	73	16.5	126	5	7	13	20	28	40	64
65+	236	23.5	261	8	9	20	31	56	82	99+
2. MULTIPLE DX										
0-19 YRS	76	23.7	340	7	9	17	29	54	68	94
20-34	110	21.5	239	6	8	16	29	49	58	99+
35-49	54	22.2	344	5	9	15	28	56	75	99
50-64	147	27.7	460	7	9	22	39	75	96	99+
65+	606	31.0	457	8	10	28	52	99+	99+	99+
TOT. SINGLE DX	445	19.6	219	5	7	16	25	40	60	99+
" MULTIPLE DX	993	28.4	431	7	10	24	43	84	99+	99+
TOTAL 0-19 YRS	127	20.4	292	5	7	15	24	36	58	87
20-34	157	19.0	211	5	7	14	23	43	54	97
35-49	92	19.3	268	5	6	13	25	36	70	94
50-64	220	24.0	377	7	8	18	31	57	82	99+
65+	842	28.9	414	8	10	26	44	92	99+	99+
GRAND TOTAL	1438	25.7	382	7	9	21	36	73	99+	99+

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	26.2	453	2	2	25	39	53	63	87
20-34	12	27.3	263	6	8	26	40	50	55	56
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	7	23.3	438	2	2	16	40	52	55	55
65+	6	31.2	858	3	4	33	73	97	99+	99+
2. MULTIPLE DX										
0-19 YRS	60	32.6	597	1	4	31	51	74	85	99+
20-34	26	37.2	740	4	9	27	62	77	82	95
35-49	10	34.3	298	5	11	33	39	60	65	65
50-64	15	35.4	691	2	4	40	74	99+	99+	99+
65+	35	33.7	659	5	7	31	82	99+	99+	99+
TOT. SINGLE DX	112	26.1	441	2	3	25	39	55	63	93
" MULTIPLE DX	146	34.1	613	3	6	32	59	89	99+	99+
TOTAL 0-19 YRS	145	28.9	519	1	2	27	46	63	80	99+
20-34	38	34.0	600	5	9	26	49	72	78	95
35-49	12	29.6	366	4	5	30	39	59	64	65
50-64	22	31.5	620	2	3	36	58	99+	99+	99+
65+	41	33.3	668	4	7	32	85	99+	99+	99+
GRAND TOTAL	258	30.6	552	2	4	29	49	78	99	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	5.3	42	<1	1	3	5	14	21	28
20-34	84	4.9	26	1	1	3	6	10	13	29
35-49	40	5.6	73	1	1	3	6	10	16	53
50-64	28	6.4	35	1	2	4	8	14	17	29
65+	14	11.9	173	1	1	7	14	25	45	50
2. MULTIPLE DX										
0-19 YRS	31	16.8	272	1	2	12	26	46	68	99+
20-34	45	10.2	177	1	2	5	11	27	45	61
35-49	20	11.4	189	<1	<1	4	24	40	70	99+
50-64	26	12.5	182	3	3	8	13	22	53	57
65+	20	25.6	850	3	4	17	62	99+	99+	99+
TOT. SINGLE DX	248	5.7	50	1	1	3	7	13	20	30
" MULTIPLE DX	142	14.4	312	1	2	8	22	48	73	99+
TOTAL 0-19 YRS	113	8.4	130	1	1	3	12	23	31	81
20-34	129	6.8	85	1	1	4	7	13	27	52
35-49	60	7.5	117	1	1	3	8	24	40	95
50-64	54	9.3	114	2	2	6	10	18	28	57
65+	34	19.9	605	1	3	13	35	94	99+	99+
GRAND TOTAL	390	8.9	162	1	1	4	10	23	44	99+

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	566	3.9	9	1	1	3	5	7	9	18
20-34	848	4.6	17	1	1	4	6	8	10	19
35-49	380	5.5	13	2	2	5	7	10	13	21
50-64	271	6.4	26	1	2	5	8	12	16	25
65+	147	12.1	150	2	4	8	15	27	34	86
2. MULTIPLE DX										
0-19 YRS	256	9.3	135	2	2	6	10	21	32	75
20-34	536	9.7	146	1	2	5	10	21	37	70
35-49	276	9.8	142	2	2	6	11	23	38	63
50-64	225	12.3	201	2	3	8	15	28	57	99+
65+	174	17.7	267	3	4	13	25	45	68	99+
TOT. SINGLE DX	2212	5.3	29	1	2	4	6	10	13	27
" MULTIPLE DX	1467	11.0	173	2	2	6	13	27	45	97
TOTAL 0-19 YRS	822	5.6	55	1	2	4	6	10	16	49
20-34	1384	6.5	74	1	2	4	7	12	19	51
35-49	656	7.3	72	2	2	5	8	13	21	45
50-64	496	9.1	115	1	2	6	10	18	27	92
65+	321	15.1	221	3	4	10	20	35	57	99+
GRAND TOTAL	3679	7.6	94	1	2	5	8	15	25	64

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2766	2.3	14	<1	1	1	2	4	6	15
20-34	763	3.9	27	<1	1	2	5	8	11	26
35-49	406	3.4	12	<1	1	2	4	7	11	19
50-64	444	3.6	20	<1	1	2	4	8	11	24
65+	373	4.7	46	1	1	2	5	12	16	39
2. MULTIPLE DX										
0-19 YRS	541	5.4	85	1	1	3	7	16	24	48
20-34	404	8.1	120	1	1	4	9	19	35	64
35-49	226	8.6	197	1	1	4	10	16	27	83
50-64	258	8.9	140	1	1	5	10	24	34	69
65+	305	11.6	284	1	1	6	14	29	75	99+
TOT. SINGLE DX	4752	3.0	20	<1	1	2	3	6	9	22
" MULTIPLE DX	1734	6.4	154	1	1	4	10	19	34	84
TOTAL 0-19 YRS	3307	3.0	28	<1	1	2	3	6	10	24
20-34	1167	5.3	64	1	1	3	6	12	19	48
35-49	632	5.3	85	1	1	3	5	11	16	61
50-64	702	5.6	71	1	1	2	6	12	22	40
65+	678	7.8	165	1	1	3	9	19	37	99+
GRAND TOTAL	6486	4.4	62	1	1	2	4	10	16	47

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	4.5	73	<1	1	1	4	13	17	43
20-34	207	2.3	10	<1	<1	1	2	5	8	18
35-49	69	2.3	8	<1	1	1	2	4	8	16
50-64	71	2.7	12	<1	<1	1	3	7	9	21
65+	77	5.0	103	<1	1	2	4	11	28	92
2. MULTIPLE DX										
0-19 YRS	75	9.4	201	<1	1	5	9	23	43	75
20-34	92	7.7	179	<1	<1	3	9	18	33	97
35-49	57	5.3	29	1	1	2	7	14	16	23
50-64	38	5.9	56	1	1	3	7	16	31	99+
65+	78	17.6	398	1	1	10	26	49	74	93
TOT. SINGLE DX	647	3.4	44	<1	<1	1	3	8	15	32
" MULTIPLE DX	340	9.7	214	<1	1	4	12	27	45	94
TOTAL 0-19 YRS	296	5.7	110	<1	<1	2	6	15	23	55
20-34	299	4.0	68	<1	<1	1	3	10	15	57
35-49	126	3.6	20	<1	1	2	4	11	14	21
50-64	109	3.8	30	<1	1	2	4	10	15	62
65+	155	11.3	290	1	1	3	13	38	64	98
GRAND TOTAL	987	5.6	111	<1	1	2	5	15	24	74

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	4.7	31	1	1	3	5	8	13	36
20-34	289	3.2	3	1	1	3	4	5	7	11
35-49	88	3.6	9	1	1	3	4	7	8	19
50-64	32	6.0	71	1	1	3	5	16	33	35
65+	16	8.3	102	2	3	4	8	19	35	42
2. MULTIPLE DX										
0-19 YRS	38	8.9	67	2	2	6	9	22	30	33
20-34	65	6.2	68	1	2	4	6	11	22	51
35-49	22	6.8	60	1	2	4	8	15	27	35
50-64	17	6.9	52	2	2	4	8	26	72	99+
65+	23	22.9	409	3	4	17	28	52	65	87
TOT. SINGLE DX	525	3.9	18	1	1	3	4	7	9	26
" MULTIPLE DX	165	9.3	141	2	2	5	10	23	32	82
TOTAL 0-19 YRS	138	5.9	45	1	2	4	6	13	22	34
20-34	354	3.8	17	1	1	3	4	6	9	20
35-49	110	4.2	21	1	1	3	5	8	10	28
50-64	49	6.3	64	1	1	3	7	17	35	99+
65+	39	16.9	331	2	3	12	20	46	53	87
GRAND TOTAL	690	5.2	53	1	1	3	5	10	17	42

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	273	4.3	17	1	2	3	5	7	10	29
20-34	284	4.1	11	1	2	3	5	7	10	13
35-49	114	4.9	54	1	1	3	5	8	15	41
50-64	91	6.6	71	1	1	4	8	15	19	62
65+	14	11.7	193	1	2	5	19	35	41	43
2. MULTIPLE DX										
0-19 YRS	118	7.8	80	1	2	4	8	21	31	46
20-34	178	6.9	100	1	2	4	7	14	25	72
35-49	96	7.2	193	1	1	4	6	10	23	90
50-64	73	10.5	214	2	3	5	8	26	51	76
65+	64	19.0	304	3	4	15	28	52	91	99+
TOT. SINGLE DX	776	4.7	31	1	2	3	5	8	12	31
" MULTIPLE DX	529	9.1	167	1	2	4	9	23	37	91
TOTAL 0-19 YRS	391	5.3	39	1	2	4	5	9	17	36
20-34	462	5.2	48	1	2	4	5	9	12	44
35-49	210	5.9	119	1	1	4	5	9	18	76
50-64	164	8.3	138	1	2	5	8	18	29	66
65+	78	17.7	290	3	3	14	28	46	81	99+
GRAND TOTAL	1305	6.5	91	1	2	4	6	12	23	63

242 Hospitals, Canada, 1981, by Operation

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	11.4	27	4	6	10	13	20	20	27
20-34	559	10.4	28	4	5	9	12	17	21	30
35-49	829	11.2	33	4	6	10	13	18	22	33
50-64	342	12.2	69	3	5	10	14	21	25	46
65+	61	14.2	72	6	7	12	18	20	31	52
2. MULTIPLE DX										
0-19 YRS	13	13.0	42	6	6	11	18	22	24	25
20-34	243	13.1	54	4	6	12	16	22	28	36
35-49	396	13.3	48	5	6	12	16	23	28	37
50-64	344	15.7	92	6	7	14	19	27	36	56
65+	78	20.7	168	7	9	17	27	44	53	90
TOT. SINGLE DX	1823	11.3	41	4	5	10	13	18	23	33
" MULTIPLE DX	1074	14.6	76	5	6	13	18	25	31	53
TOTAL 0-19 YRS	45	11.8	31	5	6	11	15	20	22	27
20-34	802	11.2	38	4	5	10	14	19	23	33
35-49	1225	11.9	39	5	6	11	14	20	24	33
50-64	686	13.9	84	4	6	12	17	24	31	52
65+	139	17.8	136	6	8	15	20	33	48	68
GRAND TOTAL	2897	12.5	56	4	6	11	15	21	26	41

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	261	3.3	15	<1	1	2	4	6	7	19
20-34	399	3.3	11	1	1	3	4	5	7	21
35-49	195	3.7	20	1	1	2	4	8	11	22
50-64	99	4.9	48	1	1	3	5	10	14	43
65+	38	6.6	123	1	1	3	9	15	17	67
2. MULTIPLE DX										
0-19 YRS	79	6.9	88	<1	1	4	6	18	25	52
20-34	170	5.0	42	<1	1	3	5	11	15	26
35-49	125	5.4	102	<1	1	3	6	9	17	61
50-64	96	7.2	66	1	1	4	8	15	26	40
65+	56	12.8	170	1	1	7	20	31	51	97
TOT. SINGLE DX	992	3.7	23	1	1	3	4	6	10	22
" MULTIPLE DX	526	6.6	86	<1	1	4	7	15	25	53
TOTAL 0-19 YRS	340	4.1	35	<1	1	3	4	7	13	30
20-34	569	3.8	22	1	1	3	4	7	10	25
35-49	320	4.4	53	<1	1	3	6	8	13	31
50-64	195	6.0	58	1	1	4	7	13	21	40
65+	94	10.3	160	1	1	9	15	28	43	85
GRAND TOTAL	1518	4.7	47	1	1	3	5	9	15	39

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	4.2	3	2	2	4	5	7	8	10
20-34	1143	4.0	3	2	2	4	5	6	7	11
35-49	601	4.3	10	2	2	4	5	6	8	12
50-64	277	5.1	10	2	3	4	6	9	10	15
65+	36	5.5	7	1	3	5	7	10	11	11
2. MULTIPLE DX										
0-19 YRS	130	4.6	9	2	2	4	5	6	8	20
20-34	435	4.8	14	2	2	4	5	8	10	16
35-49	244	5.3	16	2	3	4	6	10	12	24
50-64	173	5.9	28	1	2	4	7	11	16	32
65+	51	9.5	93	1	2	6	11	22	34	46
TOT. SINGLE DX	2433	4.3	6	2	2	4	5	7	8	11
" MULTIPLE DX	1033	5.3	22	2	2	4	6	9	12	28
TOTAL 0-19 YRS	506	4.3	5	2	2	4	5	7	8	11
20-34	1578	4.3	7	2	2	4	5	7	8	13
35-49	845	4.6	12	2	2	4	5	7	9	15
50-64	450	5.4	18	2	2	4	6	9	12	22
65+	87	7.8	61	1	2	6	8	14	25	43
GRAND TOTAL	3466	4.6	11	2	2	4	5	7	9	16

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	17.1	41	9	10	16	20	26	29	38
20-34	87	14.1	56	4	8	13	16	24	34	81
35-49	76	11.5	33	3	4	11	14	17	20	35
50-64	45	12.5	99	3	4	11	13	22	36	52
65+	7	14.1	12	8	9	18	17	19	19	19
2. MULTIPLE DX										
0-19 YRS	69	22.5	219	8	10	19	27	49	66	99+
20-34	67	19.4	185	8	9	16	23	37	62	95
35-49	66	19.0	201	6	8	16	24	41	73	99+
50-64	48	17.6	121	8	9	13	24	32	48	99+
65+	12	28.8	476	6	7	20	41	65	75	77
TOT. SINGLE DX	293	14.0	56	4	7	13	17	23	29	47
" MULTIPLE DX	262	20.2	203	8	9	17	24	43	63	99+
TOTAL 0-19 YRS	147	19.6	132	9	10	17	22	32	48	99+
20-34	154	16.4	119	7	8	14	19	27	39	98
35-49	142	15.0	125	3	7	12	17	28	38	99+
50-64	93	15.1	116	3	5	12	17	31	41	84
65+	19	23.4	348	7	8	17	22	54	69	77
GRAND TOTAL	555	16.9	135	5	8	14	20	31	44	99+

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.7	5	1	2	4	5	9	9	10
20-34	112	5.4	19	1	2	4	7	10	11	24
35-49	83	6.0	62	1	2	5	7	10	12	53
50-64	108	4.8	14	1	2	4	6	9	9	23
65+	71	6.5	58	1	1	4	8	15	18	42
2. MULTIPLE DX										
0-19 YRS	54	7.3	54	2	2	5	10	12	16	98
20-34	65	6.6	49	1	2	5	8	10	19	45
35-49	90	9.1	74	2	2	7	10	21	31	79
50-64	101	8.7	121	1	2	5	9	17	27	64
65+	75	9.0	127	2	2	5	10	20	29	63
TOT. SINGLE DX	423	5.5	32	1	2	4	7	10	13	30
" MULTIPLE DX	385	8.3	90	2	2	6	9	16	28	63
TOTAL 0-19 YRS	103	6.1	33	2	2	5	8	10	13	75
20-34	177	5.8	31	1	2	4	7	10	12	32
35-49	173	7.6	71	1	2	6	8	14	22	65
50-64	209	6.7	70	1	2	5	7	11	19	58
65+	146	7.8	95	1	1	5	8	16	27	63
GRAND TOTAL	808	6.8	61	1	2	5	8	12	18	55

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	15	16.0	63	6	8	14	18	28	32	34
35-49	33	17.1	69	9	10	15	19	28	40	43
50-64	199	17.6	101	8	9	15	19	29	40	61
65+	289	18.5	77	8	10	17	22	29	35	54
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	17	22.1	161	10	14	20	22	31	55	67
35-49	50	19.8	139	9	10	16	22	39	49	99+
50-64	235	21.1	156	9	11	17	24	37	47	94
65+	441	23.2	202	8	10	19	28	45	65	99+
TOT. SINGLE DX	536	18.0	85	8	10	16	20	29	35	60
" MULTIPLE DX	744	22.3	184	9	10	18	26	41	58	99+
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	32	19.2	122	8	8	17	22	29	34	67
35-49	83	18.7	112	9	10	15	21	32	46	89
50-64	434	19.5	134	8	10	17	22	34	42	70
65+	730	21.3	158	8	10	18	25	38	50	99+
GRAND TOTAL	1280	20.5	147	8	10	17	24	36	47	90

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	20.3	324	8	8	12	34	41	41	41
20-34	2	16.5	221	6	6	16	27	27	27	27
35-49	11	17.5	64	7	8	16	24	29	33	33
50-64	52	17.6	112	8	9	16	19	28	29	68
65+	232	22.3	178	9	11	18	28	39	56	99+
2. MULTIPLE DX										
0-19 YRS	3	19.7	160	6	6	22	29	31	31	31
20-34	7	29.6	580	14	14	24	26	72	83	83
35-49	19	23.7	492	4	8	15	24	64	76	83
50-64	71	24.4	260	9	11	21	33	47	95	99+
65+	550	29.3	402	10	12	26	42	93	99+	99+
TOT. SINGLE DX	300	21.2	166	8	10	18	26	37	51	93
" MULTIPLE DX	650	28.6	392	10	12	24	40	88	99+	99+
TOTAL 0-19 YRS	6	20.0	194	6	6	17	31	40	41	41
20-34	9	26.7	486	6	9	24	27	61	83	83
35-49	30	21.4	337	6	8	15	25	49	67	83
50-64	123	21.5	208	8	9	17	26	43	66	99+
65+	782	27.2	346	10	11	23	37	76	99+	99+
GRAND TOTAL	950	26.2	332	9	11	22	35	68	99+	99+

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	228	5.1	9	2	2	5	6	8	9	14
20-34	325	5.0	7	2	3	4	6	7	9	16
35-49	69	6.4	36	3	3	5	8	9	13	40
50-64	61	14.6	114	3	4	12	18	29	39	45
65+	80	17.3	88	4	6	17	22	29	35	47
2. MULTIPLE DX										
0-19 YRS	111	5.7	44	2	3	6	7	10	13	47
20-34	208	4.1	18	3	3	5	7	9	12	31
35-49	66	9.6	106	3	3	6	8	22	34	84
50-64	74	18.1	242	3	4	11	20	36	56	98
65+	110	27.8	418	5	8	22	36	63	77	98
TOT. SINGLE DX	763	7.2	46	2	3	5	7	16	21	38
" MULTIPLE DX	569	12.1	209	3	3	6	13	29	46	86
TOTAL 0-19 YRS	339	5.7	21	2	3	5	6	8	10	30
20-34	533	5.4	12	2	3	5	6	8	11	21
35-49	135	8.0	73	3	3	5	8	12	29	46
50-64	135	15.4	184	3	4	11	19	34	45	85
65+	190	23.4	305	5	7	19	29	47	65	91
GRAND TOTAL	1332	9.3	121	2	3	6	9	21	31	64

242 Hospitals, Canada, 1981, by Operation

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	3.8	3	2	2	3	5	6	7	13
20-34	592	3.6	3	1	1	3	4	5	6	12
35-49	155	4.1	11	1	1	3	5	7	9	17
50-64	109	4.9	18	1	1	4	6	9	11	27
65+	49	5.4	17	1	2	5	7	10	15	19
2. MULTIPLE DX										
0-19 YRS	47	4.2	5	1	2	4	5	7	10	12
20-34	141	4.3	8	1	2	4	5	7	10	14
35-49	75	4.9	14	1	2	4	6	8	12	24
50-64	125	7.0	52	2	2	5	8	12	20	42
65+	74	9.0	92	1	2	8	12	21	28	91
TOT. SINGLE DX	1168	3.9	7	1	2	3	5	6	8	14
" MULTIPLE DX	462	5.9	37	1	2	4	6	11	16	37
TOTAL 0-19 YRS	310	3.9	4	2	2	4	5	6	7	12
20-34	733	3.7	4	1	2	3	4	6	7	13
35-49	230	4.4	13	1	2	4	5	7	10	19
50-64	234	6.0	37	1	2	4	7	11	15	38
65+	123	7.6	65	1	2	5	9	17	21	75
GRAND TOTAL	1630	4.5	16	1	2	4	5	7	10	21

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	210	5.9	38	<1	1	3	7	15	20	27
20-34	141	3.4	7	<1	<1	3	5	7	9	15
35-49	89	3.4	8	<1	<1	3	4	7	9	16
50-64	81	4.1	25	<1	<1	2	4	9	13	30
65+	33	5.2	29	<1	<1	3	7	15	17	20
2. MULTIPLE DX										
0-19 YRS	105	9.5	120	2	2	5	12	22	29	63
20-34	62	6.5	79	1	1	4	7	14	25	48
35-49	44	7.8	177	<1	1	4	7	13	28	81
50-64	61	9.9	119	<1	1	5	15	24	33	91
65+	44	11.2	228	1	2	4	16	29	54	99+
TOT. SINGLE DX	554	4.6	24	<1	<1	3	5	10	15	24
" MULTIPLE DX	316	9.0	135	1	1	4	11	22	33	69
TOTAL 0-19 YRS	315	7.1	68	1	1	4	9	16	22	38
20-34	203	4.4	32	<1	1	3	5	8	11	36
35-49	133	4.9	68	<1	<1	3	5	9	13	48
50-64	142	6.6	74	<1	<1	3	8	16	25	44
65+	77	8.6	151	<1	1	4	13	24	36	94
GRAND TOTAL	870	6.2	69	<1	1	3	7	15	22	43

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	319	2.9	20	<1	<1	2	3	6	9	18
20-34	382	2.7	26	<1	<1	1	2	4	8	28
35-49	208	2.6	15	<1	<1	1	2	3	5	20
50-64	155	3.5	13	<1	<1	1	2	4	8	12
65+	73	6.1	40	<1	<1	3	8	16	21	28
2. MULTIPLE DX										
0-19 YRS	53	8.1	214	<1	<1	3	5	17	42	67
20-34	94	3.9	29	<1	<1	3	4	7	15	33
35-49	97	6.8	97	<1	<1	3	6	21	30	47
50-64	123	9.9	208	<1	1	4	11	25	43	93
65+	90	13.1	204	1	1	4	19	32	58	99+
TOT. SINGLE DX	1137	3.1	22	<1	<1	2	3	6	10	24
" MULTIPLE DX	457	8.4	196	<1	<1	3	9	23	36	68
TOTAL 0-19 YRS	372	3.7	51	<1	<1	2	3	7	10	42
20-34	476	2.9	27	<1	<1	3	5	9	9	31
35-49	305	3.9	45	<1	<1	3	3	7	17	42
50-64	278	6.3	110	<1	<1	3	6	17	25	63
65+	163	10.0	142	<1	1	5	15	24	35	95
GRAND TOTAL	1994	4.6	67	<1	<1	2	4	10	19	52

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.8	15	<1	1	3	4	10	14	14
20-34	24	2.4	2	<1	<1	3	4	6	6	8
35-49	54	3.3	11	<1	<1	4	5	8	8	19
50-64	164	3.0	5	<1	<1	3	5	7	13	13
65+	112	2.7	2	<1	<1	3	4	9	10	10
2. MULTIPLE DX										
0-19 YRS	6	12.3	308	2	2	4	14	44	47	47
20-34	6	10.7	290	<1	<1	3	9	41	45	45
35-49	22	2.5	4	<1	<1	3	4	7	7	11
50-64	72	4.8	53	<1	<1	4	10	19	25	60
65+	79	5.1	66	1	1	4	10	17	22	92
TOT. SINGLE DX	263	2.9	5	<1	1	3	3	6	6	14
" MULTIPLE DX	185	5.1	69	<1	1	3	4	10	15	52
TOTAL 0-19 YRS	15	7.2	138	<1	1	3	5	14	39	47
20-34	30	4.0	64	<1	<1	3	6	9	9	45
35-49	76	3.1	10	<1	<1	4	5	8	8	19
50-64	236	3.9	20	<1	<1	4	6	10	17	17
65+	191	3.7	30	<1	1	4	6	10	10	34
GRAND TOTAL	548	3.7	28	<1	1	2	4	6	10	21

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	213	2.5	5	1	1	2	3	4	8	12
20-34	294	2.3	4	△	△	△	△	4	6	11
35-49	89	2.2	3	△	△	△	△	4	6	10
50-64	51	2.5	4	△	△	△	△	5	8	12
65+	14	2.1	2	△	△	△	△	4	6	7
2. MULTIPLE DX										
0-19 YRS	122	3.8	31	1	1	2	3	7	11	34
20-34	215	3.0	16	1	1	2	3	5	8	25
35-49	64	3.4	31	1	1	2	3	5	8	40
50-64	41	4.7	35	1	1	2	3	12	21	27
65+	14	8.6	195	△	1	3	13	53	88	99+
TOT. SINGLE DX	661	2.4	4	△	1	2	3	4	6	12
" MULTIPLE DX	456	3.6	31	1	1	2	3	7	12	36
TOTAL 0-19 YRS	335	2.9	15	△	1	2	3	5	9	21
20-34	509	2.6	9	△	1	2	3	5	7	17
35-49	153	2.7	15	△	1	2	3	5	7	13
50-64	92	3.5	19	△	1	2	4	7	12	25
65+	28	5.4	106	△	1	2	4	18	55	99+
GRAND TOTAL	1117	2.9	15	△	1	2	3	5	8	21

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	3.7	9	1	1	3	4	7	9	17
20-34	173	3.6	16	△	△	3	4	6	9	25
35-49	130	3.5	7	△	△	3	4	6	10	15
50-64	101	3.8	8	△	△	3	5	8	9	16
65+	39	3.5	4	△	△	3	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	96	4.8	27	△	1	4	6	10	17	32
20-34	104	4.2	18	△	1	3	5	10	13	34
35-49	62	5.2	36	△	1	3	5	11	20	34
50-64	75	6.8	53	△	1	4	9	17	20	36
65+	43	12.1	292	△	1	6	12	27	46	91
TOT. SINGLE DX	549	3.6	11	△	1	3	4	7	9	17
" MULTIPLE DX	340	6.1	71	△	1	4	7	13	21	67
TOTAL 0-19 YRS	192	4.1	16	△	1	3	5	8	11	20
20-34	277	3.8	18	△	1	3	5	8	11	35
35-49	192	4.1	18	△	1	3	5	8	11	21
50-64	176	5.1	29	△	1	3	6	11	16	32
65+	82	8.0	173	△	1	4	8	17	28	83
GRAND TOTAL	889	4.6	35	△	1	3	5	9	13	34

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	257	4.7	21	2	2	3	5	8	10	30
20-34	173	3.9	4	1	1	3	5	6	8	11
35-49	72	3.8	6	1	1	3	5	6	7	16
50-64	49	4.6	8	2	2	4	5	7	11	18
65+	26	7.6	51	2	2	7	10	15	46	99+
2. MULTIPLE DX										
0-19 YRS	206	5.5	38	2	2	3	6	11	22	38
20-34	80	7.3	65	1	1	3	8	15	26	39
35-49	35	6.5	43	1	1	5	8	16	30	99+
50-64	22	6.7	130	1	1	3	7	14	31	55
65+	15	13.3	84	3	5	10	23	31	80	99+
TOT. SINGLE DX	577	4.5	15	1	2	4	5	7	10	25
" MULTIPLE DX	358	6.4	54	1	2	4	7	15	25	53
TOTAL 0-19 YRS	463	5.1	29	2	2	3	6	9	15	32
20-34	253	5.0	26	1	1	4	6	8	13	38
35-49	107	4.7	20	1	1	4	6	8	11	59
50-64	71	5.2	46	1	1	4	5	9	13	47
65+	41	9.7	69	2	2	8	12	28	59	99+
GRAND TOTAL	935	5.2	31	1	2	4	6	9	15	38

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	2.6	6	△	1	2	3	6	10	11
20-34	111	4.4	43	△	1	2	4	7	21	49
35-49	42	2.3	3	△	1	2	3	4	5	12
50-64	40	2.4	2	△	1	2	3	5	5	6
65+	25	3.7	13	△	1	2	4	7	14	16
2. MULTIPLE DX										
0-19 YRS	36	6.6	107	1	1	4	6	14	32	52
20-34	69	5.6	53	1	1	4	8	20	24	29
35-49	51	6.2	54	1	1	4	8	12	26	38
50-64	46	8.3	114	1	1	3	12	20	36	49
65+	20	11.8	432	1	2	4	11	59	96	99+
TOT. SINGLE DX	280	3.3	29	△	1	2	3	6	10	30
" MULTIPLE DX	222	7.0	109	1	1	3	8	17	28	63
TOTAL 0-19 YRS	98	4.0	47	1	1	3	4	9	13	46
20-34	180	4.9	60	△	1	3	4	12	24	41
35-49	93	4.5	35	1	1	3	5	9	13	34
50-64	86	5.5	70	1	1	3	7	14	21	45
65+	45	7.3	210	1	1	3	7	16	48	99+
GRAND TOTAL	502	4.9	68	1	1	2	5	11	20	47

242 Hospitals, Canada, 1981, by Operation

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.0	170	1	1	2	18	31	39	39
20-34	3	8.7	25	4	4	8	12	14	14	14
35-49	3	5.7	32	1	1	4	10	12	12	12
50-64	3	10.0	3	9	9	9	11	12	12	12
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	6	17.2	665	1	1	8	13	63	69	69
35-49	3	35.0	597	7	7	46	50	52	52	52
50-64	3	19.7	289	7	7	13	32	39	39	39
65+	4	3.8	13	1	1	3	32	99+	99+	99+
TOT. SINGLE DX	19	9.3	86	1	1	8	13	19	30	39
" MULTIPLE DX	17	19.5	485	1	1	10	46	64	88	99+
TOTAL 0-19 YRS	10	13.9	304	1	1	5	19	44	49	49
20-34	9	14.3	440	1	2	8	13	47	69	69
35-49	6	20.3	510	1	1	9	46	51	52	52
50-64	6	14.8	145	7	7	11	13	36	39	39
65+	5	5.8	31	1	1	6	14	91	99+	99+
GRAND TOTAL	36	14.1	292	1	1	9	15	48	63	99+

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.1	31	<1	1	3	6	11	20	24
20-34	21	6.8	56	1	2	5	7	12	24	36
35-49	16	13.6	252	1	2	4	29	37	45	48
50-64	18	12.7	142	1	2	9	14	36	39	40
65+	32	10.5	185	1	2	7	12	34	64	99+
2. MULTIPLE DX										
0-19 YRS	13	11.2	152	1	1	4	25	29	34	35
20-34	26	13.4	216	1	2	7	17	38	44	56
35-49	21	15.3	165	2	3	12	25	39	69	99+
50-64	57	24.4	472	2	3	17	45	64	72	99+
65+	104	21.7	377	3	4	17	32	83	99+	99+
TOT. SINGLE DX	115	9.7	141	1	2	6	10	33	37	83
" MULTIPLE DX	221	20.2	363	2	3	15	31	58	92	99+
TOTAL 0-19 YRS	31	7.6	89	1	1	3	7	26	27	35
20-34	47	10.4	153	1	2	6	12	34	38	56
35-49	37	14.6	198	2	3	7	28	36	48	99+
50-64	75	21.6	416	1	2	12	37	60	70	99+
65+	136	19.1	353	2	3	14	28	65	99+	99+
GRAND TOTAL	326	16.8	315	1	2	11	26	50	72	99+

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	16.3	122	6	6	15	25	28	28	28
20-34	5	24.2	243	8	8	28	37	42	42	42
35-49	4	21.3	137	8	8	22	31	33	33	33
50-64	7	37.7	1079	5	6	22	69	81	83	83
65+	6	33.2	428	6	9	33	61	94	99+	99+
2. MULTIPLE DX										
0-19 YRS	4	39.5	627	14	14	41	61	61	61	61
20-34	5	40.0	762	17	17	38	86	99	99+	99+
35-49	17	37.7	632	8	11	34	73	96	99+	99+
50-64	47	42.5	509	11	14	44	71	99+	99+	99+
65+	110	38.3	512	11	14	39	73	99+	99+	99+
TOT. SINGLE DX	25	28.7	488	6	6	28	41	72	86	99+
" MULTIPLE DX	183	39.4	522	11	14	40	72	99+	99+	99+
TOTAL 0-19 YRS	7	29.6	508	6	8	22	53	61	61	61
20-34	10	32.1	516	8	8	35	41	92	99	99+
35-49	21	34.6	570	8	10	31	59	92	99+	99+
50-64	54	41.9	567	8	12	44	71	99+	99+	99+
65+	116	38.0	506	11	14	38	72	99+	99+	99+
GRAND TOTAL	208	38.1	528	9	13	39	70	99+	99+	99+

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	20.3	225	5	5	21	31	35	35	35
20-34	2	33.0	18	30	30	33	36	36	36	36
35-49	2	23.0	18	20	20	23	26	26	26	26
50-64	7	27.3	100	18	18	25	31	44	47	47
65+	15	17.2	24	11	11	17	21	24	25	26
2. MULTIPLE DX										
0-19 YRS	4	18.5	499	6	6	8	30	52	52	52
20-34	5	47.4	652	20	20	54	70	72	72	72
35-49	4	46.3	55	38	38	47	52	53	53	53
50-64	37	40.8	820	9	14	30	83	99+	99+	99+
65+	146	33.2	451	8	11	30	52	81	99+	99+
TOT. SINGLE DX	29	21.4	79	10	11	20	26	34	37	47
" MULTIPLE DX	196	35.0	530	8	12	31	57	86	99+	99+
TOTAL 0-19 YRS	7	19.3	326	5	5	8	31	49	52	52
20-34	7	43.3	487	20	20	36	66	72	72	72
35-49	6	38.5	181	20	21	40	52	53	53	53
50-64	44	38.7	726	12	15	28	76	97	99+	99+
65+	161	31.7	433	8	11	26	48	78	99+	99+
GRAND TOTAL	225	33.2	492	8	11	27	53	84	99+	99+

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	15.3	374	<1	1	7	17	49	57	57
20-34	2	36.5	113	29	29	36	44	44	44	44
35-49	2	24.5	925	3	3	24	46	46	46	46
50-64	3	8.7	32	4	4	7	13	15	15	15
65+	2	33.0	8	31	31	33	35	35	35	35
2. MULTIPLE DX										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	5	22.2	139	9	9	25	30	38	38	38
35-49	4	40.0	785	15	15	38	64	69	69	69
50-64	16	36.8	456	8	13	32	55	78	93	99+
65+	22	33.4	164	16	18	34	58	99+	99+	99+
TOT. SINGLE DX	16	20.1	321	1	3	14	33	46	54	57
" MULTIPLE DX	50	32.2	335	7	11	31	54	99+	99+	99+
TOTAL 0-19 YRS	10	12.4	271	<1	2	6	13	38	57	57
20-34	7	26.3	161	9	10	27	36	43	44	44
35-49	6	34.8	720	3	4	31	59	68	69	69
50-64	19	32.4	495	5	7	25	53	74	90	99+
65+	24	33.4	150	16	18	33	57	99+	99+	99+
GRAND TOTAL	66	29.3	355	4	6	29	49	85	99+	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0	4	1	1	2	4	6	6	6
20-34	3	6.0	31	<1	<1	5	10	12	12	12
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	5	14.4	181	1	1	11	28	30	30	30
20-34	4	14.3	306	1	1	8	24	40	40	40
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	5	11.2	181	1	1	3	23	30	30	30
TOT. SINGLE DX	10	5.5	23	<1	<1	4	11	12	13	13
" MULTIPLE DX	16	12.4	166	1	1	8	24	30	37	40
TOTAL 0-19 YRS	9	9.3	128	<1	<1	3	15	29	30	30
20-34	7	10.7	183	<1	<1	7	11	34	40	40
35-49	3	8.3	14	4	4	10	11	11	11	11
50-64	6	9.5	162	1	1	2	21	29	30	30
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	26	9.8	120	<1	1	5	12	29	32	40

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.8	5	<1	1	2	3	7	8	11
20-34	28	3.5	7	1	1	3	4	8	9	10
35-49	14	6.4	90	<1	<1	2	8	22	31	33
50-64	18	9.0	112	<1	1	4	10	27	32	36
65+	14	8.8	63	1	1	6	11	23	24	24
2. MULTIPLE DX										
0-19 YRS	7	7.7	63	<2	2	4	13	21	22	22
20-34	11	7.3	34	<1	1	5	12	16	19	19
35-49	14	17.4	295	<1	1	12	30	37	55	60
50-64	27	13.3	267	1	2	6	17	39	50	70
65+	15	24.3	335	2	5	23	30	73	93	99+
TOT. SINGLE DX	98	5.5	51	<1	1	3	7	11	24	35
" MULTIPLE DX	74	14.9	256	1	2	9	22	34	57	94
TOTAL 0-19 YRS	31	3.9	22	<1	1	2	4	9	16	22
20-34	28	4.6	17	<1	1	3	7	10	14	19
35-49	28	11.9	218	<1	<1	4	18	33	37	60
50-64	45	11.6	206	1	1	5	16	27	44	70
65+	29	16.8	259	1	2	12	24	39	76	99+
GRAND TOTAL	172	9.5	160	1	1	4	11	26	34	75

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	2	14.0	8	12	12	14	16	16	16	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
TOT. SINGLE DX	5	8.4	35	2	2	9	13	16	16	16
" MULTIPLE DX	2	8.0	8	6	6	8	10	10	10	10
TOTAL 0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	3	5.7	12	2	2	6	8	9	9	9
35-49	2	14.0	8	12	12	14	16	16	16	16
50-64										
65+										
GRAND TOTAL	7	8.3	25	2	2	9	11	15	16	16

242 Hospitals, Canada, 1981, by Operation

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	2.6	2	<1	<1	2	3	4	7	8
20-34	46	3.5	8	<1	<1	3	4	7	10	14
35-49	40	7.2	14	2	3	7	9	10	14	21
50-64	60	6.7	16	2	2	6	9	14	15	17
65+	84	9.1	47	2	3	8	11	15	21	40
2. MULTIPLE DX										
0-19 YRS	6	5.2	21	1	1	4	6	13	14	14
20-34	7	4.1	25	<1	<1	2	5	13	15	15
35-49	33	6.9	8	1	2	7	8	11	11	14
50-64	62	8.5	31	2	3	8	11	15	17	32
65+	93	12.0	62	3	4	10	16	23	37	99+
TOT. SINGLE DX " MULTIPLE DX	274	6.3	28	<1	2	5	9	12	15	30
TOTAL 0-19 YRS	201	9.6	47	2	3	8	13	18	24	67
TOTAL 20-34	50	2.9	5	<1	<1	2	4	5	8	14
35-49	53	3.6	11	<1	<1	3	4	7	13	15
50-64	73	7.1	12	2	2	7	9	10	13	20
65+	122	7.6	25	2	2	7	10	14	16	27
GRAND TOTAL	177	10.6	57	3	3	9	13	20	32	83

742: Local excision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	2.1	1	<1	<1	2	3	3	5	7
20-34	615	2.1	2	<1	<1	2	3	4	6	9
35-49	993	2.5	3	<1	<1	2	3	4	6	10
50-64	500	3.2	9	<1	1	3	4	6	9	15
65+	270	4.9	25	2	2	5	6	11	13	24
2. MULTIPLE DX										
0-19 YRS	20	3.0	12	<1	<1	2	3	7	12	16
20-34	224	3.0	6	<1	<1	2	3	4	6	13
35-49	459	3.6	22	<1	<1	2	3	4	7	11
50-64	374	5.4	45	<1	1	3	4	6	11	19
65+	290	9.1	117	1	2	5	11	24	34	87
TOT. SINGLE DX " MULTIPLE DX	2508	2.8	7	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	1367	5.2	51	<1	1	3	5	11	18	41
TOTAL 20-34	150	2.3	3	<1	<1	2	3	4	5	9
35-49	839	2.4	4	<1	<1	2	3	4	6	11
50-64	1452	2.8	10	<1	<1	2	3	4	7	13
65+	874	4.1	26	<1	1	3	4	6	13	27
GRAND TOTAL	560	7.1	78	2	2	4	8	16	25	59

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	8.5	7	5	5	8	11	13	14	18
20-34	153	8.9	14	5	5	8	10	14	16	32
35-49	237	9.5	14	5	6	9	11	14	17	23
50-64	167	10.9	25	6	6	10	12	16	20	33
2. MULTIPLE DX										
0-19 YRS	27	9.1	11	4	5	9	10	13	17	20
20-34	183	10.1	23	5	6	9	11	16	21	29
35-49	287	11.6	60	6	6	10	13	19	22	49
50-64	323	12.9	39	6	8	11	15	22	26	37
TOT. SINGLE DX " MULTIPLE DX	583	9.7	18	5	6	9	11	14	18	29
TOTAL 0-19 YRS	820	11.7	44	6	6	10	13	20	24	33
TOTAL 20-34	53	8.8	9	4	5	9	10	13	15	20
35-49	336	9.5	20	5	6	9	11	16	19	29
50-64	524	10.7	41	5	6	9	12	17	21	32
65+	490	12.2	36	6	7	11	14	20	25	34
GRAND TOTAL	1403	10.9	34	5	6	9	12	18	22	32

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	146	4.2	5	1	2	4	5	7	8	14
20-34	543	3.5	4	1	1	3	4	6	7	11
35-49	243	3.9	7	1	1	3	5	7	9	13
50-64	119	5.6	40	2	2	4	6	9	11	38
65+	30	4.4	6	2	2	4	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	68	4.5	7	1	2	4	6	8	11	12
20-34	335	4.0	24	1	1	4	5	7	9	14
35-49	195	5.3	20	1	2	4	6	9	14	28
50-64	123	6.1	33	1	2	5	7	11	19	32
65+	34	8.9	136	2	3	6	8	16	20	70
TOT. SINGLE DX	1081	3.9	10	1	1	3	5	7	8	13
" MULTIPLE DX	755	4.9	29	1	1	4	6	8	12	25
TOTAL 0-19 YRS	214	4.3	6	1	2	4	5	7	9	13
20-34	878	3.7	12	1	1	3	4	6	8	13
35-49	438	4.5	14	1	1	4	5	8	11	18
50-64	242	5.8	37	2	2	5	7	9	15	29
65+	64	6.8	80	2	2	5	7	12	16	63
GRAND TOTAL	1826	4.3	18	1	1	4	5	7	10	17

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	511	3.2	24	1	1	2	3	7	11	28
20-34	457	3.3	24	1	1	2	3	7	10	25
35-49	299	3.7	24	1	1	2	4	9	12	22
50-64	284	5.6	51	1	1	3	6	14	21	37
65+	208	7.2	78	1	1	4	8	20	27	46
2. MULTIPLE DX										
0-19 YRS	166	7.2	101	1	1	4	8	16	33	50
20-34	262	7.9	97	1	1	4	10	22	30	74
35-49	262	9.8	129	1	1	5	13	25	32	59
50-64	348	11.3	154	1	2	8	16	26	42	99+
65+	502	15.3	238	2	2	11	21	42	64	99+
TOT. SINGLE DX	1759	4.2	37	1	1	2	4	9	16	32
" MULTIPLE DX	1540	11.3	171	1	1	7	16	28	46	99+
TOTAL 0-19 YRS	677	4.2	47	1	1	2	4	9	15	42
20-34	719	5.0	56	1	1	2	5	12	21	37
35-49	561	6.6	82	1	1	5	18	28	39	49
50-64	632	8.7	116	1	2	8	12	22	30	90
65+	710	12.9	205	1	2	9	18	33	52	99+
GRAND TOTAL	3299	7.5	112	1	1	3	9	20	29	72

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	512	4.8	9	1	2	4	6	8	10	16
20-34	947	4.7	15	1	2	4	6	8	10	16
35-49	111	5.0	17	1	2	4	6	8	10	28
50-64	18	5.5	11	1	2	5	8	11	12	12
65+	6	3.8	3	2	2	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	61	7.7	29	2	2	6	10	16	19	25
20-34	124	6.5	44	1	2	4	7	13	24	35
35-49	33	4.6	8	1	2	4	6	10	10	12
50-64	8	9.5	67	3	3	6	13	24	26	26
65+	4	33.5	1761	2	2	18	59	95	95	95
TOT. SINGLE DX	1294	4.7	13	1	2	4	6	8	10	17
" MULTIPLE DX	230	7.1	71	1	2	5	8	14	21	35
TOTAL 0-19 YRS	573	5.1	12	2	2	4	6	9	13	19
20-34	1071	4.9	19	1	2	4	6	9	11	20
35-49	144	4.9	16	1	2	4	6	9	10	28
50-64	26	6.7	30	2	2	5	8	12	20	26
65+	10	15.7	824	2	2	5	13	59	95	95
GRAND TOTAL	1824	5.0	21	1	2	4	6	9	11	20

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	760	4.9	40	1	1	3	5	11	17	34
20-34	609	4.4	34	1	1	2	3	10	14	28
35-49	282	5.7	49	1	1	3	7	14	19	54
50-64	198	6.6	47	1	1	4	9	15	19	38
65+	159	11.6	250	1	1	6	14	30	48	98
2. MULTIPLE DX										
0-19 YRS	1058	6.1	82	1	1	3	7	14	23	57
20-34	1272	6.7	110	1	1	3	7	14	28	68
35-49	574	9.5	140	1	1	5	12	25	38	76
50-64	546	11.9	219	1	1	6	16	33	51	99+
65+	632	16.8	370	1	2	10	24	54	83	99+
TOT. SINGLE DX	2008	5.6	61	1	1	3	6	13	20	42
" MULTIPLE DX	4082	9.2	177	1	1	4	11	26	43	99+
TOTAL 0-19 YRS	1818	5.6	65	1	1	3	6	12	21	44
20-34	1881	6.0	87	1	1	3	6	13	23	60
35-49	856	8.3	113	1	1	4	11	22	32	71
50-64	744	10.5	179	1	1	6	14	28	42	99+
65+	791	15.8	350	1	1	9	22	50	77	99+
GRAND TOTAL	6090	8.0	141	1	1	4	9	21	35	87

242 Hospitals, Canada, 1981, by Operation

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS	156	12.9	198	1	1	10	18	28	41	77	
20-34	126	10.9	131	<1	1	7	14	28	37	49	
35-49	64	13.9	201	<1	1	11	18	31	43	70	
50-64	52	19.2	251	1	2	13	31	40	48	66	
65+	59	21.7	319	2	3	20	37	51	68	99+	
2. MULTIPLE DX											
0-19 YRS	94	21.6	369	2	3	16	30	49	67	98	
20-34	101	20.1	304	2	2	14	31	47	52	94	
35-49	63	22.7	288	2	5	19	33	49	58	98	
50-64	82	27.6	365	2	7	26	38	55	75	99+	
65+	133	32.6	434	2	7	32	50	64	78	99+	
TOT. SINGLE DX	457	14.4	214	1	1	10	21	36	46	74	
" MULTIPLE DX	473	25.6	385	2	3	22	38	54	73	99+	
TOTAL 0-19 YRS	250	16.2	279	1	1	11	23	37	53	83	
20-34	227	15.0	228	1	2	10	21	39	47	77	
35-49	127	18.3	262	1	2	14	27	46	51	90	
50-64	134	24.4	336	2	3	22	36	51	65	99+	
65+	192	29.2	422	2	3	27	46	62	77	99+	
GRAND TOTAL	930	20.1	332	1	2	15	30	48	60	99+	

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	8.5	128	1	1	4	10	19	39	45
20-34	29	9.6	70	1	1	6	15	24	26	28
35-49	22	11.3	290	<1	1	5	16	20	46	80
50-64	4	10.0	84	3	3	7	16	23	23	23
65+	6	13.5	156	4	4	10	32	87	99+	99+
2. MULTIPLE DX										
0-19 YRS	15	17.3	416	2	2	7	27	48	64	70
20-34	19	22.4	452	<1	1	12	38	46	61	71
35-49	13	21.4	352	3	4	15	32	47	64	68
50-64	19	24.7	597	1	1	21	37	63	78	83
65+	12	24.7	291	2	3	32	43	99+	99+	99+
TOT. SINGLE DX	86	10.0	146	1	1	5	16	23	36	93
" MULTIPLE DX	78	22.2	425	1	2	16	38	48	72	99+
TOTAL 0-19 YRS	40	11.8	247	1	1	5	17	37	46	70
20-34	48	14.6	255	1	1	6	23	38	45	71
35-49	35	15.1	329	1	1	10	19	36	61	80
50-64	23	22.1	533	1	1	15	34	52	76	83
65+	18	20.9	264	3	3	22	42	99+	99+	99+
GRAND TOTAL	164	15.8	314	1	1	8	25	43	68	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	2.7	8	<1	<1	2	3	5	8	16
20-34	336	3.2	5	<1	<1	3	4	6	8	11
35-49	189	3.9	5	<1	<1	4	5	7	8	12
50-64	182	3.7	8	<1	<1	3	4	6	9	13
65+	78	4.3	19	<1	1	3	5	7	13	26
2. MULTIPLE DX										
0-19 YRS	94	6.0	109	<1	<1	2	6	15	16	67
20-34	188	5.7	19	<1	2	5	7	9	12	26
35-49	195	5.7	26	<1	2	4	7	10	13	30
50-64	184	6.3	40	1	1	4	7	16	19	44
65+	146	12.6	203	1	2	8	17	33	59	99+
TOT. SINGLE DX	1141	3.3	7	<1	<1	3	4	6	8	13
" MULTIPLE DX	807	7.1	76	1	1	5	8	15	22	75
TOTAL 0-19 YRS	450	3.4	30	<1	<1	2	3	7	10	18
20-34	524	4.1	12	<1	<1	4	5	7	9	17
35-49	384	4.8	17	<1	1	4	6	8	11	24
50-64	366	5.0	25	<1	1	4	5	10	16	24
65+	224	9.7	155	1	1	6	12	24	38	99+
GRAND TOTAL	1948	4.9	39	<1	<1	3	6	9	15	35

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES							
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)	
1. SINGLE DX											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
2. MULTIPLE DX											
0-19 YRS											
20-34											
35-49											
50-64											
65+											
TOT. SINGLE DX											
" MULTIPLE DX											
TOTAL 0-19 YRS											
20-34											
35-49											
50-64											
65+											
GRAND TOTAL											

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	10	6.2	26	1	1	4	9	14	17	17
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	4	12.8	58	2	2	14	17	20	20	20
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	4	9.3	11	6	6	8	11	14	14	14
20-34	6	6.0	42	1	1	3	9	17	18	18
35-49	9	16.1	207	7	7	10	17	39	53	53
50-64	3	11.7	25	7	7	11	15	17	17	17
65+	5	19.4	367	3	3	14	32	49	49	49
TOT. SINGLE DX	18	6.9	37	1	1	4	12	16	19	20
" MULTIPLE DX	27	13.0	157	2	3	9	16	25	50	53
TOTAL 0-19 YRS	4	9.3	12	6	6	8	11	14	14	14
20-34	16	6.1	30	1	1	3	9	16	18	18
35-49	12	12.8	189	1	2	9	15	29	50	53
50-64	7	12.3	38	2	3	14	16	19	20	20
65+	6	16.8	333	3	3	9	27	47	49	49
GRAND TOTAL	45	10.6	116	1	2	8	14	19	32	53

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	6.8	54	1	1	4	9	16	22	39
20-34	697	4.6	22	1	1	3	6	10	13	25
35-49	833	4.6	23	1	1	3	6	11	15	23
50-64	484	5.6	41	1	1	3	8	14	18	32
65+	117	5.7	41	1	1	3	6	14	20	30
2. MULTIPLE DX										
0-19 YRS	42	6.7	40	1	1	4	10	15	18	30
20-34	375	6.2	47	1	1	4	8	13	19	31
35-49	534	7.2	56	1	1	4	10	16	23	37
50-64	595	8.4	86	1	1	5	11	19	27	47
65+	187	12.6	163	1	1	9	17	26	33	79
TOT. SINGLE DX	2202	5.0	30	1	1	3	6	11	16	26
" MULTIPLE DX	1633	7.0	82	1	1	5	11	18	25	44
TOTAL 0-19 YRS	113	6.8	49	1	1	4	9	16	20	34
20-34	1072	6.2	32	1	1	3	7	11	15	29
35-49	1367	6.6	39	1	1	3	7	13	18	29
50-64	979	7.0	67	1	1	4	9	17	21	42
65+	304	9.9	140	1	1	6	14	22	28	61
GRAND TOTAL	3835	6.2	54	1	1	4	8	15	20	36

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.6	16	1	2	4	8	12	15	15
20-34	99	5.7	31	2	2	4	7	12	20	64
35-49	124	5.4	14	1	1	4	7	11	15	42
50-64	189	5.5	21	1	2	4	7	10	13	25
65+	99	6.2	46	1	1	4	8	13	19	38
2. MULTIPLE DX										
0-19 YRS	28	14.2	371	2	2	7	17	36	52	94
20-34	77	10.2	191	1	2	6	10	22	36	80
35-49	163	9.3	90	2	3	6	11	20	33	48
50-64	355	9.0	73	1	1	7	12	20	25	48
65+	248	10.9	160	1	2	7	13	21	34	82
TOT. SINGLE DX	536	5.6	26	1	2	4	7	11	15	32
" MULTIPLE DX	871	9.9	122	1	2	7	12	20	33	63
TOTAL 0-19 YRS	53	10.2	219	1	2	7	11	20	37	93
20-34	176	7.7	106	1	2	5	8	17	30	80
35-49	287	7.7	61	1	1	5	9	16	24	46
50-64	544	7.8	58	1	2	6	10	17	23	42
65+	347	9.6	132	1	1	6	12	19	30	70
GRAND TOTAL	1407	8.3	89	1	2	6	10	17	25	58

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7		1	1	1	3	3	3	3
35-49	45	2.9	15	1	1	1	3	8	10	21
50-64	98	2.3	22	1	1	1	1	6	7	38
65+	32	2.7	22	1	1	1	1	6	10	20
2. MULTIPLE DX										
0-19 YRS	7	3.9	9			4	4	9	10	10
20-34	64	3.2	12	1	1	1	5	9	11	14
35-49	214	5.0	67	1	1	1	6	13	23	43
50-64	87	4.0	39	1	1	1	4	12	14	34
65+										
TOT. SINGLE DX	179	2.9	26	1	1	1	1	6	9	21
" MULTIPLE DX	372	4.4	91	1	1	1	5	11	18	40
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	3.2	8	1	1	1	4	7	10	10
35-49	109	3.1	13	1	1	1	4	9	10	17
50-64	312	4.5	58	1	1	1	6	11	19	43
65+	119	3.7	35	1	1	1	3	11	16	27
GRAND TOTAL	551	3.8	43	1	1	1	4	10	15	38

242 Hospitals, Canada, 1981, by Operation

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VAR. ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	6.5	25	1	1	4	10	13	19	22
20-34	185	5.9	21	1	1	4	9	13	16	19
35-49	220	6.6	34	1	1	5	10	14	16	29
50-64	380	5.9	37	1	1	3	9	14	18	26
65+	305	6.8	73	1	1	4	9	16	21	41
2. MULTIPLE DX										
0-19 YRS	32	11.0	45	2	3	9	17	20	23	23
20-34	160	9.2	69	1	1	7	11	21	24	54
35-49	275	9.7	75	1	2	8	13	21	27	45
50-64	743	9.7	86	1	1	7	14	20	27	50
65+	888	10.8	127	1	1	6	15	25	33	80
TOT. SINGLE DX	1143	6.3	44	1	1	4	9	14	18	30
" MULTIPLE DX	2098	10.1	102	1	1	8	14	22	31	58
TOTAL 0-19 YRS	85	9.2	37	1	2	6	12	19	21	23
20-34	345	7.4	94	1	1	5	10	16	21	28
35-49	495	8.3	99	1	1	6	12	17	23	39
50-64	1123	8.4	73	1	1	5	12	18	25	41
65+	1193	9.8	117	1	1	7	13	23	31	75
GRAND TOTAL	3241	8.8	88	1	1	6	12	19	26	49

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VAR. ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9267	4.4	23	1	1	3	5	9	12	23
20-34	8596	4.6	27	1	1	3	6	9	12	26
35-49	4795	5.5	28	1	1	4	7	11	15	26
50-64	4486	7.1	51	1	2	5	9	14	19	37
65+	4874	9.3	69	1	2	7	12	19	26	61
2. MULTIPLE DX										
0-19 YRS	7664	6.2	47	1	1	4	7	12	18	38
20-34	7027	6.2	54	1	1	4	7	13	19	39
35-49	5949	8.1	63	1	2	6	10	16	22	43
50-64	9885	10.4	105	2	2	8	13	21	29	64
65+	19665	13.7	174	2	3	10	17	30	46	99+
TOT. SINGLE DX	32028	5.7	42	1	1	4	7	12	16	33
" MULTIPLE DX	50190	10.2	122	1	2	7	13	22	32	80
TOTAL 0-19 YRS	16931	5.2	35	1	1	4	6	10	14	31
20-34	15623	5.3	41	1	1	4	6	11	15	33
35-49	10744	6.9	50	1	1	5	9	14	19	35
50-64	14387	8.4	91	1	2	7	12	19	26	57
65+	24539	12.8	161	2	3	9	16	28	42	99+
GRAND TOTAL	82218	8.9	95	1	1	6	10	18	27	65

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VAR. ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										


This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VAR. ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2899	6.5	60	1	1	4	7	13	21	42
20-34	1381	7.1	69	1	1	5	8	15	21	46
35-49	1082	8.7	76	1	2	6	11	17	24	49
50-64	1031	9.1	71	2	2	7	11	18	27	43
65+	1119	12.2	135	2	3	9	15	26	38	99
2. MULTIPLE DX										
0-19 YRS	2533	8.5	94	1	2	5	9	18	28	68
20-34	1214	9.2	117	1	2	6	11	21	30	74
35-49	1158	10.5	100	2	2	8	13	22	30	91
50-64	2082	12.6	131	2	3	10	16	26	34	70
65+	4325	16.6	251	3	4	12	21	41	62	99+
TOT. SINGLE DX	7512	8.1	81	1	2	5	10	17	28	62
" MULTIPLE DX	11312	12.6	176	2	3	8	15	28	44	99+
TOTAL 0-19 YRS	5432	7.4	78	1	2	5	8	16	23	50
20-34	2595	8.1	93	1	1	5	10	17	28	59
35-49	2240	9.6	90	1	2	7	12	19	26	61
50-64	3113	11.5	114	2	3	8	14	23	32	63
65+	5444	15.7	231	3	4	11	20	37	59	99+
GRAND TOTAL	18824	10.8	143	1	2	7	13	24	34	88

Appendix

ICD-9-CM Codes for Selected Operation Groups



ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47



Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiology, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS 20-34 35-49 50-64 65+										
2. MULTIPLE DX 0-19 YRS 20-34 35-49 50-64 65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS 20-34 35-49 50-64 65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS 20-34 35-49 50-64 65+										
2. MULTIPLE DX 0-19 YRS 20-34 35-49 50-64 65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS 20-34 35-49 50-64 65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS 20-34 35-49 50-64 65+										
2. MULTIPLE DX 0-19 YRS 20-34 35-49 50-64 65+										
TOT. SINGLE DX " MULTIPLE DX										
TOTAL 0-19 YRS 20-34 35-49 50-64 65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI- ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX 0-19 YRS 20-34 35-49 50-64 65+	14853 5220 2148 2276 2995	4.7 4.2 5.9 7.1 9.0	18 24 41 46 78	1 <1 1 1 2	1 1 1 2 2	4 3 4 5 7	6 5 7 9 11	9 8 12 15 19	12 11 17 19 26	22 25 28 37 70
2. MULTIPLE DX 0-19 YRS 20-34 35-49 50-64 65+	15243 4478 3101 5450 11813	6.7 5.8 7.7 8.8 12.5	45 57 69 88 157	1 1 1 2 2	2 1 2 2 3	5 4 5 7 9	8 7 9 12 15	13 12 16 20 28	18 18 23 27 43	36 42 43 59 99+
TOT. SINGLE DX " MULTIPLE DX	27492 40065	5.4 8.8	32 94	1 1	1 2	4 6 10	6 11 19	11 15 28	15 25 68	29 68
TOTAL 0-19 YRS 20-34 35-49 50-64 65+	30096 9698 5249 7706 14808	5.7 4.9 7.0 8.8 11.8	33 40 59 77 143	1 1 1 1 2	2 1 1 2 3	4 3 5 8 11	7 6 8 11 14	11 9 15 18 26	15 14 20 25 39	30 35 41 52 99+
GRAND TOTAL	67557	7.4	72	1	2	5	9	15	22	53

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — <i>see Fistulectomy</i>
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
563	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — <i>see Lysis, adhesions</i>
613	Anal sphincter
726	Fascia, except of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — <i>see also Incision (and drainage)</i>
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — <i>see also Excision of lesion (and destruction of tissue)</i>
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction With fracture-reduction — <i>see Fracture-reduction</i>
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — <i>see Sinusotomy</i>
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — <i>see Sinusotomy</i>
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — <i>see Repair, by site</i>
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — <i>see also Herniorrhaphy</i>
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — <i>see Lysis, adhesions</i>
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group
Number Title

Removal (continued)

- 524 Iris
- 527 Lens
- Prosthesis
- 745 Breast
- 716 Joint
- 697 Retained placenta, manually
- 764 Sutures
- 764 T-tube, gallbladder
- 764 Therapeutic device, nonoperatively
- 529 Vitreous
- 580 Renal dialysis

Repair

- 630 Abdominal wall
- 613 Anal fistula, except by excision
- 610 Excision
- 581 Aneurysm (arteriovenous)
- 638 Bladder, except obstetric laceration
- 697 Obstetric laceration
- 518 Blepharoptosis
- 581 Blood vessel
- 706 Bone, except facial
- 699 Facial
- 745 Breast
- 564 Bronchial fistula
- 704 Bunion
- 571 Cardiac septal defect
- 669 Cervix, except obstetric laceration
- 697 Obstetric laceration
- 570 Chest wall
- 551 Cleft palate
- 520 Conjunctiva
- 522 Cornea, except transplant
- 521 Transplant
- 680 Cystocele, vagina
- 730 Diastasis recti
- 534 Ear, external
- 518 Ectropion or entropion, eyelid
- 697 Episiotomy
- 518 Eyelid
- Fistula — *see Fistulectomy*
- 704 Hallux valgus
- 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia — <i>see Herniorrhaphy</i>
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — <i>see also Repair, by site</i>
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — <i>see also Bypass</i>
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — <i>see also Repair, by site</i>
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — <i>see Closure</i>
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — <i>see Reduction, fracture</i>
	Transfer — <i>see Transplant</i>
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — <i>see Radiography</i>
751	Z-plasty, skin